

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090415\
 Data File : BF081457.D
 Acq On : 5 Sep 2015 11:12
 Operator : UM/IZ
 Sample : G3526-16
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-17(6-7)

Quant Time: Sep 07 02:48:43 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 07 02:47:26 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.35	152	58689	20.00	ng	-0.01
21) Naphthalene-d8	7.64	136	225525	20.00	ng	-0.01
38) Acenaphthene-d10	9.38	164	102077	20.00	ng	-0.01
63) Phenanthrene-d10	10.84	188	182537	20.00	ng	-0.01
75) Chrysene-d12	13.45	240	147223	20.00	ng	-0.01
86) Perylene-d12	14.77	264	110522	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.90	112	229323	60.62	ng	0.01
7) Phenol-d6	6.02	99	317351	63.38	ng	-0.01
23) Nitrobenzene-d5	6.94	82	209848	44.89	ng	-0.01
41) 2,4,6-Tribromophenol	10.17	330	65023	71.54	ng	-0.01
44) 2-Fluorobiphenyl	8.73	172	373358	46.87	ng	0.00
78) Terphenyl-d14	12.43	244	302727	47.87	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	6.94	70	26984	7.92	ng	# 59
49) Dimethylphthalate	9.13	163	81787	10.31	ng	# 96
56) 2,4-Dinitrotoluene	9.38	165	13045	5.69	ng	# 31
66) 4-Bromophenyl-phenylether	10.17	248	4881	2.64	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090415\
Data File : BF081457.D
Acq On : 5 Sep 2015 11:12
Operator : UM/IZ
Sample : G3526-16
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-17(6-7)

Quant Time: Sep 07 02:48:43 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 07 02:47:26 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.35 min Scan# 417

Delta R.T. -0.01 min

Lab File: BF081457.D

Acq: 5 Sep 2015 11:12

Instrument :

BNA_F

ClientSampled :

SB-17(6-7)


Tot Ion:152 Resp: 58689

Ion Ratio Lower Upper

152 100

150 160.3 124.7 187.1




115 70.2 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 60.62 ng

RT: 4.90 min Scan# 290

Delta R.T. 0.01 min

Lab File: BF081457.D

Acq: 5 Sep 2015 11:12


Tgt Ion:112 Resp: 229323

Ion Ratio Lower Upper

112 100

64 67.7 39.7 59.5#



63 36.4 17.4 26.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 63.38 ng

RT: 6.02 min Scan# 388

Delta R.T. -0.01 min

Lab File: BF081457.D

Acq: 5 Sep 2015 11:12

Instrument :

BNA_F

ClientSampleId :

SB-17(6-7)


Tot Ion: 99 Resp: 317351

Ion Ratio Lower Upper

99 100

42 22.2 13.7 20.5#




71 37.4 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 7.92 ng

RT: 6.94 min Scan# 468

Delta R.T. 0.13 min

Lab File: BF081457.D

Acq: 5 Sep 2015 11:12

Tgt Ion: 70 Resp: 26984


Ion Ratio Lower Upper

70 100

42 47.3 63.8 95.6#

101 0.0 9.2 13.8#

130 2.1 27.3 40.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.64 min Scan# 530
Delta R.T. -0.01 min
Lab File: BF081457.D
Acq: 5 Sep 2015 11:12




Instrument :
BNA_F
ClientSampleId :
SB-17(6-7)


Tot Ion:136	Resp:	225525
Ion Ratio	Lower	Upper
136	100	
137	11.1	9.0 13.6
54	11.8	8.2 12.2
68	5.4	5.8 8.6#



#23
Nitrobenzene-d5
Concen: 44.89 ng
RT: 6.94 min Scan# 468
Delta R.T. -0.01 min
Lab File: BF081457.D
Acq: 5 Sep 2015 11:12

Tgt Ion: 82	Resp:	209848
Ion Ratio	Lower	Upper
82	100	
128	46.3	51.0 76.6#
54	54.9	47.5 71.3





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.38 min Scan# 682

Delta R.T. -0.01 min

Lab File: BF081457.D

Acq: 5 Sep 2015 11:12

Instrument :

BNA_F

ClientSampleId :

SB-17(6-7)


Tot Ion:164 Resp: 102077

Ion Ratio Lower Upper

164 100

162 102.3 75.2 112.8




160 46.0 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 71.54 ng

RT: 10.17 min Scan# 751

Delta R.T. -0.01 min

Lab File: BF081457.D

Acq: 5 Sep 2015 11:12


Tgt Ion:330 Resp: 65023

Ion Ratio Lower Upper

330 100

332 93.6 76.6 114.8



141 42.6 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 46.87 ng
RT: 8.73 min Scan# 625
Delta R.T. 0.00 min
Lab File: BF081457.D
Acq: 5 Sep 2015 11:12




Instrument :
BNA_F
ClientSampleId :
SB-17(6-7)


Tot Ion:172 Resp: 373358
Ion Ratio Lower Upper
172 100
171 34.7 26.1 39.1
170 23.3 17.4 26.2



#49
Dimethylphthalate
Concen: 10.31 ng
RT: 9.13 min Scan# 660
Delta R.T. -0.02 min
Lab File: BF081457.D
Acq: 5 Sep 2015 11:12

Tgt Ion:163 Resp: 81787
Ion Ratio Lower Upper
163 100
194 2.7 4.4 6.6#
164 9.8 8.3 12.5





#56

2,4-Dinitrotoluene

Concen: 5.69 ng

RT: 9.38 min Scan# 682

Delta R.T. -0.22 min

Lab File: BF081457.D

Acq: 5 Sep 2015 11:12

Instrument :

BNA_F

ClientSampleId :

SB-17(6-7)

Tot Ion:165 Resp: 13045


Ion Ratio Lower Upper

165 100

63 0.0 29.8 44.6#

89 0.0 44.5 66.7#

182 0.0 3.0 4.4#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 10.84 min Scan# 810

Delta R.T. -0.01 min

Lab File: BF081457.D

Acq: 5 Sep 2015 11:12


Tgt Ion:188 Resp: 182537

Ion Ratio Lower Upper

188 100

94 9.7 11.1 16.7#



80 10.9 11.0 16.4#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0









#66
4-Bromophenyl-phenylether
Concen: 2.64 ng
RT: 10.17 min Scan# 751
Delta R.T. -0.25 min
Lab File: BF081457.D
Acq: 5 Sep 2015 11:12

Instrument :
BNA_F
ClientSampleId :
SB-17(6-7)

Tot Ion:248 Resp: 4881
Ion Ratio Lower Upper
248 100
250 183.2 78.5 117.7#
141 380.9 59.0 88.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.45 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF081457.D
Acq: 5 Sep 2015 11:12

Tgt Ion:240 Resp: 147223
Ion Ratio Lower Upper
240 100
120 11.2 16.2 24.2#
236 24.6 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 47.87 ng
 RT: 12.43 min Scan# 949
 Delta R.T. 0.00 min
 Lab File: BF081457.D
 Acq: 5 Sep 2015 11:12

Instrument :
 BNA_F
 ClientSampleId :
 SB-17(6-7)

Tot Ion:244 Resp: 302727
 Ion Ratio Lower Upper
 244 100
 212 7.2 4.3 6.5#
 122 8.6 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.77 min Scan# 1153
 Delta R.T. 0.00 min
 Lab File: BF081457.D
 Acq: 5 Sep 2015 11:12

Tgt Ion:264 Resp: 110522
 Ion Ratio Lower Upper
 264 100
 260 23.0 16.7 25.1
 265 21.8 17.2 25.8

