

Data Path : Z:\HPCHEM1\BNA F\DATA\BF090415\
 Data File : BF081462.D
 Acq On : 5 Sep 2015 13:46
 Operator : UM/IZ
 Sample : G3526-01
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :


Quant Time: Sep 07 02:49:48 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 07 02:47:26 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.35	152	52855	20.00	ng	-0.01
21) Naphthalene-d8	7.64	136	208837	20.00	ng	-0.01
38) Acenaphthene-d10	9.38	164	93931	20.00	ng	-0.01
63) Phenanthrene-d10	10.84	188	185082	20.00	ng	-0.01
75) Chrysene-d12	13.45	240	146658	20.00	ng	-0.01
86) Perylene-d12	14.77	264	107758	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.90	112	327953	96.27	ng	0.01
7) Phenol-d6	6.02	99	410493	91.03	ng	-0.01
23) Nitrobenzene-d5	6.94	82	318913	73.68	ng	-0.01
41) 2,4,6-Tribromophenol	10.17	330	93308	111.56	ng	-0.01
44) 2-Fluorobiphenyl	8.73	172	508100	69.32	ng	0.00
78) Terphenyl-d14	12.43	244	409160	64.94	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	6.94	70	42221	13.76	ng	# 60
49) Dimethylphthalate	9.13	163	76434	10.47	ng	# 97
56) 2,4-Dinitrotoluene	9.38	165	11705	5.55	ng	# 31
66) 4-Bromophenyl-phenylether	10.17	248	7360	3.93	ng	# 1
88) Benzo(k)fluoranthene	14.43	252	14637	2.29	ng	# 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

```
Data Path : Z:\HPCHEM1\BNA F\DATA\BF090415\  
Data File : BF081462.D  
Acq On    : 5 Sep 2015 13:46  
Operator  : UM/IZ  
Sample    : G3526-01  
Misc      :  
ALS Vial  : 41 Sample Multiplier: 1
```

Quant Time: Sep 07 02:49:48 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 07 02:47:26 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.35 min Scan# 417
Delta R.T. -0.01 min
Lab File: BF081462.D
Acq: 5 Sep 2015 13:46

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 52855
Ion Ratio Lower Upper
152 100
150 162.6 124.7 187.1
115 70.5 39.0 58.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 96.27 ng
RT: 4.90 min Scan# 290
Delta R.T. 0.01 min
Lab File: BF081462.D
Acq: 5 Sep 2015 13:46

Tgt Ion:112 Resp: 327953
Ion Ratio Lower Upper
112 100
64 77.8 39.7 59.5#
63 41.3 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 91.03 ng

RT: 6.02 min Scan# 388

Delta R.T. -0.01 min

Lab File: BF081462.D

Acq: 5 Sep 2015 13:46

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 410493

Ion Ratio Lower Upper

99 100

42 24.3 13.7 20.5#




71 39.9 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 13.76 ng

RT: 6.94 min Scan# 468

Delta R.T. 0.13 min

Lab File: BF081462.D

Acq: 5 Sep 2015 13:46

Tgt Ion: 70 Resp: 42221


Ion Ratio Lower Upper

70 100

42 49.5 63.8 95.6#

101 0.0 9.2 13.8#

130 2.0 27.3 40.9#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0





#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.64 min Scan# 530

Delta R.T. -0.01 min

Lab File: BF081462.D


Acq: 5 Sep 2015 13:46

Instrument :

BNA_F

ClientSampleId :

Tot Ion:136	Resp:	208837
Ion	Ratio	Lower Upper
136	100	
137	11.2	9.0 13.6
54	12.0	8.2 12.2
68	5.3	5.8 8.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0



#23

Nitrobenzene-d5

Concen: 73.68 ng


RT: 6.94 min Scan# 468

Delta R.T. -0.01 min

Lab File: BF081462.D

Acq: 5 Sep 2015 13:46



Tgt Ion: 82	Resp:	318913
Ion	Ratio	Lower Upper
82	100	
128	41.8	51.0 76.6#
54	59.5	47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.38 min Scan# 682
 Delta R.T. -0.01 min
 Lab File: BF081462.D
 Acq: 5 Sep 2015 13:46

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:164 Resp: 93931
 Ion Ratio Lower Upper
 164 100
 162 100.1 75.2 112.8
 160 45.4 31.5 47.3




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 111.56 ng
 RT: 10.17 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF081462.D
 Acq: 5 Sep 2015 13:46

Tgt Ion:330 Resp: 93308
 Ion Ratio Lower Upper
 330 100
 332 95.9 76.6 114.8
 141 47.0 29.7 44.5#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 69.32 ng
 RT: 8.73 min Scan# 625
 Delta R.T. 0.00 min
 Lab File: BF081462.D
 Acq: 5 Sep 2015 13:46




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:172 Resp: 508100
 Ion Ratio Lower Upper
 172 100
 171 36.0 26.1 39.1
 170 23.9 17.4 26.2



#49
 Dimethylphthalate
 Concen: 10.47 ng
 RT: 9.13 min Scan# 660
 Delta R.T. -0.02 min
 Lab File: BF081462.D
 Acq: 5 Sep 2015 13:46

Tgt Ion:163 Resp: 76434
 Ion Ratio Lower Upper
 163 100
 194 3.0 4.4 6.6#
 164 10.0 8.3 12.5









#56
 2,4-Dinitrotoluene
 Concen: 5.55 ng
 RT: 9.38 min Scan# 682
 Delta R.T. -0.22 min
 Lab File: BF081462.D
 Acq: 5 Sep 2015 13:46

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:165 Resp: 11705
 Ion Ratio Lower Upper
 165 100
 63 0.0 29.8 44.6#
 89 0.0 44.5 66.7#
 182 0.0 3.0 4.4#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0
 Ion 182.00 (181.70 to 182.70): E






#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 10.84 min Scan# 810
 Delta R.T. -0.01 min
 Lab File: BF081462.D
 Acq: 5 Sep 2015 13:46

Tgt Ion:188 Resp: 185082
 Ion Ratio Lower Upper
 188 100
 94 10.3 11.1 16.7#
 80 11.3 11.0 16.4



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0









#66
4-Bromophenyl-phenylether
Concen: 3.93 ng
RT: 10.17 min Scan# 751
Delta R.T. -0.25 min
Lab File: BF081462.D
Acq: 5 Sep 2015 13:46

Instrument :
BNA_F
ClientSampled :

Tot Ion:248 Resp: 7360
Ion Ratio Lower Upper
248 100
250 197.6 78.5 117.7#
141 474.4 59.0 88.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.45 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF081462.D
Acq: 5 Sep 2015 13:46

Tgt Ion:240 Resp: 146658
Ion Ratio Lower Upper
240 100
120 12.2 16.2 24.2#
236 24.9 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 64.94 ng
 RT: 12.43 min Scan# 949
 Delta R.T. 0.00 min
 Lab File: BF081462.D
 Acq: 5 Sep 2015 13:46

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 409160
 Ion Ratio Lower Upper
 244 100
 212 7.8 4.3 6.5#
 122 11.7 17.4 26.2#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E






#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.77 min Scan# 1153
 Delta R.T. 0.00 min
 Lab File: BF081462.D
 Acq: 5 Sep 2015 13:46

Tgt Ion:264 Resp: 107758
 Ion Ratio Lower Upper
 264 100
 260 23.8 16.7 25.1
 265 20.8 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E






#88
 Benzo(k)fluoranthene
 Concen: 2.29 ng
 RT: 14.43 min Scan# 1124
 Delta R.T. -0.03 min
 Lab File: BF081462.D
 Acq: 5 Sep 2015 13:46

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
252	100		
253	24.6	17.0	25.4
125	13.1	16.0	24.0



Abundance

Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

