

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090415\
 Data File : BF081430.D
 Acq On : 4 Sep 2015 20:54
 Operator : UM/IZ
 Sample : PB85375TB
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB85375TB

Quant Time: Sep 07 01:39:51 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 07 01:02:00 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.35	152	68066	20.00	ng	-0.01
21) Naphthalene-d8	7.64	136	264066	20.00	ng	-0.01
38) Acenaphthene-d10	9.38	164	124679	20.00	ng	-0.01
63) Phenanthrene-d10	10.84	188	248730	20.00	ng	-0.01
75) Chrysene-d12	13.45	240	186257	20.00	ng	-0.01
86) Perylene-d12	14.77	264	134115	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.91	112	436412	99.48	ng	0.01
7) Phenol-d6	6.03	99	570641	98.27	ng	0.00
23) Nitrobenzene-d5	6.94	82	393484	71.89	ng	-0.01
41) 2,4,6-Tribromophenol	10.17	330	95845	86.34	ng	-0.01
44) 2-Fluorobiphenyl	8.73	172	607994	62.49	ng	-0.01
78) Terphenyl-d14	12.43	244	522884	65.35	ng	-0.01


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090415\
Data File : BF081430.D
Acq On : 4 Sep 2015 20:54
Operator : UM/IZ
Sample : PB85375TB
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB85375TB

Quant Time: Sep 07 01:39:51 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 07 01:02:00 2015
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.35 min Scan# 417
 Delta R.T. -0.01 min
 Lab File: BF081430.D
 Acq: 4 Sep 2015 20:54

Instrument :
 BNA_F
 ClientSampleId :
 PB85375TB

Tgt Ion:152 Resp: 68066
 Ion Ratio Lower Upper
 152 100
 150 162.3 124.7 187.1
 115 72.2 39.0 58.4#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 99.48 ng
 RT: 4.91 min Scan# 291
 Delta R.T. 0.01 min
 Lab File: BF081430.D
 Acq: 4 Sep 2015 20:54

Tgt Ion:112 Resp: 436412
 Ion Ratio Lower Upper
 112 100
 64 72.5 39.7 59.5#
 63 38.3 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 98.27 ng

RT: 6.03 min Scan# 389

Delta R.T. 0.00 min

Lab File: BF081430.D

Acq: 4 Sep 2015 20:54

Instrument :

BNA_F

ClientSampleId :

PB85375TB


Tgt Ion: 99 Resp: 570641

Ion Ratio Lower Upper

99 100

42 15.0 13.7 20.5




71 29.9 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.64 min Scan# 530

Delta R.T. -0.01 min

Lab File: BF081430.D

Acq: 4 Sep 2015 20:54

Tgt Ion: 136 Resp: 264066


Ion Ratio Lower Upper

136 100

137 11.0 9.0 13.6

54 13.3 8.2 12.2#

68 6.0 5.8 8.6





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 71.89 ng
 RT: 6.94 min Scan# 468
 Delta R.T. -0.01 min
 Lab File: BF081430.D
 Acq: 4 Sep 2015 20:54




Instrument :
 BNA_F
 ClientSampleId :
 PB85375TB

Tgt Ion: 82 Resp: 393484
 Ion Ratio Lower Upper
 82 100
 128 39.1 51.0 76.6#
 54 61.9 47.5 71.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.38 min Scan# 682
 Delta R.T. -0.01 min
 Lab File: BF081430.D
 Acq: 4 Sep 2015 20:54

Tgt Ion: 164 Resp: 124679
 Ion Ratio Lower Upper
 164 100
 162 104.8 75.2 112.8
 160 45.7 31.5 47.3








#41
 2,4,6-Tribromophenol
 Concen: 86.34 ng
 RT: 10.17 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF081430.D
 Acq: 4 Sep 2015 20:54

Instrument :
 BNA_F
 ClientSampled :
 PB85375TB

Tgt Ion:330 Resp: 95845
 Ion Ratio Lower Upper
 330 100
 332 97.5 76.6 114.8
 141 52.9 29.7 44.5#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 62.49 ng
 RT: 8.73 min Scan# 625
 Delta R.T. -0.01 min
 Lab File: BF081430.D
 Acq: 4 Sep 2015 20:54

Tgt Ion:172 Resp: 607994
 Ion Ratio Lower Upper
 172 100
 171 35.9 26.1 39.1
 170 24.4 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 10.84 min Scan# 810
Delta R.T. -0.01 min
Lab File: BF081430.D
Acq: 4 Sep 2015 20:54

Instrument :
BNA_F
ClientSampleId :
PB85375TB

Tgt Ion:188 Resp: 248730
Ion Ratio Lower Upper
188 100
94 12.2 11.1 16.7
80 13.8 11.0 16.4




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.45 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF081430.D
Acq: 4 Sep 2015 20:54

Tgt Ion:240 Resp: 186257
Ion Ratio Lower Upper
240 100
120 14.7 16.2 24.2#
236 26.1 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 65.35 ng
 RT: 12.43 min Scan# 949
 Delta R.T. -0.01 min
 Lab File: BF081430.D
 Acq: 4 Sep 2015 20:54

Instrument :
 BNA_F
 ClientSampleId :
 PB85375TB

Tgt Ion:244 Resp: 522884
 Ion Ratio Lower Upper
 244 100
 212 7.8 4.3 6.5#
 122 13.6 17.4 26.2#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.77 min Scan# 1153
 Delta R.T. 0.00 min
 Lab File: BF081430.D
 Acq: 4 Sep 2015 20:54

Tgt Ion:264 Resp: 134115
 Ion Ratio Lower Upper
 264 100
 260 24.3 16.7 25.1
 265 21.6 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

