

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090415\
 Data File : BF081431.D
 Acq On : 4 Sep 2015 21:25
 Operator : UM/IZ
 Sample : PB85409BL
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB85409BL

Quant Time: Sep 07 01:40:38 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 07 01:02:00 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.35	152	67097	20.00	ng	-0.01
21) Naphthalene-d8	7.64	136	271703	20.00	ng	-0.01
38) Acenaphthene-d10	9.38	164	124181	20.00	ng	-0.01
63) Phenanthrene-d10	10.84	188	249849	20.00	ng	-0.01
75) Chrysene-d12	13.45	240	194950	20.00	ng	-0.01
86) Perylene-d12	14.77	264	136510	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.91	112	391842	90.61	ng	0.01
7) Phenol-d6	6.02	99	522589	91.29	ng	-0.01
23) Nitrobenzene-d5	6.94	82	372397	66.13	ng	-0.01
41) 2,4,6-Tribromophenol	10.17	330	97271	87.97	ng	-0.01
44) 2-Fluorobiphenyl	8.73	172	589341	60.82	ng	-0.01
78) Terphenyl-d14	12.43	244	499585	59.65	ng	-0.01


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090415\
Data File : BF081431.D
Acq On : 4 Sep 2015 21:25
Operator : UM/IZ
Sample : PB85409BL
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB85409BL

Quant Time: Sep 07 01:40:38 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 07 01:02:00 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.35 min Scan# 417

Delta R.T. -0.01 min

Lab File: BF081431.D

Acq: 4 Sep 2015 21:25

Instrument :

BNA_F

ClientSampleId :

PB85409BL


Tgt Ion:152 Resp: 67097

Ion Ratio Lower Upper

152 100

150 160.3 124.7 187.1



115 72.0 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 90.61 ng

RT: 4.91 min Scan# 291

Delta R.T. 0.01 min

Lab File: BF081431.D

Acq: 4 Sep 2015 21:25


Tgt Ion:112 Resp: 391842

Ion Ratio Lower Upper

112 100

64 74.8 39.7 59.5#



63 40.2 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 91.29 ng

RT: 6.02 min Scan# 388

Delta R.T. -0.01 min

Lab File: BF081431.D

Acq: 4 Sep 2015 21:25

Instrument :

BNA_F

ClientSampleId :

PB85409BL


Tgt Ion: 99 Resp: 522589

Ion Ratio Lower Upper

99 100

42 24.9 13.7 20.5#




71 38.6 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.64 min Scan# 530

Delta R.T. -0.01 min

Lab File: BF081431.D

Acq: 4 Sep 2015 21:25

Tgt Ion: 136 Resp: 271703


Ion Ratio Lower Upper

136 100

137 10.9 9.0 13.6

54 12.6 8.2 12.2#

68 5.8 5.8 8.6





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 66.13 ng
 RT: 6.94 min Scan# 468
 Delta R.T. -0.01 min
 Lab File: BF081431.D
 Acq: 4 Sep 2015 21:25

Instrument :
 BNA_F
 ClientSampleId :
 PB85409BL

Tgt Ion: 82 Resp: 372397
 Ion Ratio Lower Upper
 82 100
 128 41.5 51.0 76.6#
 54 60.6 47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0





#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.38 min Scan# 682
 Delta R.T. -0.01 min
 Lab File: BF081431.D
 Acq: 4 Sep 2015 21:25

Tgt Ion: 164 Resp: 124181
 Ion Ratio Lower Upper
 164 100
 162 103.3 75.2 112.8
 160 45.8 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E








#41
 2,4,6-Tribromophenol
 Concen: 87.97 ng
 RT: 10.17 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF081431.D
 Acq: 4 Sep 2015 21:25

Instrument :
 BNA_F
 ClientSampleId :
 PB85409BL

Tgt Ion:330 Resp: 97271
 Ion Ratio Lower Upper
 330 100
 332 97.0 76.6 114.8
 141 51.2 29.7 44.5#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 60.82 ng
 RT: 8.73 min Scan# 625
 Delta R.T. -0.01 min
 Lab File: BF081431.D
 Acq: 4 Sep 2015 21:25

Tgt Ion:172 Resp: 589341
 Ion Ratio Lower Upper
 172 100
 171 35.8 26.1 39.1
 170 24.6 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 10.84 min Scan# 810
Delta R.T. -0.01 min
Lab File: BF081431.D
Acq: 4 Sep 2015 21:25




Instrument :
BNA_F
ClientSampled :
PB85409BL


Tgt Ion:188 Resp: 249849
Ion Ratio Lower Upper
188 100
94 12.5 11.1 16.7
80 14.2 11.0 16.4



#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.45 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF081431.D
Acq: 4 Sep 2015 21:25

Tgt Ion:240 Resp: 194950
Ion Ratio Lower Upper
240 100
120 13.9 16.2 24.2#
236 25.6 18.4 27.6









#78
 Terphenyl-d14
 Concen: 59.65 ng
 RT: 12.43 min Scan# 949
 Delta R.T. -0.01 min
 Lab File: BF081431.D
 Acq: 4 Sep 2015 21:25

Instrument :
 BNA_F
 ClientSampleId :
 PB85409BL

Tgt Ion:244 Resp: 499585
 Ion Ratio Lower Upper
 244 100
 212 7.8 4.3 6.5#
 122 14.6 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.77 min Scan# 1153
 Delta R.T. 0.00 min
 Lab File: BF081431.D
 Acq: 4 Sep 2015 21:25

Tgt Ion:264 Resp: 136510
 Ion Ratio Lower Upper
 264 100
 260 24.4 16.7 25.1
 265 21.1 17.2 25.8

