

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090415\
 Data File : BF081453.D
 Acq On : 5 Sep 2015 8:40
 Operator : UM/IZ
 Sample : G3558-02
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-1WS

Quant Time: Sep 07 02:38:50 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 07 01:54:57 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.35	152	57342	20.00	ng	-0.01
21) Naphthalene-d8	7.64	136	220890	20.00	ng	-0.01
38) Acenaphthene-d10	9.38	164	96020	20.00	ng	-0.01
63) Phenanthrene-d10	10.84	188	190462	20.00	ng	-0.01
75) Chrysene-d12	13.45	240	134658	20.00	ng	-0.01
86) Perylene-d12	14.77	264	102054	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	4.90	112	212497	57.50	ng	0.00
7) Phenol-d6	6.02	99	188521	38.54	ng	-0.01
23) Nitrobenzene-d5	6.94	82	402833	87.99	ng	-0.01
41) 2,4,6-Tribromophenol	10.17	330	115199	134.74	ng	-0.01
44) 2-Fluorobiphenyl	8.73	172	654702	87.38	ng	0.00
78) Terphenyl-d14	12.43	244	549146	94.93	ng	-0.01
Target Compounds						Qvalue
49) Dimethylphthalate	9.13	163	21635	2.90	ng	# 97
51) Acenaphthene	9.42	154	20239	3.14	ng	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090415\
Data File : BF081453.D
Acq On : 5 Sep 2015 8:40
Operator : UM/IZ
Sample : G3558-02
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-1WS

Quant Time: Sep 07 02:38:50 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 07 01:54:57 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.35 min Scan# 417

Delta R.T. -0.01 min

Lab File: BF081453.D

Acq: 5 Sep 2015 8:40

Instrument :

BNA_F

ClientSampleId :

SB-1WS


Tgt Ion:152 Resp: 57342

Ion Ratio Lower Upper

152 100

150 160.9 124.7 187.1




115 69.1 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 57.50 ng

RT: 4.90 min Scan# 290

Delta R.T. 0.00 min

Lab File: BF081453.D

Acq: 5 Sep 2015 8:40


Tgt Ion:112 Resp: 212497

Ion Ratio Lower Upper

112 100

64 69.4 39.7 59.5#



63 36.8 17.4 26.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 38.54 ng

RT: 6.02 min Scan# 388

Delta R.T. -0.01 min

Lab File: BF081453.D

Acq: 5 Sep 2015 8:40

Instrument :

BNA_F

ClientSampleId :

SB-1WS


Tgt Ion: 99 Resp: 188521

Ion Ratio Lower Upper

99 100

42 20.2 13.7 20.5




71 35.4 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.64 min Scan# 530

Delta R.T. -0.01 min

Lab File: BF081453.D

Acq: 5 Sep 2015 8:40

Tgt Ion: 136 Resp: 220890


Ion Ratio Lower Upper

136 100

137 11.1 9.0 13.6

54 12.5 8.2 12.2#

68 5.2 5.8 8.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 87.99 ng
 RT: 6.94 min Scan# 468
 Delta R.T. -0.01 min
 Lab File: BF081453.D
 Acq: 5 Sep 2015 8:40




Instrument :
 BNA_F
 ClientSampleId :
 SB-1WS


Tgt Ion: 82 Resp: 402833
 Ion Ratio Lower Upper
 82 100
 128 37.6 51.0 76.6#
 54 64.1 47.5 71.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.38 min Scan# 682
 Delta R.T. -0.01 min
 Lab File: BF081453.D
 Acq: 5 Sep 2015 8:40

Tgt Ion: 164 Resp: 96020
 Ion Ratio Lower Upper
 164 100
 162 99.4 75.2 112.8
 160 45.9 31.5 47.3









#41
 2,4,6-Tribromophenol
 Concen: 134.74 ng
 RT: 10.17 min Scan# 751
 Delta R.T. -0.01 min
 Lab File: BF081453.D
 Acq: 5 Sep 2015 8:40




Instrument :
 BNA_F
 ClientSampleId :
 SB-1WS


Tgt Ion:330 Resp: 115199
 Ion Ratio Lower Upper
 330 100
 332 98.9 76.6 114.8
 141 53.9 29.7 44.5#



#44
 2-Fluorobiphenyl
 Concen: 87.38 ng
 RT: 8.73 min Scan# 625
 Delta R.T. 0.00 min
 Lab File: BF081453.D
 Acq: 5 Sep 2015 8:40

Tgt Ion:172 Resp: 654702
 Ion Ratio Lower Upper
 172 100
 171 35.7 26.1 39.1
 170 24.0 17.4 26.2





#49

Dimethylphthalate

Concen: 2.90 ng

RT: 9.13 min Scan# 660

Delta R.T. -0.02 min

Lab File: BF081453.D

Acq: 5 Sep 2015 8:40

Instrument :

BNA_F

ClientSampleId :

SB-1WS


Tgt Ion:163 Resp: 21635

Ion Ratio Lower Upper

163 100

194 2.8 4.4 6.6#




164 10.0 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#51

Acenaphthene

Concen: 3.14 ng

RT: 9.42 min Scan# 685

Delta R.T. -0.01 min

Lab File: BF081453.D

Acq: 5 Sep 2015 8:40


Tgt Ion:154 Resp: 20239

Ion Ratio Lower Upper

154 100

153 114.7 82.1 123.1



152 55.5 37.9 56.9




Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 10.84 min Scan# 810
Delta R.T. -0.01 min
Lab File: BF081453.D
Acq: 5 Sep 2015 8:40

Instrument :
BNA_F
ClientSampleId :
SB-1WS

Tgt Ion:188 Resp: 190462
Ion Ratio Lower Upper
188 100
94 10.3 11.1 16.7#
80 11.9 11.0 16.4




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#75
Chrysene-d12
Concen: 20.00 ng
RT: 13.45 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF081453.D
Acq: 5 Sep 2015 8:40

Tgt Ion:240 Resp: 134658
Ion Ratio Lower Upper
240 100
120 10.9 16.2 24.2#
236 25.3 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 94.93 ng
 RT: 12.43 min Scan# 949
 Delta R.T. -0.01 min
 Lab File: BF081453.D
 Acq: 5 Sep 2015 8:40

Instrument :
 BNA_F
 ClientSampleId :
 SB-1WS

Tgt Ion: 244 Resp: 549146
 Ion Ratio Lower Upper
 244 100
 212 7.9 4.3 6.5#
 122 13.4 17.4 26.2#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.77 min Scan# 1153
 Delta R.T. 0.00 min
 Lab File: BF081453.D
 Acq: 5 Sep 2015 8:40

Tgt Ion: 264 Resp: 102054
 Ion Ratio Lower Upper
 264 100
 260 23.0 16.7 25.1
 265 21.1 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

