

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090418\
 Data File : BF108767.D
 Acq On : 5 Sep 2018 5:35
 Operator : JU/SJ
 Sample : J4741-04 10X
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 AOC2-03-D

Quant Time: Sep 05 08:33:12 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 30 15:06:55 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.00	152	41663	20.00	ng	0.00
21) Naphthalene-d8	8.28	136	212067	20.00	ng	0.00
38) Acenaphthene-d10	10.03	164	114462	20.00	ng	-0.02
63) Phenanthrene-d10	11.53	188	258340	20.00	ng	-0.02
75) Chrysene-d12	14.18	240	193954	20.00	ng	-0.02
86) Perylene-d12	15.74	264	145306	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.89	112	108	0.05	ng	0.24
7) Phenol-d6	6.78	99	3077	0.90	ng	0.14
23) Nitrobenzene-d5	7.65	82	2312	0.55	ng	0.08
41) 2,4,6-Tribromophenol	10.85	330	4194	2.78	ng	0.00
44) 2-Fluorobiphenyl	9.35	172	23050	2.71	ng	-0.01
78) Terphenyl-d14	13.11	244	36072	3.61	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090418\
Data File : BF108767.D
Acq On : 5 Sep 2018 5:35
Operator : JU/SJ
Sample : J4741-04 10X
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
AOC2-03-D

Quant Time: Sep 05 08:33:12 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF083018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 30 15:06:55 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.00 min Scan# 793
Delta R.T. -0.01 min
Lab File: BF108767.D
Acq: 5 Sep 2018 5:35

Instrument :
BNA_F
ClientSampleId :
AOC2-03-D

Tot Ion	Ratio	Lower	Upper
152	100		
150	136.5	124.6	186.8
115	55.8	50.1	75.1






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 0.045 ng
RT: 5.89 min Scan# 604
Delta R.T. 0.24 min
Lab File: BF108767.D
Acq: 5 Sep 2018 5:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	0.0	47.9	71.9#
63	0.0	23.7	35.5#






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 0.896 ng

RT: 6.78 min Scan# 756

Delta R.T. 0.14 min

Lab File: BF108767.D

Acq: 5 Sep 2018 5:35

Instrument :

BNA_F

ClientSampleId :

AOC2-03-D


Tot Ion: 99 Resp: 3077

Ion Ratio Lower Upper




99 100

42 0.0 14.5 21.7#

71 30.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.28 min Scan# 1010

Delta R.T. -0.01 min

Lab File: BF108767.D

Acq: 5 Sep 2018 5:35

Tgt Ion: 136 Resp: 212067


Ion Ratio Lower Upper

136 100



137 10.8 8.9 13.3

54 8.9 6.6 9.8

68 5.2 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 0.553 ng

RT: 7.65 min Scan# 904

Delta R.T. 0.08 min

Lab File: BF108767.D

Acq: 5 Sep 2018 5:35

Instrument :

BNA_F

ClientSampleId :

AOC2-03-D


Tot Ion: 82 Resp: 2312

Ion Ratio Lower Upper

82 100

128 0.0 36.1 54.1#




54 72.5 41.4 62.2#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.03 min Scan# 1308

Delta R.T. -0.02 min

Lab File: BF108767.D

Acq: 5 Sep 2018 5:35


Tgt Ion:164 Resp: 114462

Ion Ratio Lower Upper

164 100

162 101.6 86.1 129.1



160 43.2 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 2.776 ng
 RT: 10.85 min Scan# 1448
 Delta R.T. 0.01 min
 Lab File: BF108767.D
 Acq: 5 Sep 2018 5:35

Instrument :
 BNA_F
 ClientSampleId :
 AOC2-03-D

Tot Ion:330 Resp: 4194
 Ion Ratio Lower Upper
 330 100
 332 0.0 77.0 115.6#
 141 2.7 29.9 44.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 2.708 ng
 RT: 9.35 min Scan# 1192
 Delta R.T. -0.01 min
 Lab File: BF108767.D
 Acq: 5 Sep 2018 5:35

Tgt Ion:172 Resp: 23050
 Ion Ratio Lower Upper
 172 100
 171 34.3 29.7 44.5
 170 24.0 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.53 min Scan# 1563
Delta R.T. -0.02 min
Lab File: BF108767.D
Acq: 5 Sep 2018 5:35




Instrument :
BNA_F
ClientSampleId :
AOC2-03-D


Tot Ion:188 Resp: 258340
Ion Ratio Lower Upper
188 100
94 7.6 8.5 12.7#
80 9.1 9.2 13.8#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.18 min Scan# 2014
Delta R.T. -0.02 min
Lab File: BF108767.D
Acq: 5 Sep 2018 5:35

Tgt Ion:240 Resp: 193954
Ion Ratio Lower Upper
240 100
120 9.8 9.5 14.3
236 26.4 20.7 31.1





#78

Terphenyl-d14

Concen: 3.614 ng

RT: 13.11 min Scan# 1832

Delta R.T. -0.02 min

Lab File: BF108767.D

Acq: 5 Sep 2018 5:35

Instrument :

BNA_F

ClientSampleId :

AOC2-03-D





Tot Ion:244 Resp: 36072

Ion Ratio Lower Upper

244 100

212 7.9 5.4 8.0

122 12.2 11.0 16.4



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.74 min Scan# 2279

Delta R.T. -0.01 min

Lab File: BF108767.D

Acq: 5 Sep 2018 5:35

Tgt Ion:264 Resp: 145306

Ion Ratio Lower Upper

264 100

260 23.7 19.2 28.8

265 22.1 17.5 26.3

