

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090515\
 Data File : BF081487.D
 Acq On : 6 Sep 2015 3:06
 Operator : UM/IZ
 Sample : G3557-01
 Misc :
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-1-090215

Quant Time: Sep 07 05:11:57 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 01 17:35:35 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.35	152	55751	20.00	ng	-0.03
21) Naphthalene-d8	7.64	136	206692	20.00	ng	-0.03
38) Acenaphthene-d10	9.38	164	92331	20.00	ng	-0.03
63) Phenanthrene-d10	10.84	188	171289	20.00	ng	-0.03
75) Chrysene-d12	13.45	240	125154	20.00	ng	-0.05
86) Perylene-d12	14.77	264	94596	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	4.89	112	141824	39.47	ng	-0.03
7) Phenol-d6	6.02	99	108333	22.78	ng	-0.03
23) Nitrobenzene-d5	6.94	82	362165	84.54	ng	-0.03
41) 2,4,6-Tribromophenol	10.17	330	96862	117.82	ng	-0.03
44) 2-Fluorobiphenyl	8.73	172	586572	81.41	ng	-0.03
78) Terphenyl-d14	12.43	244	437042	81.29	ng	-0.03
Target Compounds						
49) Dimethylphthalate	9.13	163	17285	2.41	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF090515\
Data File : BF081487.D
Acq On : 6 Sep 2015 3:06
Operator : UM/IZ
Sample : G3557-01
Misc :
ALS Vial : 64 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-1-090215

Quant Time: Sep 07 05:11:57 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 01 17:35:35 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.35 min Scan# 417
 Delta R.T. -0.03 min
 Lab File: BF081487.D
 Acq: 6 Sep 2015 3:06




Instrument :
 BNA_F
 ClientSampleId :
 MW-1-090215


Tgt Ion:152 Resp: 55751
 Ion Ratio Lower Upper
 152 100
 150 160.4 124.7 187.1
 115 69.3 39.0 58.4#



#5
 2-Fluorophenol
 Concen: 39.47 ng
 RT: 4.89 min Scan# 289
 Delta R.T. -0.03 min
 Lab File: BF081487.D
 Acq: 6 Sep 2015 3:06

Tgt Ion:112 Resp: 141824
 Ion Ratio Lower Upper
 112 100
 64 83.8 39.7 59.5#
 63 44.3 17.4 26.0#





#7

Phenol-d6

Concen: 22.78 ng

RT: 6.02 min Scan# 388

Delta R.T. -0.03 min

Lab File: BF081487.D

Acq: 6 Sep 2015 3:06

Instrument :

BNA_F

ClientSampleId :

MW-1-090215


Tgt Ion: 99 Resp: 108333

Ion Ratio Lower Upper

99 100

42 19.8 13.7 20.5




71 34.6 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.64 min Scan# 530

Delta R.T. -0.03 min

Lab File: BF081487.D

Acq: 6 Sep 2015 3:06

Tgt Ion: 136 Resp: 206692


Ion Ratio Lower Upper

136 100

137 10.6 9.0 13.6

54 12.0 8.2 12.2

68 5.4 5.8 8.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 84.54 ng

RT: 6.94 min Scan# 468

Delta R.T. -0.03 min

Lab File: BF081487.D

Acq: 6 Sep 2015 3:06

Instrument :

BNA_F

ClientSampleId :

MW-1-090215





Tgt Ion: 82 Resp: 362165

Ion Ratio Lower Upper

82 100

128 38.8 51.0 76.6#

54 64.2 47.5 71.3



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.38 min Scan# 682

Delta R.T. -0.03 min

Lab File: BF081487.D

Acq: 6 Sep 2015 3:06




Tgt Ion: 164 Resp: 92331


Ion Ratio Lower Upper

164 100

162 100.2 75.2 112.8

160 47.1 31.5 47.3









#41
 2,4,6-Tribromophenol
 Concen: 117.82 ng
 RT: 10.17 min Scan# 751
 Delta R.T. -0.03 min
 Lab File: BF081487.D
 Acq: 6 Sep 2015 3:06

Instrument :
 BNA_F
 ClientSampleId :
 MW-1-090215

Tgt Ion:330 Resp: 96862
 Ion Ratio Lower Upper
 330 100
 332 94.3 76.6 114.8
 141 57.8 29.7 44.5#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 81.41 ng
 RT: 8.73 min Scan# 625
 Delta R.T. -0.03 min
 Lab File: BF081487.D
 Acq: 6 Sep 2015 3:06

Tgt Ion:172 Resp: 586572
 Ion Ratio Lower Upper
 172 100
 171 35.8 26.1 39.1
 170 24.4 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 2.41 ng
RT: 9.13 min Scan# 660
Delta R.T. -0.05 min
Lab File: BF081487.D
Acq: 6 Sep 2015 3:06

Instrument :
BNA_F
ClientSampleId :
MW-1-090215

Tgt Ion:163 Resp: 17285
Ion Ratio Lower Upper
163 100
194 2.7 4.4 6.6#
164 10.5 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 10.84 min Scan# 810
Delta R.T. -0.03 min
Lab File: BF081487.D
Acq: 6 Sep 2015 3:06

Tgt Ion:188 Resp: 171289
Ion Ratio Lower Upper
188 100
94 10.9 11.1 16.7#
80 12.1 11.0 16.4



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.45 min Scan# 1038

Delta R.T. -0.05 min

Lab File: BF081487.D

Acq: 6 Sep 2015 3:06

Instrument :

BNA_F

ClientSampleId :

MW-1-090215


Tgt Ion:240 Resp: 125154

Ion Ratio Lower Upper

240 100

120 12.4 16.2 24.2#




236 26.0 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 81.29 ng

RT: 12.43 min Scan# 949

Delta R.T. -0.03 min

Lab File: BF081487.D

Acq: 6 Sep 2015 3:06


Tgt Ion:244 Resp: 437042

Ion Ratio Lower Upper

244 100

212 8.2 4.3 6.5#



122 13.7 17.4 26.2#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Perylene-d12
Concen: 20.00 ng
RT: 14.77 min Scan# 1153
Delta R.T. -0.03 min
Lab File: BF081487.D
Acq: 6 Sep 2015 3:06

Instrument :
BNA_F
ClientSampleId :
MW-1-090215

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.3	16.7	25.1
265	20.2	17.2	25.8

