

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF090524\
 Data File : BF139257.D
 Acq On : 05 Sep 2024 12:32
 Operator : RC/JU
 Sample : P2403-08
 Misc : LOQ-WATER-10 ng
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 LOQ-WATER-02-QT2-2024

Quant Time: Sep 05 13:16:25 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF090424.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 04 16:11:43 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.887	152	110493	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	404657	20.000	ng	0.00
39) Acenaphthene-d10	9.928	164	220777	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	402790	20.000	ng	0.00
76) Chrysene-d12	14.051	240	202222	20.000	ng	0.00
86) Perylene-d12	15.527	264	181956	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	724484	109.687	ng	0.00
7) Phenol-d6	6.510	99	950489	107.795	ng	0.00
23) Nitrobenzene-d5	7.451	82	619391	79.629	ng	0.00
42) 2,4,6-Tribromophenol	10.716	330	209318	109.795	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	1126465	78.761	ng	0.00
79) Terphenyl-d14	12.998	244	1006813	80.386	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.675	88	30541	9.929	ng	99
3) Pyridine	3.446	79	68407	9.213	ng	96
4) n-Nitrosodimethylamine	3.369	42	45539	9.445	ng	99
6) Aniline	6.551	93	96642	11.919	ng	98
8) 2-Chlorophenol	6.669	128	69417	10.141	ng	87
9) Benzaldehyde	6.440	77	63848	11.962	ng	99
10) Phenol	6.522	94	95453	10.263	ng	# 78
11) bis(2-Chloroethyl)ether	6.622	93	69541	10.437	ng	97
12) 1,3-Dichlorobenzene	6.828	146	75426	9.735	ng	99
13) 1,4-Dichlorobenzene	6.904	146	77021	9.932	ng	99
14) 1,2-Dichlorobenzene	7.057	146	72362	10.005	ng	99
15) Benzyl Alcohol	7.022	79	72950	11.345	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.157	45	133587	10.532	ng	100
17) 2-Methylphenol	7.128	107	54171	9.688	ng	98
18) Hexachloroethane	7.398	117	25805	9.317	ng	98
19) n-Nitroso-di-n-propyla...	7.293	70	51818	10.204	ng	99
20) 3+4-Methylphenols	7.287	107	72089	10.230	ng	# 86
22) Acetophenone	7.293	105	100707	10.446	ng	96
24) Nitrobenzene	7.469	77	80040	9.695	ng	99
25) Isophorone	7.704	82	134611	10.122	ng	99
26) 2-Nitrophenol	7.781	139	31361	9.671	ng	99
27) 2,4-Dimethylphenol	7.816	122	44778	9.683	ng	99
28) bis(2-Chloroethoxy)met...	7.916	93	81330	10.265	ng	97
29) 2,4-Dichlorophenol	8.022	162	56208	10.151	ng	97
30) 1,2,4-Trichlorobenzene	8.110	180	62364	9.861	ng	99
31) Naphthalene	8.192	128	208334	10.166	ng	99
32) Benzoic acid	7.887	122	48860	11.599	ng	96
33) 4-Chloroaniline	8.239	127	77635	10.941	ng	97
34) Hexachlorobutadiene	8.310	225	37446	9.345	ng	99
35) Caprolactam	8.569	113	16065	9.372	ng	100
36) 4-Chloro-3-methylphenol	8.710	107	59571	9.873	ng	97
37) 2-Methylnaphthalene	8.881	142	131063	10.223	ng	98
38) 1-Methylnaphthalene	8.981	142	121048	9.600	ng	100
40) 1,2,4,5-Tetrachloroben...	9.045	216	64261	10.288	ng	99
41) Hexachlorocyclopentadiene	9.034	237	20868	10.395	ng	99
43) 2,4,6-Trichlorophenol	9.157	196	39480	9.660	ng	96

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF090524\
 Data File : BF139257.D
 Acq On : 05 Sep 2024 12:32
 Operator : RC/JU
 Sample : P2403-08
 Misc : LOQ-WATER-10 ng
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 LOQ-WATER-02-QT2-2024

Quant Time: Sep 05 13:16:25 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF090424.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 04 16:11:43 2024
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.192	196	41087	9.594	ng	98
46) 1,1'-Biphenyl	9.345	154	170538	10.426	ng	100
47) 2-Chloronaphthalene	9.369	162	122365	9.907	ng	99
48) 2-Nitroaniline	9.463	65	40410	9.499	ng	99
49) Acenaphthylene	9.786	152	204377	10.986	ng	99
50) Dimethylphthalate	9.639	163	137003	10.238	ng	100
51) 2,6-Dinitrotoluene	9.704	165	28551	9.405	ng	96
52) Acenaphthene	9.957	154	121178	9.821	ng	99
53) 3-Nitroaniline	9.869	138	31374	9.700	ng	96
54) 2,4-Dinitrophenol	9.975	184	6709	11.347	ng	# 31
55) Dibenzofuran	10.128	168	185277	10.474	ng	98
56) 4-Nitrophenol	10.022	139	19087	7.995	ng	100
57) 2,4-Dinitrotoluene	10.104	165	35473	9.181	ng	98
58) Fluorene	10.469	166	141817	10.340	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.245	232	33439	9.919	ng	97
60) Diethylphthalate	10.345	149	132286	10.046	ng	98
61) 4-Chlorophenyl-phenyle...	10.469	204	68310	10.328	ng	97
62) 4-Nitroaniline	10.475	138	29425	9.557	ng	95
63) Azobenzene	10.628	77	142707	10.282	ng	98
65) 4,6-Dinitro-2-methylph...	10.510	198	16337	8.778	ng	96
66) n-Nitrosodiphenylamine	10.581	169	120176	10.250	ng	99
67) 4-Bromophenyl-phenylether	10.957	248	38356	9.815	ng	98
68) Hexachlorobenzene	11.016	284	44566	9.962	ng	98
69) Atrazine	11.104	200	34713	12.833	ng	99
70) Pentachlorophenol	11.210	266	35261	13.644	ng	98
71) Phenanthrene	11.433	178	198909	10.571	ng	99
72) Anthracene	11.486	178	195822	10.653	ng	99
73) Carbazole	11.639	167	171721	9.996	ng	99
74) Di-n-butylphthalate	11.975	149	177462	10.089	ng	99
75) Fluoranthene	12.622	202	195204	10.348	ng	100
77) Benzidine	12.745	184	54658	13.423	ng	96
78) Pyrene	12.851	202	202109	10.346	ng	99
80) Butylbenzylphthalate	13.474	149	43621	9.486	ng	97
81) Benzo(a)anthracene	14.039	228	131945	10.218	ng	99
82) 3,3'-Dichlorobenzidine	14.004	252	35762	10.429	ng	100
83) Chrysene	14.074	228	121266	10.062	ng	98
84) Bis(2-ethylhexyl)phtha...	14.033	149	45516	8.433	ng	99
85) Di-n-octyl phthalate	14.651	149	71480	6.917	ng	100
87) Indeno(1,2,3-cd)pyrene	16.998	276	86948	7.649	ng	99
88) Benzo(b)fluoranthene	15.092	252	100067	9.549	ng	98
89) Benzo(k)fluoranthene	15.121	252	102170	10.874	ng	99
90) Benzo(a)pyrene	15.463	252	91991	10.339	ng	98
91) Dibenzo(a,h)anthracene	17.021	278	69020	7.368	ng	98
92) Benzo(g,h,i)perylene	17.445	276	67950	7.027	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF090524\
Data File : BF139257.D
Acq On : 05 Sep 2024 12:32
Operator : RC/JU
Sample : P2403-08
Misc : LOQ-WATER-10 ng
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024

Quant Time: Sep 05 13:16:25 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF090424.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 04 16:11:43 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.887 min Scan# 816
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument : BNA_F
ClientSampleId : LOQ-WATER-02-QT2-2024


Tgt Ion:152 Resp: 110493
Ion Ratio Lower Upper
152 100
150 154.9 127.0 190.4
115 59.1 46.9 70.3



#2
1,4-Dioxane
Concen: 9.929 ng
RT: 2.675 min Scan# 99
Delta R.T. -0.000 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion: 88 Resp: 30541
Ion Ratio Lower Upper
88 100
58 90.8 72.5 108.7
43 40.2 31.4 47.2





#3

Pyridine

Concen: 9.213 ng

RT: 3.446 min Scan# 21

Delta R.T. 0.018 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion: 79 Resp: 68407

Ion Ratio Lower Upper

79 100

52 89.0 75.3 112.9

51 46.0 38.2 57.2



#4

n-Nitrosodimethylamine

Concen: 9.445 ng

RT: 3.369 min Scan# 217

Delta R.T. -0.018 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion: 42 Resp: 45539


Ion Ratio Lower Upper

42 100

74 97.8 77.2 115.8

44 6.5 5.1 7.7









#5
2-Fluorophenol
Concen: 109.687 ng
RT: 5.498 min Scan# 51
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:112 Resp: 724484
Ion Ratio Lower Upper
112 100
64 70.0 55.0 82.4
63 38.1 29.9 44.9



#6
Aniline
Concen: 11.919 ng
RT: 6.551 min Scan# 758
Delta R.T. -0.000 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion: 93 Resp: 96642
Ion Ratio Lower Upper
93 100
66 41.7 34.4 51.6
65 22.2 18.2 27.4





#7

Phenol-d6

Concen: 107.795 ng

RT: 6.510 min Scan# 71

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion: 99 Resp: 950489

Ion Ratio Lower Upper

99 100

42 24.7 19.8 29.6

71 37.2 28.8 43.2



#8

2-Chlorophenol

Concen: 10.141 ng

RT: 6.669 min Scan# 778

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion: 128 Resp: 69417


Ion Ratio Lower Upper

128 100

130 32.5 12.7 52.7

64 71.7 36.6 76.6





#9

Benzaldehyde

Concen: 11.962 ng

RT: 6.440 min Scan# 71

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion: 77 Resp: 63848

Ion Ratio Lower Upper

77 100

105 92.0 72.9 112.9

106 89.9 69.6 109.6



#10

Phenol

Concen: 10.263 ng

RT: 6.522 min Scan# 753

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion: 94 Resp: 95453


Ion Ratio Lower Upper

94 100

65 38.8 14.7 54.7

66 70.7 28.5 68.5#









#11
bis(2-Chloroethyl)ether
Concen: 10.437 ng
RT: 6.622 min Scan# 771
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion: 93 Resp: 69541
Ion Ratio Lower Upper
93 100
63 83.0 67.1 107.1
95 31.8 12.2 52.2



#12
1,3-Dichlorobenzene
Concen: 9.735 ng
RT: 6.828 min Scan# 805
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:146 Resp: 75426
Ion Ratio Lower Upper
146 100
148 64.8 50.8 76.2
75 34.2 27.3 40.9









#13
1,4-Dichlorobenzene
Concen: 9.932 ng
RT: 6.904 min Scan# 819
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:146 Resp: 77021
Ion Ratio Lower Upper
146 100
148 62.7 51.2 76.8
111 43.5 34.6 51.8



#14
1,2-Dichlorobenzene
Concen: 10.005 ng
RT: 7.057 min Scan# 844
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:146 Resp: 72362
Ion Ratio Lower Upper
146 100
148 61.8 50.9 76.3
111 46.0 36.6 55.0









#15
Benzyl Alcohol
Concen: 11.345 ng
RT: 7.022 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion: 79 Resp: 72950
Ion Ratio Lower Upper
79 100
108 70.4 56.1 84.1
77 63.2 50.6 76.0



#16
2,2'-oxybis(1-Chloropropane)
Concen: 10.532 ng
RT: 7.157 min Scan# 861
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion: 45 Resp: 133587
Ion Ratio Lower Upper
45 100
77 9.9 0.0 30.0
79 7.6 0.0 27.6









#17
2-Methylphenol
Concen: 9.688 ng
RT: 7.128 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:	107	Resp:	54171
Ion	Ratio	Lower	Upper
107	100		
108	117.1	91.4	137.2
77	51.5	40.1	60.1
79	51.3	39.9	59.9



#18
Hexachloroethane
Concen: 9.317 ng
RT: 7.398 min Scan# 902
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:	117	Resp:	25805
Ion	Ratio	Lower	Upper
117	100		
119	98.0	77.4	116.2
201	97.0	80.0	120.0









#19
n-Nitroso-di-n-propylamine
Concen: 10.204 ng
RT: 7.293 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:	70	Resp:	51818
Ion	Ratio	Lower	Upper
70	100		
42	76.6	61.0	91.6
101	9.0	7.2	10.8
130	21.5	16.1	24.1



#20
3+4-Methylphenols
Concen: 10.230 ng
RT: 7.287 min Scan# 883
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:	107	Resp:	72089
Ion	Ratio	Lower	Upper
107	100		
108	90.1	70.4	110.4
77	143.0	92.2	132.2#
79	32.5	12.8	52.8









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt	Ion:136	Resp:	404657
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	13.0
54	10.5	8.4	12.6
68	6.3	4.8	7.2



#22
Acetophenone
Concen: 10.446 ng
RT: 7.293 min Scan# 884
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt	Ion:105	Resp:	100707
Ion	Ratio	Lower	Upper
105	100		
71	7.9	6.2	9.2
51	43.4	38.2	57.2
120	22.3	17.7	26.5









#23
Nitrobenzene-d5
Concen: 79.629 ng
RT: 7.451 min Scan# 911
Delta R.T. -0.000 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion: 82 Resp: 619391
Ion Ratio Lower Upper
82 100
128 42.1 32.3 48.5
54 62.0 51.2 76.8



#24
Nitrobenzene
Concen: 9.695 ng
RT: 7.469 min Scan# 914
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion: 77 Resp: 80040
Ion Ratio Lower Upper
77 100
123 43.0 34.0 51.0
65 14.3 12.1 18.1









#25
Isophorone
Concen: 10.122 ng
RT: 7.704 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion: 82 Resp: 134611
Ion Ratio Lower Upper
82 100
95 6.9 6.0 9.0
138 16.8 13.4 20.0



#26
2-Nitrophenol
Concen: 9.671 ng
RT: 7.781 min Scan# 967
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:139 Resp: 31361
Ion Ratio Lower Upper
139 100
109 32.5 25.4 38.2
65 62.6 49.4 74.2









#27
2,4-Dimethylphenol
Concen: 9.683 ng
RT: 7.816 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:122 Resp: 44778
Ion Ratio Lower Upper
122 100
107 118.1 93.4 140.2
121 59.3 46.6 70.0



#28
bis(2-Chloroethoxy)methane
Concen: 10.265 ng
RT: 7.916 min Scan# 990
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion: 93 Resp: 81330
Ion Ratio Lower Upper
93 100
95 31.5 26.6 40.0
123 11.1 9.6 14.4





#29

2,4-Dichlorophenol

Concen: 10.151 ng

RT: 8.022 min Scan# 1009

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:162 Resp: 56208

Ion Ratio Lower Upper

162 100

164 61.7 43.6 83.6

98 37.4 19.5 59.5



#30

1,2,4-Trichlorobenzene

Concen: 9.861 ng

RT: 8.110 min Scan# 1023

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:180 Resp: 62364


Ion Ratio Lower Upper

180 100

182 96.9 76.5 114.7

145 30.3 25.1 37.7









#31
Naphthalene
Concen: 10.166 ng
RT: 8.192 min Scan# 1037
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:128 Resp: 208334
Ion Ratio Lower Upper
128 100
129 10.6 8.8 13.2
127 12.9 10.6 15.8



#32
Benzoic acid
Concen: 11.599 ng
RT: 7.887 min Scan# 985
Delta R.T. -0.041 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:122 Resp: 48860
Ion Ratio Lower Upper
122 100
105 123.2 106.3 146.3
77 98.7 84.1 124.1









#33
4-Chloroaniline
Concen: 10.941 ng
RT: 8.239 min Scan# 1045
Delta R.T. -0.000 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:127	Resp:	77635
Ion	Ratio	Lower Upper
127	100	
129	31.8	25.8 38.6
65	34.7	30.6 45.8
92	21.0	17.2 25.8



#34
Hexachlorobutadiene
Concen: 9.345 ng
RT: 8.310 min Scan# 1057
Delta R.T. -0.000 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:225	Resp:	37446
Ion	Ratio	Lower Upper
225	100	
223	64.5	50.7 76.1
227	63.1	51.5 77.3





#35

Caprolactam

Concen: 9.372 ng

RT: 8.569 min Scan# 1108

Delta R.T. -0.041 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:113 Resp: 16065

Ion Ratio Lower Upper

113 100

55 213.4 193.7 233.7

56 164.3 145.0 185.0



#36

4-Chloro-3-methylphenol

Concen: 9.873 ng

RT: 8.710 min Scan# 1125

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:107 Resp: 59571


Ion Ratio Lower Upper

107 100

144 24.9 19.1 28.7

142 75.9 58.3 87.5





#37

2-Methylnaphthalene

Concen: 10.223 ng

RT: 8.881 min Scan# 1155

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :





LOQ-WATER-02-QT2-2024

Tgt Ion:142 Resp: 131063

Ion Ratio Lower Upper

142 100

141 87.3 71.6 107.4



#38

1-Methylnaphthalene

Concen: 9.600 ng

RT: 8.981 min Scan# 1171

Delta R.T. -0.006 min

Lab File: BF139257.D




Acq: 05 Sep 2024 12:32


Tgt Ion:142 Resp: 121048

Ion Ratio Lower Upper

142 100

141 92.1 73.5 110.3









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.928 min Scan# 1182
Delta R.T. -0.000 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:164 Resp: 220777
Ion Ratio Lower Upper
164 100
162 99.8 79.2 118.8
160 43.6 34.2 51.2



#40
1,2,4,5-Tetrachlorobenzene
Concen: 10.288 ng
RT: 9.045 min Scan# 1182
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:216 Resp: 64261
Ion Ratio Lower Upper
216 100
214 80.2 63.8 95.8
179 20.9 16.9 25.3
108 18.2 15.5 23.3









#41
Hexachlorocyclopentadiene
Concen: 10.395 ng
RT: 9.034 min Scan# 1181
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:237	Resp:	20868
Ion Ratio	Lower	Upper
237	100	
235	60.7	41.4 81.4
272	12.9	0.0 32.2



#42
2,4,6-Tribromophenol
Concen: 109.795 ng
RT: 10.716 min Scan# 1466
Delta R.T. -0.000 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:330	Resp:	209318
Ion Ratio	Lower	Upper
330	100	
332	96.6	76.6 115.0
141	36.8	30.1 45.1









#43
2,4,6-Trichlorophenol
Concen: 9.660 ng
RT: 9.157 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:196 Resp: 39480
Ion Ratio Lower Upper
196 100
198 92.6 77.0 115.4
200 29.0 24.7 37.1



#44
2,4,5-Trichlorophenol
Concen: 9.594 ng
RT: 9.192 min Scan# 1207
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:196 Resp: 41087
Ion Ratio Lower Upper
196 100
198 96.6 75.6 113.4
97 53.2 43.6 65.4
132 28.4 22.8 34.2





#45

2-Fluorobiphenyl

Concen: 78.761 ng

RT: 9.245 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:172 Resp: 1126465

Ion Ratio Lower Upper

172 100

171 35.2 28.3 42.5

170 23.5 18.7 28.1



#46

1,1'-Biphenyl

Concen: 10.426 ng

RT: 9.345 min Scan# 1233

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:154 Resp: 170538


Ion Ratio Lower Upper

154 100

153 40.3 20.1 60.1


76 11.9 0.0 32.3








#47
2-Chloronaphthalene
Concen: 9.907 ng
RT: 9.369 min Scan# 1237
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024







Tgt Ion:162 Resp: 122365
Ion Ratio Lower Upper
162 100
127 42.4 34.2 51.4
164 32.2 26.2 39.2



#48
2-Nitroaniline
Concen: 9.499 ng
RT: 9.463 min Scan# 1253
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion: 65 Resp: 40410
Ion Ratio Lower Upper
65 100
92 61.9 50.4 75.6
138 93.1 74.2 111.4





#49

Acenaphthylene

Concen: 10.986 ng

RT: 9.786 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:152 Resp: 204377

Ion Ratio Lower Upper

152 100

151 19.2 16.0 24.0

153 13.2 10.4 15.6



#50

Dimethylphthalate

Concen: 10.238 ng

RT: 9.639 min Scan# 1283

Delta R.T. -0.012 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:163 Resp: 137003


Ion Ratio Lower Upper

163 100

194 4.1 3.2 4.8

164 10.0 7.9 11.9









#51
2,6-Dinitrotoluene
Concen: 9.405 ng
RT: 9.704 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:165 Resp: 28551
Ion Ratio Lower Upper
165 100
63 66.7 56.1 84.1
89 59.0 49.7 74.5



#52
Acenaphthene
Concen: 9.821 ng
RT: 9.957 min Scan# 1337
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:154 Resp: 121178
Ion Ratio Lower Upper
154 100
153 111.5 87.8 131.6
152 52.0 41.7 62.5









#53
3-Nitroaniline
Concen: 9.700 ng
RT: 9.869 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:138 Resp: 31374
Ion Ratio Lower Upper
138 100
108 11.7 8.6 13.0
92 125.1 96.4 144.6



#54
2,4-Dinitrophenol
Concen: 11.347 ng
RT: 9.975 min Scan# 1340
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:184 Resp: 6709
Ion Ratio Lower Upper
184 100
63 95.0 66.4 99.6
154 241.6 97.0 145.6#









#55
Dibenzenofuran
Concen: 10.474 ng
RT: 10.128 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:168 Resp: 185277
Ion Ratio Lower Upper
168 100
139 36.6 30.2 45.4
169 13.4 10.8 16.2



#56
4-Nitrophenol
Concen: 7.995 ng
RT: 10.022 min Scan# 1348
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:139 Resp: 19087
Ion Ratio Lower Upper
139 100
109 79.3 58.7 98.7
65 120.7 100.3 140.3





#57

2,4-Dinitrotoluene

Concen: 9.181 ng

RT: 10.104 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024

Tgt Ion:165 Resp: 35473





Ion Ratio Lower Upper

165 100

63 50.7 43.4 65.0

89 80.1 64.2 96.4

182 2.4 2.1 3.1



#58

Fluorene

Concen: 10.340 ng

RT: 10.469 min Scan# 1424

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:166 Resp: 141817


Ion Ratio Lower Upper

166 100

165 93.1 73.7 110.5

167 13.8 10.9 16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 9.919 ng
RT: 10.245 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:232 Resp: 33439
Ion Ratio Lower Upper
232 100
131 43.7 37.7 56.5
130 2.2 1.9 2.9
166 30.2 24.5 36.7



#60
Diethylphthalate
Concen: 10.046 ng
RT: 10.345 min Scan# 1403
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:149 Resp: 132286
Ion Ratio Lower Upper
149 100
177 21.6 17.7 26.5
150 11.6 10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 10.328 ng
RT: 10.469 min Scan# 1424
Delta R.T. -0.000 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:204 Resp: 68310
Ion Ratio Lower Upper
204 100
206 31.8 25.8 38.8
141 57.8 48.6 72.8



#62
4-Nitroaniline
Concen: 9.557 ng
RT: 10.475 min Scan# 1425
Delta R.T. -0.018 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:138 Resp: 29425
Ion Ratio Lower Upper
138 100
92 53.8 34.4 74.4
108 75.8 62.7 102.7





#63

Azobenzene

Concen: 10.282 ng

RT: 10.628 min Scan# 1451

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024

Tgt Ion: 77 Resp: 142707





Ion Ratio Lower Upper

77 100

182 24.1 3.0 43.0

105 19.9 0.0 39.4

51 35.9 17.7 57.7



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.410 min Scan# 1584

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:188 Resp: 402790


Ion Ratio Lower Upper

188 100

94 9.3 7.0 10.4

80 9.7 7.3 10.9





#65

4,6-Dinitro-2-methylphenol

Concen: 8.778 ng

RT: 10.510 min Scan# 1432

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:198 Resp: 16337

Ion Ratio Lower Upper

198 100

51 62.1 47.2 87.2

105 46.3 27.1 67.1



#66

n-Nitrosodiphenylamine

Concen: 10.250 ng

RT: 10.581 min Scan# 1443

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:169 Resp: 120176


Ion Ratio Lower Upper

169 100

168 66.1 53.0 79.6

167 35.0 29.0 43.6









#67
4-Bromophenyl-phenylether
Concen: 9.815 ng
RT: 10.957 min Scan# 1507
Delta R.T. -0.000 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:248 Resp: 38356
Ion Ratio Lower Upper
248 100
250 98.2 77.2 115.8
141 77.8 63.6 95.4



#68
Hexachlorobenzene
Concen: 9.962 ng
RT: 11.016 min Scan# 1517
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:284 Resp: 44566
Ion Ratio Lower Upper
284 100
142 32.4 26.5 39.7
249 29.6 24.8 37.2





#69

Atrazine

Concen: 12.833 ng

RT: 11.104 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:200 Resp: 34713

Ion Ratio Lower Upper

200 100

173 26.2 7.1 47.1

215 48.5 28.5 68.5



#70

Pentachlorophenol

Concen: 13.644 ng

RT: 11.210 min Scan# 1550

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:266 Resp: 35261


Ion Ratio Lower Upper

266 100

268 63.7 49.7 74.5

264 60.0 49.2 73.8





#71

Phenanthrene

Concen: 10.571 ng

RT: 11.433 min Scan# 1588

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:178 Resp: 198909

Ion Ratio Lower Upper

178 100

176 18.8 15.4 23.0

179 15.0 12.3 18.5



#72

Anthracene

Concen: 10.653 ng

RT: 11.486 min Scan# 1597

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:178 Resp: 195822


Ion Ratio Lower Upper

178 100

176 18.3 15.0 22.4

179 15.3 12.3 18.5





#73

Carbazole

Concen: 9.996 ng

RT: 11.639 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:167 Resp: 171721

Ion Ratio Lower Upper

167 100

166 20.9 17.2 25.8

139 12.4 10.2 15.4



#74

Di-n-butylphthalate

Concen: 10.089 ng

RT: 11.975 min Scan# 1680

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:149 Resp: 177462


Ion Ratio Lower Upper

149 100

150 8.8 7.5 11.3

104 4.7 3.9 5.9





#75

Fluoranthene

Concen: 10.348 ng

RT: 12.622 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:202 Resp: 195204

Ion Ratio Lower Upper

202 100

101 10.2 0.0 29.9

203 17.6 0.0 37.7



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.051 min Scan# 2033

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:240 Resp: 202222


Ion Ratio Lower Upper

240 100

120 9.7 8.6 12.8

236 25.3 20.7 31.1





#77

Benzidine

Concen: 13.423 ng

RT: 12.745 min Scan# 1811

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:184 Resp: 54658

Ion Ratio Lower Upper

184 100

185 17.0 11.9 17.9

183 12.0 8.8 13.2



#78

Pyrene

Concen: 10.346 ng

RT: 12.851 min Scan# 1829

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:202 Resp: 202109


Ion Ratio Lower Upper

202 100

200 19.6 15.8 23.8

203 16.9 14.1 21.1





#79

Terphenyl-d14

Concen: 80.386 ng

RT: 12.998 min Scan# 1854

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:244 Resp: 1006813

Ion Ratio Lower Upper

244 100

212 7.1 5.9 8.9

122 10.9 8.7 13.1



#80

Butylbenzylphthalate

Concen: 9.486 ng

RT: 13.474 min Scan# 1935

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:149 Resp: 43621


Ion Ratio Lower Upper

149 100

91 72.3 60.3 90.5

206 21.1 16.7 25.1





#81

Benzo(a)anthracene

Concen: 10.218 ng

RT: 14.039 min Scan# 2031

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:228 Resp: 131945

Ion Ratio Lower Upper

228 100

226 27.3 21.5 32.3

229 18.9 15.6 23.4



#82

3,3'-Dichlorobenzidine

Concen: 10.429 ng

RT: 14.004 min Scan# 2025

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:252 Resp: 35762


Ion Ratio Lower Upper

252 100

254 64.4 51.5 77.3

126 10.7 9.2 13.8





#83

Chrysene

Concen: 10.062 ng

RT: 14.074 min Scan# 2037

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:228 Resp: 121266

Ion Ratio Lower Upper

228 100

226 28.9 23.8 35.8

229 18.5 15.8 23.6



#84

Bis(2-ethylhexyl)phthalate

Concen: 8.433 ng

RT: 14.033 min Scan# 2030

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:149 Resp: 45516


Ion Ratio Lower Upper

149 100

167 27.8 21.8 32.6

279 4.0 3.0 4.6





#85

Di-n-octyl phthalate

Concen: 6.917 ng

RT: 14.651 min Scan# 2135

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:149 Resp: 71480

Ion Ratio Lower Upper

149 100

167 1.3 1.3 1.9

43 13.6 10.9 16.3



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.527 min Scan# 2284

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:264 Resp: 181956


Ion Ratio Lower Upper

264 100

260 23.1 18.8 28.2

265 21.6 17.3 25.9









#87
Indeno(1,2,3-cd)pyrene
Concen: 7.649 ng
RT: 16.998 min Scan# 2110
Delta R.T. -0.012 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32




Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024


Tgt Ion:276 Resp: 86948
Ion Ratio Lower Upper
276 100
138 24.7 20.4 30.6
277 24.9 20.3 30.5



#88
Benzo(b)fluoranthene
Concen: 9.549 ng
RT: 15.092 min Scan# 2210
Delta R.T. -0.006 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:252 Resp: 100067
Ion Ratio Lower Upper
252 100
253 20.9 17.6 26.4
125 9.4 7.6 11.4





#89

Benzo(k)fluoranthene

Concen: 10.874 ng

RT: 15.121 min Scan# 2216

Delta R.T. -0.006 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32

Instrument :

BNA_F

ClientSampleId :

LOQ-WATER-02-QT2-2024





Tgt Ion:252 Resp: 102170

Ion Ratio Lower Upper

252 100

253 21.6 17.6 26.4

125 8.5 7.2 10.8



#90

Benzo(a)pyrene

Concen: 10.339 ng

RT: 15.463 min Scan# 2273

Delta R.T. -0.000 min

Lab File: BF139257.D

Acq: 05 Sep 2024 12:32




Tgt Ion:252 Resp: 91991


Ion Ratio Lower Upper

252 100

253 21.6 17.5 26.3


125 9.3 8.6 13.0








#91
Dibenzo(a,h)anthracene
Concen: 7.368 ng
RT: 17.021 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Instrument :
BNA_F
ClientSampleId :
LOQ-WATER-02-QT2-2024



Tgt Ion:278 Resp: 69020
Ion Ratio Lower Upper
278 100
139 15.2 12.6 19.0
279 24.4 18.6 28.0



#92
Benzo(g,h,i)perylene
Concen: 7.027 ng
RT: 17.445 min Scan# 2610
Delta R.T. -0.018 min
Lab File: BF139257.D
Acq: 05 Sep 2024 12:32

Tgt Ion:276 Resp: 67950
Ion Ratio Lower Upper
276 100
277 23.6 18.6 27.8
138 21.9 17.4 26.0

