

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090718\
 Data File : BF108854.D
 Acq On : 7 Sep 2018 12:24
 Operator : JU/SJ
 Sample : J4803-16
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EP1-Q2-J5

Quant Time: Sep 07 13:50:46 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF090518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 05 18:03:31 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	268862	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	1037420	20.00	ng	0.00
38) Acenaphthene-d10	9.77	164	505817	20.00	ng	0.00
63) Phenanthrene-d10	11.24	188	896874	20.00	ng	0.00
75) Chrysene-d12	13.87	240	590713	20.00	ng	0.00
86) Perylene-d12	15.28	264	601899	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	1149249	70.81	ng	0.01
7) Phenol-d6	6.37	99	1520669	72.82	ng	0.00
23) Nitrobenzene-d5	7.30	82	947063	57.13	ng	0.00
41) 2,4,6-Tribromophenol	10.55	330	346166	71.69	ng	0.00
44) 2-Fluorobiphenyl	9.10	172	1624456	54.79	ng	0.00
78) Terphenyl-d14	12.82	244	1355921	53.53	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.48	163	655645	18.532	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090718\
Data File : BF108854.D
Acq On : 7 Sep 2018 12:24
Operator : JU/SJ
Sample : J4803-16
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EP1-Q2-J5

Quant Time: Sep 07 13:50:46 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF090518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 05 18:03:31 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.74 min Scan# 748
Delta R.T. -0.00 min
Lab File: BF108854.D
Acq: 7 Sep 2018 12:24

Instrument :
BNA_F
ClientSampleId :
EP1-Q2-J5

Tot Ion:152 Resp: 268862
Ion Ratio Lower Upper
152 100
150 154.6 124.6 186.8
115 58.8 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 70.814 ng
RT: 5.35 min Scan# 512
Delta R.T. 0.01 min
Lab File: BF108854.D
Acq: 7 Sep 2018 12:24

Tgt Ion:112 Resp: 1149249
Ion Ratio Lower Upper
112 100
64 55.3 47.9 71.9
63 28.3 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 72.825 ng

RT: 6.37 min Scan# 685

Delta R.T. -0.00 min

Lab File: BF108854.D

Acq: 7 Sep 2018 12:24

Instrument :

BNA_F

ClientSampleId :

EP1-Q2-J5


Tot Ion: 99 Resp: 1520669

Ion Ratio Lower Upper




99 100

42 19.5 14.5 21.7

71 34.1 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.02 min Scan# 966

Delta R.T. -0.00 min

Lab File: BF108854.D

Acq: 7 Sep 2018 12:24

Tgt Ion: 136 Resp: 1037420


Ion Ratio Lower Upper

136 100



137 11.1 8.9 13.3

54 7.3 6.6 9.8

68 6.4 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 57.130 ng
 RT: 7.30 min Scan# 843
 Delta R.T. -0.01 min
 Lab File: BF108854.D
 Acq: 7 Sep 2018 12:24

Instrument :
 BNA_F
 ClientSampleId :
 EP1-Q2-J5

Tot Ion	82	Resp	947063
Ion Ratio	Lower	Upper	
82	100		
128	45.2	36.1	54.1
54	47.1	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.77 min Scan# 1263
 Delta R.T. -0.00 min
 Lab File: BF108854.D
 Acq: 7 Sep 2018 12:24

Tgt Ion	164	Resp	505817
Ion Ratio	Lower	Upper	
164	100		
162	100.7	86.1	129.1
160	46.6	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 71.688 ng
 RT: 10.55 min Scan# 1396
 Delta R.T. -0.01 min
 Lab File: BF108854.D
 Acq: 7 Sep 2018 12:24

Instrument :
 BNA_F
 ClientSampled :
 EP1-Q2-J5

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.0	115.6
141	32.2	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 54.789 ng
 RT: 9.10 min Scan# 1149
 Delta R.T. -0.00 min
 Lab File: BF108854.D
 Acq: 7 Sep 2018 12:24

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.5	29.7	44.5
170	25.1	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 18.532 ng

RT: 9.48 min Scan# 1215

Delta R.T. -0.01 min

Lab File: BF108854.D

Acq: 7 Sep 2018 12:24

Instrument :

BNA_F

ClientSampleId :

EP1-Q2-J5


Tot Ion:163 Resp: 655645

Ion Ratio Lower Upper




163 100

194 3.7 2.7 4.1

164 10.3 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.24 min Scan# 1514

Delta R.T. -0.00 min

Lab File: BF108854.D

Acq: 7 Sep 2018 12:24


Tgt Ion:188 Resp: 896874

Ion Ratio Lower Upper



188 100


94 11.4 8.5 12.7

80 12.1 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.87 min Scan# 1960

Delta R.T. -0.00 min

Lab File: BF108854.D

Acq: 7 Sep 2018 12:24

Instrument :

BNA_F

ClientSampleId :

EP1-Q2-J5


Tot Ion:240 Resp: 590713

Ion Ratio Lower Upper

240 100

120 13.8 9.5 14.3

236 25.9 20.7 31.1






Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

13.87



#78

Terphenyl-d14

Concen: 53.526 ng

RT: 12.82 min Scan# 1783

Delta R.T. 0.00 min

Lab File: BF108854.D

Acq: 7 Sep 2018 12:24


Tgt Ion:244 Resp: 1355921

Ion Ratio Lower Upper

244 100

212 7.3 5.4 8.0

122 13.5 11.0 16.4






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

12.82






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.28 min Scan# 2200
Delta R.T. 0.01 min
Lab File: BF108854.D
Acq: 7 Sep 2018 12:24

Instrument :
BNA_F
ClientSampleId :
EP1-Q2-J5

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.2	28.8
265	22.1	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

