

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090718\
 Data File : BF108856.D
 Acq On : 7 Sep 2018 13:18
 Operator : JU/SJ
 Sample : J4803-14
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EP1-Q2-I6

Quant Time: Sep 07 14:25:01 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF090518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 05 18:03:31 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	246236	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	972125	20.00	ng	0.00
38) Acenaphthene-d10	9.77	164	479701	20.00	ng	0.00
63) Phenanthrene-d10	11.24	188	883048	20.00	ng	0.00
75) Chrysene-d12	13.87	240	561707	20.00	ng	0.00
86) Perylene-d12	15.27	264	585223	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	1126393	75.78	ng	0.01
7) Phenol-d6	6.37	99	1505079	78.70	ng	0.00
23) Nitrobenzene-d5	7.30	82	949973	61.15	ng	0.00
41) 2,4,6-Tribromophenol	10.55	330	346204	75.60	ng	0.00
44) 2-Fluorobiphenyl	9.10	172	1687667	60.02	ng	0.00
78) Terphenyl-d14	12.82	244	1501031	62.31	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.48	163	648396	19.325	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090718\
Data File : BF108856.D
Acq On : 7 Sep 2018 13:18
Operator : JU/SJ
Sample : J4803-14
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EP1-Q2-I6

Quant Time: Sep 07 14:25:01 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF090518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 05 18:03:31 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.74 min Scan# 748
Delta R.T. 0.00 min
Lab File: BF108856.D
Acq: 7 Sep 2018 13:18

Instrument :
BNA_F
ClientSampleId :
EP1-Q2-I6




Tot Ion:152 Resp: 246236
Ion Ratio Lower Upper
152 100
150 155.7 124.6 186.8
115 59.3 50.1 75.1



#5

2-Fluorophenol
Concen: 75.783 ng
RT: 5.35 min Scan# 512
Delta R.T. 0.01 min
Lab File: BF108856.D
Acq: 7 Sep 2018 13:18

Tgt Ion:112 Resp: 1126393
Ion Ratio Lower Upper
112 100
64 56.1 47.9 71.9
63 29.2 23.7 35.5





#7

Phenol-d6

Concen: 78.701 ng

RT: 6.37 min Scan# 685

Delta R.T. 0.00 min

Lab File: BF108856.D

Acq: 7 Sep 2018 13:18

Instrument :

BNA_F

ClientSampleId :

EP1-Q2-I6


Tot Ion: 99 Resp: 1505079

Ion Ratio Lower Upper




99 100

42 19.1 14.5 21.7

71 33.7 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.02 min Scan# 966

Delta R.T. 0.00 min

Lab File: BF108856.D

Acq: 7 Sep 2018 13:18

Tgt Ion: 136 Resp: 972125


Ion Ratio Lower Upper

136 100



137 10.9 8.9 13.3


54 7.0 6.6 9.8

68 6.2 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 61.155 ng
 RT: 7.30 min Scan# 843
 Delta R.T. -0.01 min
 Lab File: BF108856.D
 Acq: 7 Sep 2018 13:18

Instrument :
 BNA_F
 ClientSampleId :
 EP1-Q2-I6

Tot Ion	82	Resp	949973
Ion Ratio	Lower	Upper	
82	100		
128	46.3	36.1	54.1
54	46.4	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.77 min Scan# 1263
 Delta R.T. 0.00 min
 Lab File: BF108856.D
 Acq: 7 Sep 2018 13:18

Tgt Ion	164	Resp	479701
Ion Ratio	Lower	Upper	
164	100		
162	100.4	86.1	129.1
160	46.7	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 75.599 ng
 RT: 10.55 min Scan# 1396
 Delta R.T. -0.01 min
 Lab File: BF108856.D
 Acq: 7 Sep 2018 13:18

Instrument :
 BNA_F
 ClientSampled :
 EP1-Q2-I6

Tot Ion:330 Resp: 346204
 Ion Ratio Lower Upper
 330 100
 332 96.2 77.0 115.6
 141 32.2 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 60.019 ng
 RT: 9.10 min Scan# 1149
 Delta R.T. 0.00 min
 Lab File: BF108856.D
 Acq: 7 Sep 2018 13:18

Tgt Ion:172 Resp: 1687667
 Ion Ratio Lower Upper
 172 100
 171 36.7 29.7 44.5
 170 25.7 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 19.325 ng

RT: 9.48 min Scan# 1215

Delta R.T. -0.01 min

Lab File: BF108856.D

Acq: 7 Sep 2018 13:18

Instrument :

BNA_F

ClientSampleId :

EP1-Q2-I6


Tot Ion:163 Resp: 648396

Ion Ratio Lower Upper

163 100

194 3.9 2.7 4.1




164 10.5 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.24 min Scan# 1514

Delta R.T. 0.00 min

Lab File: BF108856.D

Acq: 7 Sep 2018 13:18


Tgt Ion:188 Resp: 883048

Ion Ratio Lower Upper

188 100

94 10.7 8.5 12.7



80 11.3 9.2 13.8




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.87 min Scan# 1960

Delta R.T. 0.00 min

Lab File: BF108856.D

Acq: 7 Sep 2018 13:18

Instrument :

BNA_F

ClientSampleId :

EP1-Q2-I6


Tot Ion:240 Resp: 561707

Ion Ratio Lower Upper

240 100

120 12.8 9.5 14.3



236 25.8 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 62.315 ng

RT: 12.82 min Scan# 1783

Delta R.T. 0.00 min

Lab File: BF108856.D

Acq: 7 Sep 2018 13:18


Tgt Ion:244 Resp: 1501031

Ion Ratio Lower Upper

244 100

212 7.2 5.4 8.0



122 13.0 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.27 min Scan# 2199
Delta R.T. 0.01 min
Lab File: BF108856.D
Acq: 7 Sep 2018 13:18

Instrument :
BNA_F
ClientSampleId :
EP1-Q2-I6

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.2	28.8
265	22.1	17.5	26.3

