

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090718\
 Data File : BF108869.D
 Acq On : 7 Sep 2018 19:06
 Operator : JU/SJ
 Sample : J4811-01
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 090518-DBRI-E-D-B

Quant Time: Sep 07 23:53:32 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF090518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 05 18:03:31 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	211832	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	764097	20.00	ng	0.00
38) Acenaphthene-d10	9.77	164	332415	20.00	ng	0.00
63) Phenanthrene-d10	11.24	188	514565	20.00	ng	0.00
75) Chrysene-d12	13.87	240	485742	20.00	ng	0.00
86) Perylene-d12	15.28	264	509509	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	600290	46.95	ng	0.00
7) Phenol-d6	6.37	99	543781	33.05	ng	0.00
23) Nitrobenzene-d5	7.30	82	1346914	110.31	ng	0.00
41) 2,4,6-Tribromophenol	10.55	330	278883	87.88	ng	0.00
44) 2-Fluorobiphenyl	9.10	172	2139771	109.82	ng	0.00
78) Terphenyl-d14	12.83	244	1637458	78.61	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.48	163	192385	8.275	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090718\
Data File : BF108869.D
Acq On : 7 Sep 2018 19:06
Operator : JU/SJ
Sample : J4811-01
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
090518-DBRI-E-D-B

Quant Time: Sep 07 23:53:32 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF090518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 05 18:03:31 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.74 min Scan# 748
Delta R.T. 0.00 min
Lab File: BF108869.D
Acq: 7 Sep 2018 19:06

Instrument :
BNA_F
ClientSampleId :
090518-DBRI-E-D-B

Tot Ion:152 Resp: 211832
Ion Ratio Lower Upper
152 100
150 156.0 124.6 186.8
115 60.7 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 46.947 ng
RT: 5.34 min Scan# 511
Delta R.T. 0.01 min
Lab File: BF108869.D
Acq: 7 Sep 2018 19:06

Tgt Ion:112 Resp: 600290
Ion Ratio Lower Upper
112 100
64 58.6 47.9 71.9
63 30.1 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 33.053 ng

RT: 6.37 min Scan# 685

Delta R.T. 0.00 min

Lab File: BF108869.D

Acq: 7 Sep 2018 19:06

Instrument :

BNA_F

ClientSampleId :

090518-DBRI-E-D-B


Tot Ion: 99 Resp: 543781

Ion Ratio Lower Upper




99 100

42 16.4 14.5 21.7

71 30.5 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.02 min Scan# 966

Delta R.T. 0.00 min

Lab File: BF108869.D

Acq: 7 Sep 2018 19:06

Tgt Ion: 136 Resp: 764097


Ion Ratio Lower Upper

136 100



137 11.0 8.9 13.3

54 7.4 6.6 9.8

68 6.5 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 110.315 ng
 RT: 7.30 min Scan# 844
 Delta R.T. 0.00 min
 Lab File: BF108869.D
 Acq: 7 Sep 2018 19:06

Instrument :
 BNA_F
 ClientSampleId :
 090518-DBRI-E-D-B

Tot Ion: 82 Resp: 1346914




Ion	Ratio	Lower	Upper
82	100		
128	47.5	36.1	54.1
54	46.5	41.4	62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.77 min Scan# 1263
 Delta R.T. 0.00 min
 Lab File: BF108869.D
 Acq: 7 Sep 2018 19:06

Tgt Ion:164 Resp: 332415

Ion	Ratio	Lower	Upper
164	100		
162	99.8	86.1	129.1
160	45.8	38.3	57.5






#41
 2,4,6-Tribromophenol
 Concen: 87.882 ng
 RT: 10.55 min Scan# 1396
 Delta R.T. -0.01 min
 Lab File: BF108869.D
 Acq: 7 Sep 2018 19:06

Instrument :
 BNA_F
 ClientSampleId :
 090518-DBRI-E-D-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.7	77.0	115.6
141	32.3	29.9	44.9






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 109.815 ng
 RT: 9.10 min Scan# 1149
 Delta R.T. 0.00 min
 Lab File: BF108869.D
 Acq: 7 Sep 2018 19:06

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.6	29.7	44.5
170	26.3	19.6	29.4





Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E







#49
Dimethylphthalate
Concen: 8.275 ng
RT: 9.48 min Scan# 1215
Delta R.T. -0.01 min
Lab File: BF108869.D
Acq: 7 Sep 2018 19:06

Instrument :
BNA_F
ClientSampleId :
090518-DBRI-E-D-B



Tot Ion	Ratio	Lower	Upper
163	100		
194	3.6	2.7	4.1
164	9.8	8.2	12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E




Time-->




#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.24 min Scan# 1514
Delta R.T. 0.00 min
Lab File: BF108869.D
Acq: 7 Sep 2018 19:06


Tgt Ion	Ratio	Lower	Upper
188	100		
94	11.7	8.5	12.7
80	11.9	9.2	13.8




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1



Time-->





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.87 min Scan# 1960

Delta R.T. 0.00 min

Lab File: BF108869.D

Acq: 7 Sep 2018 19:06

Instrument :

BNA_F

ClientSampleId :

090518-DBRI-E-D-B


Tot Ion:240 Resp: 485742

Ion Ratio Lower Upper

240 100

120 13.7 9.5 14.3




236 25.7 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 78.609 ng

RT: 12.83 min Scan# 1784

Delta R.T. 0.01 min

Lab File: BF108869.D

Acq: 7 Sep 2018 19:06


Tgt Ion:244 Resp: 1637458

Ion Ratio Lower Upper

244 100

212 7.3 5.4 8.0



122 11.8 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.28 min Scan# 2200
 Delta R.T. 0.01 min
 Lab File: BF108869.D
 Acq: 7 Sep 2018 19:06

Instrument :
 BNA_F
 ClientSampleId :
 090518-DBRI-E-D-B

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.2	28.8
265	21.5	17.5	26.3

