

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090718\
 Data File : BF108879.D
 Acq On : 8 Sep 2018 00:03
 Operator : JU/SJ
 Sample : J4811-06
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 090518-DBRI-E-U-S

Quant Time: Sep 08 03:17:26 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF090518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 05 18:03:31 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.74	152	230970	20.00	ng	0.00
21) Naphthalene-d8	8.02	136	844250	20.00	ng	0.00
38) Acenaphthene-d10	9.77	164	385215	20.00	ng	0.00
63) Phenanthrene-d10	11.24	188	621251	20.00	ng	0.00
75) Chrysene-d12	13.87	240	489613	20.00	ng	0.00
86) Perylene-d12	15.27	264	513284	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	585729	42.01	ng	0.00
7) Phenol-d6	6.36	99	460526	25.67	ng	0.00
23) Nitrobenzene-d5	7.30	82	1464528	108.56	ng	0.00
41) 2,4,6-Tribromophenol	10.55	330	318139	86.51	ng	0.00
44) 2-Fluorobiphenyl	9.10	172	2302819	101.98	ng	0.00
78) Terphenyl-d14	12.82	244	1698543	80.90	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.48	163	163463	6.067	ng	Qvalue # 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF090718\
Data File : BF108879.D
Acq On : 8 Sep 2018 00:03
Operator : JU/SJ
Sample : J4811-06
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
090518-DBRI-E-U-S

Quant Time: Sep 08 03:17:26 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF090518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 05 18:03:31 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.74 min Scan# 748
 Delta R.T. -0.00 min
 Lab File: BF108879.D
 Acq: 8 Sep 2018 00:03

Instrument :
 BNA_F
 ClientSampleId :
 090518-DBRI-E-U-S

Tot Ion:152 Resp: 230970
 Ion Ratio Lower Upper
 152 100
 150 155.9 124.6 186.8
 115 58.3 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 42.012 ng
 RT: 5.34 min Scan# 511
 Delta R.T. 0.01 min
 Lab File: BF108879.D
 Acq: 8 Sep 2018 00:03

Tgt Ion:112 Resp: 585729
 Ion Ratio Lower Upper
 112 100
 64 57.8 47.9 71.9
 63 29.2 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 25.673 ng

RT: 6.36 min Scan# 684

Delta R.T. -0.01 min

Lab File: BF108879.D

Acq: 8 Sep 2018 00:03

Instrument :

BNA_F

ClientSampleId :

090518-DBRI-E-U-S





Tot Ion: 99 Resp: 460526

Ion Ratio Lower Upper

99 100

42 17.8 14.5 21.7

71 31.1 25.4 38.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.02 min Scan# 966

Delta R.T. -0.00 min

Lab File: BF108879.D

Acq: 8 Sep 2018 00:03

Tgt Ion: 136 Resp: 844250




Ion Ratio Lower Upper


136 100

137 11.1 8.9 13.3

54 7.3 6.6 9.8

68 6.2 5.0 7.4









#23
 Nitrobenzene-d5
 Concen: 108.560 ng
 RT: 7.30 min Scan# 843
 Delta R.T. -0.01 min
 Lab File: BF108879.D
 Acq: 8 Sep 2018 00:03




Instrument :
 BNA_F
 ClientSampleId :
 090518-DBRI-E-U-S


Tot Ion: 82 Resp: 1464528
 Ion Ratio Lower Upper
 82 100
 128 43.9 36.1 54.1
 54 48.5 41.4 62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.77 min Scan# 1263
 Delta R.T. -0.00 min
 Lab File: BF108879.D
 Acq: 8 Sep 2018 00:03

Tgt Ion:164 Resp: 385215
 Ion Ratio Lower Upper
 164 100
 162 102.7 86.1 129.1
 160 46.3 38.3 57.5









#41
 2,4,6-Tribromophenol
 Concen: 86.511 ng
 RT: 10.55 min Scan# 1396
 Delta R.T. -0.01 min
 Lab File: BF108879.D
 Acq: 8 Sep 2018 00:03

Instrument :
 BNA_F
 ClientSampleId :
 090518-DBRI-E-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.4	77.0	115.6
141	31.7	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 101.984 ng
 RT: 9.10 min Scan# 1149
 Delta R.T. -0.00 min
 Lab File: BF108879.D
 Acq: 8 Sep 2018 00:03

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.1	29.7	44.5
170	26.2	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 6.067 ng
RT: 9.48 min Scan# 1215
Delta R.T. -0.01 min
Lab File: BF108879.D
Acq: 8 Sep 2018 00:03

Instrument :
BNA_F
ClientSampleId :
090518-DBRI-E-U-S

Tot Ion:163 Resp: 163463
Ion Ratio Lower Upper
163 100
194 4.1 2.7 4.1#
164 9.8 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.24 min Scan# 1514
Delta R.T. -0.00 min
Lab File: BF108879.D
Acq: 8 Sep 2018 00:03

Tgt Ion:188 Resp: 621251
Ion Ratio Lower Upper
188 100
94 11.0 8.5 12.7
80 11.1 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.87 min Scan# 1960

Delta R.T. -0.00 min

Lab File: BF108879.D

Acq: 8 Sep 2018 00:03

Instrument :

BNA_F

ClientSampleId :

090518-DBRI-E-U-S


Tot Ion:240 Resp: 489613

Ion Ratio Lower Upper

240 100

120 11.8 9.5 14.3




236 25.1 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 80.897 ng

RT: 12.82 min Scan# 1783

Delta R.T. 0.00 min

Lab File: BF108879.D

Acq: 8 Sep 2018 00:03


Tgt Ion:244 Resp: 1698543

Ion Ratio Lower Upper

244 100

212 7.4 5.4 8.0



122 13.3 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.27 min Scan# 2199
Delta R.T. 0.01 min
Lab File: BF108879.D
Acq: 8 Sep 2018 00:03

Instrument :
BNA_F
ClientSampleId :
090518-DBRI-E-U-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.2	28.8
265	22.0	17.5	26.3

