

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF090721\
 Data File : BF125391.D
 Acq On : 7 Sep 2021 16:58
 Operator : JU/CG
 Sample : M3658-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RBR-251607

Manual Integrations
 APPROVED

mohammad
 9/9/2021 11:50:48 AM

Quant Time: Sep 08 12:01:27 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF081821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 03 11:56:34 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.898	152	115274	20.000	ng	0.00
21) Naphthalene-d8	8.180	136	393957	20.000	ng	# 0.00
39) Acenaphthene-d10	9.939	164	162020	20.000	ng	0.00
64) Phenanthrene-d10	11.439	188	239746	20.000	ng	# 0.01
76) Chrysene-d12	14.074	240	313992	20.000	ng	0.00
86) Perylene-d12	15.562	264	349837	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	503520	66.114	ng	0.00
7) Phenol-d6	6.528	99	593579	60.263	ng	0.00
23) Nitrobenzene-d5	7.457	82	370809	47.386	ng	-0.01
42) 2,4,6-Tribromophenol	10.733	330	124239	76.818	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	606593	52.180	ng	0.00
79) Terphenyl-d14	13.021	244	644307	32.690	ng	0.01
Target Compounds						
75) Fluoranthene	12.657	202	35177	2.684	ng	# 62
84) Bis(2-ethylhexyl)phtha...	14.039	149	31421	2.160	ng	# 89
88) Benzo(b)fluoranthene	15.121	252	52394m	2.050	ng	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF090721\
Data File : BF125391.D
Acq On : 7 Sep 2021 16:58
Operator : JU/CG
Sample : M3658-03
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
RBR-251607

Manual Integrations
APPROVED


mohammad
9/9/2021 11:50:48 AM

Quant Time: Sep 08 12:01:27 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF081821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 03 11:56:34 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.898 min Scan# 818
Delta R.T. 0.000 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58





Tgt Ion:152 Resp: 115274
Ion Ratio Lower Upper
152 100
150 158.6 117.6 176.4
115 59.1 47.1 70.7



#5
2-Fluorophenol
Concen: 66.114 ng
RT: 5.522 min Scan# 584
Delta R.T. -0.000 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58




Tgt Ion:112 Resp: 503520
Ion Ratio Lower Upper
112 100
64 69.3 44.2 66.2#
63 36.0 26.2 39.2



Instrument :
BNA_F
ClientSampleId :
RBR-251607

Manual Integrations
APPROVED

mohammad
9/9/2021 11:50:48 AM







#7
Phenol-d6
Concen: 60.263 ng
RT: 6.528 min Scan# 755
Delta R.T. -0.006 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58

Tgt Ion: 99 Resp: 593579
Ion Ratio Lower Upper
99 100
42 19.9 23.5 35.3#
71 34.3 25.6 38.4

Instrument :
BNA_F
ClientSampleId :
RBR-251607




Manual Integrations
APPROVED


mohammad
9/9/2021 11:50:48 AM



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.180 min Scan# 1036
Delta R.T. -0.006 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58

Tgt Ion: 136 Resp: 393957
Ion Ratio Lower Upper
136 100
137 10.7 9.8 14.6
54 10.2 6.4 9.6#
68 5.6 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 47.386 ng
RT: 7.457 min Scan# 913
Delta R.T. -0.012 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58

Tgt Ion: 82 Resp: 370809
Ion Ratio Lower Upper
82 100
128 40.9 40.6 60.8
54 61.6 49.6 74.4

Instrument :
BNA_F
ClientSampleId :
RBR-251607




Manual Integrations
APPROVED


mohammad
9/9/2021 11:50:48 AM



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.939 min Scan# 1335
Delta R.T. -0.000 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58


Tgt Ion:164 Resp: 162020
Ion Ratio Lower Upper
164 100
162 100.0 81.3 121.9
160 45.7 38.0 57.0





#42
2,4,6-Tribromophenol
Concen: 76.818 ng
RT: 10.733 min Scan# 1470
Delta R.T. -0.000 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58




Instrument :
BNA_F
ClientSampleId :
RBR-251607




Tgt Ion:330 Resp: 124239
Ion Ratio Lower Upper
330 100
332 97.1 76.2 114.4
141 27.5 44.6 66.8#

Manual Integrations
APPROVED



mohammad
9/9/2021 11:50:48 AM




#45
2-Fluorobiphenyl
Concen: 52.180 ng
RT: 9.251 min Scan# 1218
Delta R.T. -0.006 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58



Tgt Ion:172 Resp: 606593
Ion Ratio Lower Upper
172 100
171 35.0 26.5 39.7
170 23.6 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.439 min Scan# 1590
Delta R.T. 0.012 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58

Tgt Ion:188 Resp: 239746
Ion Ratio Lower Upper
188 100
94 17.2 6.7 10.1#
80 16.0 7.5 11.3#

Instrument :
BNA_F
ClientSampleId :
RBR-251607




Manual Integrations
APPROVED


mohammad
9/9/2021 11:50:48 AM



#75
Fluoranthene
Concen: 2.684 ng
RT: 12.657 min Scan# 1797
Delta R.T. 0.018 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58

Tgt Ion:202 Resp: 35177
Ion Ratio Lower Upper
202 100
101 11.5 0.0 30.7
203 42.6 0.0 36.3#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.074 min Scan# 2038
Delta R.T. 0.006 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58

Instrument :
BNA_F
ClientSampleId :
RBR-251607

Tgt Ion:240 Resp: 313992
Ion Ratio Lower Upper
240 100
120 10.8 10.8 16.2
236 25.2 21.6 32.4




Manual Integrations
APPROVED


mohammad
9/9/2021 11:50:48 AM



#79
Terphenyl-d14
Concen: 32.690 ng
RT: 13.021 min Scan# 1859
Delta R.T. 0.012 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58


Tgt Ion:244 Resp: 644307
Ion Ratio Lower Upper
244 100
212 7.0 5.9 8.9
122 9.0 9.0 13.4#





#84
Bis(2-ethylhexyl)phthalate
Concen: 2.160 ng
RT: 14.039 min Scan# 2032
Delta R.T. -0.000 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58




Instrument :
BNA_F
ClientSampled :
RBR-251607




Tgt Ion:149 Resp: 31421
Ion Ratio Lower Upper
149 100
167 32.3 21.4 32.0#
279 6.3 2.6 4.0#

Manual Integrations
APPROVED



mohammad
9/9/2021 11:50:48 AM




#86
Perylene-d12
Concen: 20.000 ng
RT: 15.562 min Scan# 2291
Delta R.T. 0.006 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58




Tgt Ion:264 Resp: 349837
Ion Ratio Lower Upper
264 100
260 23.4 19.6 29.4
265 20.5 17.2 25.8







#88
Benzo(b)fluoranthene
Concen: 2.050 ng m
RT: 15.121 min Scan# 2216
Delta R.T. -0.000 min
Lab File: BF125391.D
Acq: 7 Sep 2021 16:58



Tgt Ion:252 Resp: 52394
Ion Ratio Lower Upper
252 100
253 22.0 16.8 25.2
125 15.1 9.8 14.8#



Instrument :
BNA_F
ClientSampleId :
RBR-251607

Manual Integrations
APPROVED

mohammad
9/9/2021 11:50:48 AM