

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091418\
 Data File : BF109015.D
 Acq On : 15 Sep 2018 00:30
 Operator : JU/SJ
 Sample : J4901-01
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 091218-TIPC-F-D-B

Quant Time: Sep 15 01:15:14 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091418.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 14 13:26:52 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.72	152	176937	20.00	ng	0.00
21) Naphthalene-d8	8.00	136	683116	20.00	ng	0.00
38) Acenaphthene-d10	9.75	164	330120	20.00	ng	0.00
63) Phenanthrene-d10	11.22	188	653140	20.00	ng	0.00
75) Chrysene-d12	13.85	240	462339	20.00	ng	-0.01
86) Perylene-d12	15.25	264	418671	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	446508	41.91	ng	0.00
7) Phenol-d6	6.34	99	374599	27.27	ng	-0.02
23) Nitrobenzene-d5	7.28	82	1063215	87.30	ng	0.00
41) 2,4,6-Tribromophenol	10.54	330	315234	87.99	ng	0.00
44) 2-Fluorobiphenyl	9.08	172	1754853	83.28	ng	0.00
78) Terphenyl-d14	12.81	244	1872921	96.02	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.47	163	237099	10.049	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF091418\
Data File : BF109015.D
Acq On : 15 Sep 2018 00:30
Operator : JU/SJ
Sample : J4901-01
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
091218-TIPC-F-D-B

Quant Time: Sep 15 01:15:14 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF091418.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 14 13:26:52 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.72 min Scan# 745
Delta R.T. -0.01 min
Lab File: BF109015.D
Acq: 15 Sep 2018 00:30

Instrument :
BNA_F
ClientSampleId :
091218-TIPC-F-D-B

Tot Ion:152 Resp: 176937
Ion Ratio Lower Upper
152 100
150 156.1 124.6 186.8
115 58.9 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 41.913 ng
RT: 5.32 min Scan# 508
Delta R.T. 0.00 min
Lab File: BF109015.D
Acq: 15 Sep 2018 00:30

Tgt Ion:112 Resp: 446508
Ion Ratio Lower Upper
112 100
64 53.7 47.9 71.9
63 27.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 27.270 ng

RT: 6.34 min Scan# 681

Delta R.T. -0.02 min

Lab File: BF109015.D

Acq: 15 Sep 2018 00:30

Instrument :

BNA_F

ClientSampleId :

091218-TIPC-F-D-B


Tot Ion: 99 Resp: 374599

Ion Ratio Lower Upper




99 100

42 18.2 14.5 21.7

71 32.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.00 min Scan# 963

Delta R.T. -0.01 min

Lab File: BF109015.D

Acq: 15 Sep 2018 00:30

Tgt Ion: 136 Resp: 683116


Ion Ratio Lower Upper

136 100



137 11.0 8.9 13.3

54 7.2 6.6 9.8

68 6.1 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 87.297 ng
RT: 7.28 min Scan# 841
Delta R.T. -0.01 min
Lab File: BF109015.D
Acq: 15 Sep 2018 00:30

Instrument :
BNA_F
ClientSampleId :
091218-TIPC-F-D-B

Tot Ion: 82 Resp: 1063215
Ion Ratio Lower Upper
82 100
128 45.7 36.1 54.1
54 47.0 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1





#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.75 min Scan# 1260
Delta R.T. -0.01 min
Lab File: BF109015.D
Acq: 15 Sep 2018 00:30

Tgt Ion:164 Resp: 330120
Ion Ratio Lower Upper
164 100
162 103.0 86.1 129.1
160 46.9 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
Ion 162.00 (161.70 to 162.70): BF1
Ion 160.00 (159.70 to 160.70): BF1








#41
 2,4,6-Tribromophenol
 Concen: 87.988 ng
 RT: 10.54 min Scan# 1394
 Delta R.T. -0.01 min
 Lab File: BF109015.D
 Acq: 15 Sep 2018 00:30

Instrument :
 BNA_F
 ClientSampleId :
 091218-TIPC-F-D-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	77.0	115.6
141	31.7	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 83.284 ng
 RT: 9.08 min Scan# 1146
 Delta R.T. -0.01 min
 Lab File: BF109015.D
 Acq: 15 Sep 2018 00:30

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.7	44.5
170	24.9	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 10.049 ng
RT: 9.47 min Scan# 1212
Delta R.T. -0.02 min
Lab File: BF109015.D
Acq: 15 Sep 2018 00:30

Instrument :
BNA_F
ClientSampleId :
091218-TIPC-F-D-B

Tot Ion:163 Resp: 237099
Ion Ratio Lower Upper
163 100
194 3.8 2.7 4.1
164 10.5 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.22 min Scan# 1511
Delta R.T. -0.01 min
Lab File: BF109015.D
Acq: 15 Sep 2018 00:30

Tgt Ion:188 Resp: 653140
Ion Ratio Lower Upper
188 100
94 10.9 8.5 12.7
80 11.4 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.85 min Scan# 1957

Delta R.T. -0.01 min

Lab File: BF109015.D

Acq: 15 Sep 2018 00:30

Instrument :

BNA_F

ClientSampleId :

091218-TIPC-F-D-B


Tot Ion:240 Resp: 462339

Ion Ratio Lower Upper

240 100

120 12.1 9.5 14.3




236 25.7 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 96.019 ng

RT: 12.81 min Scan# 1781

Delta R.T. -0.00 min

Lab File: BF109015.D

Acq: 15 Sep 2018 00:30


Tgt Ion:244 Resp: 1872921

Ion Ratio Lower Upper

244 100

212 7.5 5.4 8.0



122 12.4 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.25 min Scan# 2196
Delta R.T. -0.00 min
Lab File: BF109015.D
Acq: 15 Sep 2018 00:30

Instrument :
BNA_F
ClientSampleId :
091218-TIPC-F-D-B

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.2	28.8
265	22.0	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

