

Data Path : Z:\HPCHEM1\BNA F\DATA\BF091616\
 Data File : BF090117.D
 Acq On : 16 Sep 2016 20:22
 Operator : UM/SJ
 Sample : H4813-11
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-6-14-15

Quant Time: Sep 16 23:23:53 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF091516.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 15 11:18:43 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.54	152	155135	20.00	ng	-0.01
21) Naphthalene-d8	7.83	136	639610	20.00	ng	-0.01
38) Acenaphthene-d10	9.56	164	319688	20.00	ng	-0.02
63) Phenanthrene-d10	11.04	188	523067	20.00	ng	-0.01
75) Chrysene-d12	13.65	240	363312	20.00	ng	-0.02
86) Perylene-d12	14.97	264	291144	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.11	112	1073002	111.24	ng	-0.01
7) Phenol-d6	6.19	99	1452488	115.02	ng	-0.01
23) Nitrobenzene-d5	7.11	82	816130	71.74	ng	-0.02
41) 2,4,6-Tribromophenol	10.35	330	292310	91.03	ng	-0.02
44) 2-Fluorobiphenyl	8.91	172	1511561	74.26	ng	-0.01
78) Terphenyl-d14	12.63	244	1206713	78.88	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.30	163	305858	12.88	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF091616\
Data File : BF090117.D
Acq On : 16 Sep 2016 20:22
Operator : UM/SJ
Sample : H4813-11
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-6-14-15

Quant Time: Sep 16 23:23:53 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF091516.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 15 11:18:43 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.54 min Scan# 433

Delta R.T. -0.01 min

Lab File: BF090117.D

Acq: 16 Sep 2016 20:22

Instrument :

BNA_F

ClientSampleId :

SB-6-14-15


Tot Ion:152 Resp: 155135

Ion Ratio Lower Upper

152 100

150 159.6 128.9 193.3




115 67.0 55.5 83.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 111.24 ng

RT: 5.11 min Scan# 308

Delta R.T. -0.01 min

Lab File: BF090117.D

Acq: 16 Sep 2016 20:22


Tgt Ion:112 Resp: 1073002

Ion Ratio Lower Upper

112 100

64 54.1 39.8 59.6



63 26.2 18.9 28.3




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 115.02 ng

RT: 6.19 min Scan# 403

Delta R.T. -0.01 min

Lab File: BF090117.D

Acq: 16 Sep 2016 20:22

Instrument :

BNA_F

ClientSampleId :

SB-6-14-15


Tot Ion: 99 Resp: 1452488

Ion Ratio Lower Upper

99 100

42 12.6 10.6 15.8




71 28.9 23.0 34.6



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.83 min Scan# 546

Delta R.T. -0.01 min

Lab File: BF090117.D

Acq: 16 Sep 2016 20:22

Tgt Ion: 136 Resp: 639610


Ion Ratio Lower Upper

136 100

137 10.9 9.0 13.4

54 6.6 6.4 9.6

68 6.5 6.3 9.5






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 71.74 ng
 RT: 7.11 min Scan# 483
 Delta R.T. -0.02 min
 Lab File: BF090117.D
 Acq: 16 Sep 2016 20:22

Instrument :
 BNA_F
 ClientSampleID :
 SB-6-14-15

Tot Ion	82	Resp	816130
Ion Ratio	100	Lower	Upper
128	42.6	37.5	56.3
54	42.0	31.9	47.9




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.56 min Scan# 698
 Delta R.T. -0.02 min
 Lab File: BF090117.D
 Acq: 16 Sep 2016 20:22

Tgt Ion	164	Resp	319688
Ion Ratio <td>100</td> <td>Lower</td> <td>Upper</td>	100	Lower	Upper
162	99.2	81.4	122.2
160	44.4	36.6	54.8



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 91.03 ng
 RT: 10.35 min Scan# 767
 Delta R.T. -0.02 min
 Lab File: BF090117.D
 Acq: 16 Sep 2016 20:22

Instrument :
 BNA_F
 ClientSampleId :
 SB-6-14-15

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	78.1	117.1
141	36.9	23.9	35.9#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 74.26 ng
 RT: 8.91 min Scan# 641
 Delta R.T. -0.01 min
 Lab File: BF090117.D
 Acq: 16 Sep 2016 20:22

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	29.2	43.8
170	24.7	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 12.88 ng
RT: 9.30 min Scan# 675
Delta R.T. -0.03 min
Lab File: BF090117.D
Acq: 16 Sep 2016 20:22

Instrument :
BNA_F
ClientSampleId :
SB-6-14-15

Tot Ion:163 Resp: 305858
Ion Ratio Lower Upper
163 100
194 2.8 2.8 4.2
164 10.9 8.1 12.1




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.04 min Scan# 827
Delta R.T. -0.01 min
Lab File: BF090117.D
Acq: 16 Sep 2016 20:22

Tgt Ion:188 Resp: 523067
Ion Ratio Lower Upper
188 100
94 10.7 10.5 15.7
80 11.0 11.2 16.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.65 min Scan# 1055

Delta R.T. -0.02 min

Lab File: BF090117.D

Acq: 16 Sep 2016 20:22

Instrument :

BNA_F

ClientSampleId :

SB-6-14-15


Tot Ion:240 Resp: 363312

Ion Ratio Lower Upper

240 100

120 16.0 10.6 16.0#




236 26.3 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 78.88 ng

RT: 12.63 min Scan# 966

Delta R.T. -0.01 min

Lab File: BF090117.D

Acq: 16 Sep 2016 20:22


Tgt Ion:244 Resp: 1206713

Ion Ratio Lower Upper

244 100

212 6.7 5.8 8.8



122 9.7 9.4 14.0






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 14.97 min Scan# 1171
Delta R.T. -0.02 min
Lab File: BF090117.D
Acq: 16 Sep 2016 20:22

Instrument :
BNA_F
ClientSampleId :
SB-6-14-15

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.5	29.3
265	21.9	17.0	25.4

