

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091724\
 Data File : BF139402.D
 Acq On : 17 Sep 2024 15:13
 Operator : RC/JU
 Sample : P3985-03MSD
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-7MSD

Quant Time: Sep 17 15:50:05 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 14 02:58:23 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
 Supervised By :mohammad ahmed 09/19/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	63641	20.000	ng	0.00
21) Naphthalene-d8	8.163	136	237730	20.000	ng	0.00
39) Acenaphthene-d10	9.916	164	127420	20.000	ng	0.00
64) Phenanthrene-d10	11.398	188	190204	20.000	ng	0.00
76) Chrysene-d12	14.033	240	112114	20.000	ng	0.00
86) Perylene-d12	15.498	264	97799	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	324685	83.228	ng	0.01
7) Phenol-d6	6.510	99	452419	88.354	ng	0.00
23) Nitrobenzene-d5	7.439	82	298078	58.945	ng	0.00
42) 2,4,6-Tribromophenol	10.704	330	107934	79.566	ng	0.00
45) 2-Fluorobiphenyl	9.233	172	555340	61.127	ng	0.00
79) Terphenyl-d14	12.980	244	371882	54.445	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.746	88	60996	38.972	ng	99
3) Pyridine	3.493	79	154703	44.831	ng	98
4) n-Nitrosodimethylamine	3.451	42	136567	45.660	ng	98
6) Aniline	6.539	93	167235	43.277	ng	# 83
8) 2-Chlorophenol	6.663	128	195020	48.564	ng	99
9) Benzaldehyde	6.428	77	39998	13.520	ng	95
10) Phenol	6.522	94	256230	49.132	ng	97
11) bis(2-Chloroethyl)ether	6.616	93	181967	45.907	ng	99
12) 1,3-Dichlorobenzene	6.822	146	205322	44.958	ng	99
13) 1,4-Dichlorobenzene	6.898	146	205619	44.553	ng	99
14) 1,2-Dichlorobenzene	7.045	146	196614	45.086	ng	100
15) Benzyl Alcohol	7.022	79	199140	48.746	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.151	45	326531	53.453	ng	97
17) 2-Methylphenol	7.134	107	156819	49.151	ng	99
18) Hexachloroethane	7.392	117	79965	45.490	ng	97
19) n-Nitroso-di-n-propyla...	7.292	70	155594	51.278	ng	100
20) 3+4-Methylphenols	7.286	107	208632	47.930	ng	# 88
22) Acetophenone	7.286	105	285850	45.994	ng	97
24) Nitrobenzene	7.463	77	231878	44.553	ng	97
25) Isophorone	7.698	82	402324	50.306	ng	99
26) 2-Nitrophenol	7.775	139	103922	51.252	ng	98
27) 2,4-Dimethylphenol	7.816	122	156807	58.626	ng	100
28) bis(2-Chloroethoxy)met...	7.910	93	228528	50.138	ng	99
29) 2,4-Dichlorophenol	8.016	162	164401	48.383	ng	98
30) 1,2,4-Trichlorobenzene	8.104	180	173783	43.895	ng	99
31) Naphthalene	8.186	128	576063	46.416	ng	100
32) Benzoic acid	7.934	122	109223	43.636	ng	97
33) 4-Chloroaniline	8.228	127	59970	15.795	ng	99
34) Hexachlorobutadiene	8.298	225	122205	45.433	ng	99
35) Caprolactam	8.604	113	48353m	46.261	ng	
36) 4-Chloro-3-methylphenol	8.716	107	181709	46.792	ng	97
37) 2-Methylnaphthalene	8.875	142	380585	48.312	ng	98
38) 1-Methylnaphthalene	8.975	142	351173	45.407	ng	99
40) 1,2,4,5-Tetrachloroben...	9.039	216	185150	49.029	ng	98
41) Hexachlorocyclopentadiene	9.028	237	178406	135.306	ng	98
43) 2,4,6-Trichlorophenol	9.151	196	125751	51.183	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091724\
 Data File : BF139402.D
 Acq On : 17 Sep 2024 15:13
 Operator : RC/JU
 Sample : P3985-03MSD
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-7MSD

Quant Time: Sep 17 15:50:05 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 14 02:58:23 2024
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
 Supervised By :mohammad ahmed 09/19/2024


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.192	196	122448	47.248	ng	98
46) 1,1'-Biphenyl	9.339	154	473127	48.265	ng	100
47) 2-Chloronaphthalene	9.363	162	347237	47.375	ng	98
48) 2-Nitroaniline	9.457	65	132183	48.486	ng	97
49) Acenaphthylene	9.780	152	562594	50.991	ng	99
50) Dimethylphthalate	9.639	163	412429	49.315	ng	100
51) 2,6-Dinitrotoluene	9.698	165	88467	47.751	ng	97
52) Acenaphthene	9.951	154	403419	52.390	ng	99
53) 3-Nitroaniline	9.869	138	49825	26.910	ng	93
54) 2,4-Dinitrophenol	9.975	184	86802	84.081	ng	95
55) Dibenzofuran	10.122	168	510073	47.525	ng	98
56) 4-Nitrophenol	10.027	139	125488	81.908	ng	94
57) 2,4-Dinitrotoluene	10.104	165	115122	46.025	ng	100
58) Fluorene	10.463	166	399763	45.651	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.239	232	99225	46.284	ng	99
60) Diethylphthalate	10.333	149	421960	48.892	ng	99
61) 4-Chlorophenyl-phenyle...	10.457	204	198855	46.726	ng	97
62) 4-Nitroaniline	10.480	138	76121	37.670	ng	98
63) Azobenzene	10.616	77	433488	51.068	ng	95
65) 4,6-Dinitro-2-methylph...	10.510	198	54052	53.844	ng	94
66) n-Nitrosodiphenylamine	10.575	169	336572	60.525	ng	99
67) 4-Bromophenyl-phenylether	10.945	248	110457	58.602	ng	99
68) Hexachlorobenzene	11.010	284	117187	52.975	ng	98
69) Atrazine	11.098	200	98971	74.758	ng	99
70) Pentachlorophenol	11.204	266	122553	92.327	ng	98
71) Phenanthrene	11.422	178	474526	51.711	ng	100
72) Anthracene	11.474	178	470368	52.426	ng	99
73) Carbazole	11.627	167	386366	44.993	ng	99
74) Di-n-butylphthalate	11.957	149	500935	52.367	ng	100
75) Fluoranthene	12.610	202	395811	40.390	ng	100
77) Benzidine	12.727	184	114565	71.324	ng	99
78) Pyrene	12.839	202	398286	41.374	ng	100
80) Butylbenzylphthalate	13.457	149	158135	48.261	ng	97
81) Benzo(a)anthracene	14.021	228	389773	52.485	ng	99
82) 3,3'-Dichlorobenzidine	13.986	252	85791	39.447	ng	100
83) Chrysene	14.063	228	330847	48.424	ng	99
84) Bis(2-ethylhexyl)phtha...	14.010	149	212127	50.890	ng	100
85) Di-n-octyl phthalate	14.621	149	379117	61.758	ng	99
87) Indeno(1,2,3-cd)pyrene	16.968	276	187696	32.276	ng	99
88) Benzo(b)fluoranthene	15.074	252	335062	55.551	ng	100
89) Benzo(k)fluoranthene	15.104	252	325435	58.518	ng	99
90) Benzo(a)pyrene	15.439	252	274187	54.812	ng	99
91) Dibenzo(a,h)anthracene	16.986	278	155179	32.292	ng	99
92) Benzo(g,h,i)perylene	17.415	276	141200	29.676	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.881 min Scan# 814
 Delta R.T. -0.000 min
 Lab File: BF139402.D
 Acq: 17 Sep 2024 15:13




Instrument :
 BNA_F
 ClientSampleId :
 TP-7MSD



Tgt Ion:152 Resp: 6364
 Ion Ratio Lower Upper
 152 100
 150 160.4 124.1 186.1
 115 62.6 48.1 72.1




Manual Integrations
 APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
 Supervised By :mohammad ahmed 09/19/2024



#2
 1,4-Dioxane
 Concen: 38.972 ng
 RT: 2.746 min Scan# 111
 Delta R.T. 0.088 min
 Lab File: BF139402.D
 Acq: 17 Sep 2024 15:13

Tgt Ion: 88 Resp: 60996
 Ion Ratio Lower Upper
 88 100
 58 93.3 74.8 112.2
 43 46.3 36.4 54.6





#3

Pyridine

Concen: 44.831 ng

RT: 3.493 min Scan# 21

Delta R.T. 0.082 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD

Tgt Ion: 79 Resp: 15470

Ion Ratio Lower Upper

79 100

52 94.9 73.8 110.8





51 52.7 41.8 62.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024

Supervised By :mohammad ahmed 09/19/2024



#4

n-Nitrosodimethylamine

Concen: 45.660 ng

RT: 3.451 min Scan# 231

Delta R.T. 0.082 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13




Tgt Ion: 42 Resp: 136567


Ion Ratio Lower Upper

42 100

74 79.1 61.8 92.8

44 5.5 4.8 7.2





#5
2-Fluorophenol
Concen: 83.228 ng
RT: 5.504 min Scan# 51
Delta R.T. 0.011 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:112 Resp: 32468
Ion Ratio Lower Upper
112 100
64 70.7 54.8 82.2
63 41.0 33.0 49.4

Manual Integrations




APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#6
Aniline
Concen: 43.277 ng
RT: 6.539 min Scan# 756
Delta R.T. -0.030 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion: 93 Resp: 167235
Ion Ratio Lower Upper
93 100
66 55.6 35.4 53.0#
65 31.0 18.2 27.4#





#7

Phenol-d6

Concen: 88.354 ng

RT: 6.510 min Scan# 750

Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD

Tgt Ion: 99 Resp: 452419

Ion Ratio Lower Upper

99 100

42 27.0 21.9 32.9





71 42.1 34.6 52.0

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024

Supervised By :mohammad ahmed 09/19/2024



#8

2-Chlorophenol

Concen: 48.564 ng

RT: 6.663 min Scan# 777

Delta R.T. -0.000 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13




Tgt Ion:128 Resp: 195020

Ion Ratio Lower Upper

128 100

130 32.5 12.8 52.8

64 54.0 35.1 75.1









#9
Benzaldehyde
Concen: 13.520 ng
RT: 6.428 min Scan# 737
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :
BNA_F
ClientSampleId :
TP-7MSD

Tgt Ion: 77 Resp: 3998
Ion Ratio Lower Upper
77 100
105 94.8 71.0 111.0
106 90.1 64.9 104.9




Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#10
Phenol
Concen: 49.132 ng
RT: 6.522 min Scan# 753
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13


Tgt Ion: 94 Resp: 256230
Ion Ratio Lower Upper
94 100
65 38.7 17.6 57.6
66 57.6 35.2 75.2





#11
bis(2-Chloroethyl)ether
Concen: 45.907 ng
RT: 6.616 min Scan# 769
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD




Tgt Ion: 93 Resp: 18196
Ion Ratio Lower Upper
93 100
63 85.0 65.3 105.3
95 31.8 12.4 52.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024




#12
1,3-Dichlorobenzene
Concen: 44.958 ng
RT: 6.822 min Scan# 804
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Tgt Ion:146 Resp: 205322
Ion Ratio Lower Upper
146 100
148 64.5 51.2 76.8
75 37.4 30.6 46.0





#13
1,4-Dichlorobenzene
Concen: 44.553 ng
RT: 6.898 min Scan# 817
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD




Tgt Ion:146 Resp: 205619
Ion Ratio Lower Upper
146 100
148 65.1 50.9 76.3
111 45.0 36.3 54.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#14
1,2-Dichlorobenzene
Concen: 45.086 ng
RT: 7.045 min Scan# 842
Delta R.T. -0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Tgt Ion:146 Resp: 196614
Ion Ratio Lower Upper
146 100
148 63.4 50.9 76.3
111 49.1 38.9 58.3





#15
Benzyl Alcohol
Concen: 48.746 ng
RT: 7.022 min Scan# 81
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD



Tgt Ion: 79 Resp: 199140
Ion Ratio Lower Upper
79 100
108 65.8 50.4 75.6
77 64.0 51.4 77.2




Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#16
2,2'-oxybis(1-Chloropropane)
Concen: 53.453 ng
RT: 7.151 min Scan# 860
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion: 45 Resp: 326531
Ion Ratio Lower Upper
45 100
77 13.3 0.0 32.0
79 10.1 0.0 29.1









#17
2-Methylphenol
Concen: 49.151 ng
RT: 7.134 min Scan# 856
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :
BNA_F
ClientSampleId :
TP-7MSD

Tgt Ion:107 Resp: 156819
Ion Ratio Lower Upper
107 100
108 111.9 90.5 135.7
77 59.3 47.1 70.7
79 58.3 46.6 69.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#18
Hexachloroethane
Concen: 45.490 ng
RT: 7.392 min Scan# 901
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:117 Resp: 79965
Ion Ratio Lower Upper
117 100
119 96.7 75.8 113.8
201 101.7 78.6 118.0






#19
n-Nitroso-di-n-propylamine
Concen: 51.278 ng
RT: 7.292 min Scan# 884
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD






Tgt Ion: 70 Resp: 155594
Ion Ratio Lower Upper
70 100
42 76.5 61.2 91.8
101 9.7 7.5 11.3
130 19.8 15.8 23.8

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#20
3+4-Methylphenols
Concen: 47.930 ng
RT: 7.286 min Scan# 883
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:107 Resp: 208632
Ion Ratio Lower Upper
107 100
108 90.6 68.6 108.6
77 146.4 101.6 141.6#
79 35.9 16.3 56.3





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.163 min Scan# 1032

Delta R.T. -0.000 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion	136	Resp: Lower	237730 Upper
	Ratio		
136	100		
137	10.8	8.6	12.8
54	9.6	7.8	11.8
68	4.6	3.6	5.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#22

Acetophenone

Concen: 45.994 ng




RT: 7.286 min Scan# 883


Delta R.T. -0.000 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Tgt	Ion:105	Resp:	285850
Ion	Ratio	Lower	Upper
105	100		
71	7.3	5.9	8.9
51	52.6	40.0	60.0
120	22.1	17.1	25.7






#23
Nitrobenzene-d5
Concen: 58.945 ng
RT: 7.439 min Scan# 909
Delta R.T. -0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD






Tgt Ion: 82 Resp: 298078
Ion Ratio Lower Upper
82 100
128 37.3 31.8 47.6
54 62.5 50.6 75.8

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#24
Nitrobenzene
Concen: 44.553 ng
RT: 7.463 min Scan# 913
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion: 77 Resp: 231878
Ion Ratio Lower Upper
77 100
123 42.0 32.2 48.4
65 16.1 12.2 18.4









#25
Isophorone
Concen: 50.306 ng
RT: 7.698 min Scan# 913
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :
BNA_F
ClientSampleId :
TP-7MSD

Tgt Ion: 82 Resp: 402324
Ion Ratio Lower Upper
82 100
95 8.3 6.7 10.1
138 16.3 13.3 19.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#26
2-Nitrophenol
Concen: 51.252 ng
RT: 7.775 min Scan# 966
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:139 Resp: 103922
Ion Ratio Lower Upper
139 100
109 37.9 32.2 48.2
65 69.4 55.8 83.8





#27
2,4-Dimethylphenol
Concen: 58.626 ng
RT: 7.816 min Scan# 91
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:122 Resp: 15680
Ion Ratio Lower Upper
122 100
107 123.9 99.1 148.7
121 58.6 46.6 70.0

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#28
bis(2-Chloroethoxy)methane
Concen: 50.138 ng
RT: 7.910 min Scan# 989
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion: 93 Resp: 228528
Ion Ratio Lower Upper
93 100
95 33.0 26.9 40.3
123 11.8 10.0 15.0





#29
2,4-Dichlorophenol
Concen: 48.383 ng
RT: 8.016 min Scan# 1007
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:162 Resp: 16440
Ion Ratio Lower Upper
162 100
164 64.6 43.6 83.6
98 41.9 19.7 59.7

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#30
1,2,4-Trichlorobenzene
Concen: 43.895 ng
RT: 8.104 min Scan# 1022
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13


Tgt Ion:180 Resp: 173783
Ion Ratio Lower Upper
180 100
182 95.8 75.7 113.5
145 32.0 26.5 39.7





#31
Naphthalene
Concen: 46.416 ng
RT: 8.186 min Scan# 1035
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD



Tgt Ion:128 Resp: 576063
Ion Ratio Lower Upper
128 100
129 10.9 8.6 13.0
127 13.5 10.6 16.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#32
Benzoic acid
Concen: 43.636 ng
RT: 7.934 min Scan# 993
Delta R.T. 0.012 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:122 Resp: 109223
Ion Ratio Lower Upper
122 100
105 132.8 117.1 157.1
77 112.6 95.4 135.4





#33
4-Chloroaniline
Concen: 15.795 ng
RT: 8.228 min Scan# 1043
Delta R.T. -0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:127 Resp: 59970
Ion Ratio Lower Upper
127 100
129 32.6 25.5 38.3
65 39.4 31.5 47.3
92 21.6 17.6 26.4

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#34
Hexachlorobutadiene
Concen: 45.433 ng
RT: 8.298 min Scan# 1055
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:225 Resp: 122205
Ion Ratio Lower Upper
225 100
223 62.8 50.1 75.1
227 62.6 51.0 76.6









#35
Caprolactam
Concen: 46.261 ng m
RT: 8.604 min Scan# 1106
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :
BNA_F
ClientSampleId :
TP-7MSD

Tgt Ion:113 Resp: 4835
Ion Ratio Lower Upper
113 100
55 206.9 186.1 226.1
56 170.1 144.9 184.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#36
4-Chloro-3-methylphenol
Concen: 46.792 ng
RT: 8.716 min Scan# 1126
Delta R.T. 0.012 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:107 Resp: 181709
Ion Ratio Lower Upper
107 100
144 23.0 17.5 26.3
142 72.6 55.8 83.8





#37
2-Methylnaphthalene
Concen: 48.312 ng
RT: 8.875 min Scan# 1153
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:142 Resp: 38058
Ion Ratio Lower Upper
142 100
141 87.8 71.6 107.4

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#38
1-Methylnaphthalene
Concen: 45.407 ng
RT: 8.975 min Scan# 1170
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:142 Resp: 351173
Ion Ratio Lower Upper
142 100
141 92.3 73.2 109.8





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.916 min Scan# 1180

Delta R.T. -0.000 min

Lab File: BF139402.D


Acq: 17 Sep 2024 15:13

Instrument :

BNF

ClientSampleId :

TP-7MSD



Tgt Ion:164 Resp: 127420

Ion Ratio Lower Upper

164 100




162 100.4 81.3 121.9

160 44.8 36.4 54.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#40

1,2,4,5-Tetrachlorobenzene

Concen: 49.029 ng

RT: 9.039 min Scan# 1181

Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Tgt Ion:216 Resp: 185150




Ion Ratio Lower Upper


216 100

214 78.0 63.4 95.0

179 22.0 18.2 27.2


108 21.5 15.8 23.6





#41
Hexachlorocyclopentadiene
Concen: 135.306 ng
RT: 9.028 min Scan# 1178
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD




Tgt Ion: 237 Resp: 178400
Ion Ratio Lower Upper
237 100
235 61.5 42.7 82.7
272 11.9 0.0 32.5

Manual Integrations
APPROVED



Reviewed By : Jagrut Upadhyay 09/18/2024
Supervised By : mohammad ahmed 09/19/2024




#42
2,4,6-Tribromophenol
Concen: 79.566 ng
RT: 10.704 min Scan# 1464
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13



Tgt Ion: 330 Resp: 107934
Ion Ratio Lower Upper
330 100
332 99.8 75.2 112.8
141 40.5 31.2 46.8





#43

2,4,6-Trichlorophenol

Concen: 51.183 ng

RT: 9.151 min Scan# 1199

Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD





Tgt Ion:196 Resp: 12575

Ion	Ratio	Lower	Upper
196	100		
198	94.5	75.8	113.6
200	29.6	24.1	36.1

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#44

2,4,5-Trichlorophenol

Concen: 47.248 ng

RT: 9.192 min Scan# 1207




Delta R.T. 0.006 min


Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Tgt Ion:196 Resp: 122448

Ion	Ratio	Lower	Upper
196	100		
198	96.0	74.8	112.2
97	60.6	47.3	70.9
132	29.6	23.2	34.8





#45

2-Fluorobiphenyl

Concen: 61.127 ng

RT: 9.233 min Scan# 1214

Delta R.T. -0.000 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD





Tgt Ion:172 Resp: 555340

Ion	Ratio	Lower	Upper
172	100		
171	35.5	28.3	42.5
170	23.4	19.0	28.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#46

1,1'-Biphenyl

Concen: 48.265 ng

RT: 9.339 min Scan# 1232




Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Tgt Ion:154 Resp: 473127

Ion	Ratio	Lower	Upper
154	100		
153	40.3	20.1	60.1
76	10.8	0.0	31.1






#47
2-Chloronaphthalene
Concen: 47.375 ng
RT: 9.363 min Scan# 1236
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD






Tgt Ion:162 Resp: 34723
Ion Ratio Lower Upper
162 100
127 45.1 35.0 52.4
164 32.9 25.8 38.6


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024




#48
2-Nitroaniline
Concen: 48.486 ng
RT: 9.457 min Scan# 1252
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13



Tgt Ion: 65 Resp: 132183
Ion Ratio Lower Upper
65 100
92 60.2 50.3 75.5
138 86.1 71.3 106.9





#49
Acenaphthylene
Concen: 50.991 ng
RT: 9.780 min Scan# 11
Delta R.T. 0.005 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:152 Resp: 562594
Ion Ratio Lower Upper
152 100
151 20.5 16.2 24.2
153 13.2 10.3 15.5

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#50
Dimethylphthalate
Concen: 49.315 ng
RT: 9.639 min Scan# 1283
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:163 Resp: 412429
Ion Ratio Lower Upper
163 100
194 4.2 3.1 4.7
164 10.1 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 47.751 ng
RT: 9.698 min Scan# 1293
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :
BNA_F
ClientSampleId :
TP-7MSD

Tgt Ion:165 Resp: 8846
Ion Ratio Lower Upper
165 100
63 79.3 60.9 91.3
89 70.3 54.7 82.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#52
Acenaphthene
Concen: 52.390 ng
RT: 9.951 min Scan# 1336
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:154 Resp: 403419
Ion Ratio Lower Upper
154 100
153 110.8 89.5 134.3
152 53.6 42.6 64.0





#53

3-Nitroaniline

Concen: 26.910 ng

RT: 9.869 min Scan# 11

Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD





Tgt Ion:138 Resp: 4982

Ion	Ratio	Lower	Upper
138	100		
108	11.3	9.8	14.8
92	124.9	107.4	161.2

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#54

2,4-Dinitrophenol

Concen: 84.081 ng

RT: 9.975 min Scan# 1340




Delta R.T. 0.006 min


Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Tgt Ion:184 Resp: 86802

Ion	Ratio	Lower	Upper
184	100		
63	86.5	69.3	103.9
154	75.0	67.5	101.3





#55

Dibenzofuran

Concen: 47.525 ng

RT: 10.122 min Scan# 1365

Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD

Tgt Ion:168 Resp: 51007

Ion Ratio Lower Upper

168 100





139 41.5 34.1 51.1

169 13.6 10.5 15.7

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#56

4-Nitrophenol

Concen: 81.908 ng

RT: 10.027 min Scan# 1349

Delta R.T. 0.012 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13




Tgt Ion:139 Resp: 125488


Ion Ratio Lower Upper

139 100

109 95.7 84.1 124.1


65 133.8 120.0 160.0





#57
2,4-Dinitrotoluene
Concen: 46.025 ng
RT: 10.104 min Scan# 1362
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD




Tgt Ion:165 Resp: 11512
Ion Ratio Lower Upper
165 100
63 60.2 47.8 71.6
89 83.3 66.7 100.1
182 2.8 2.2 3.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#58
Fluorene
Concen: 45.651 ng
RT: 10.463 min Scan# 1423
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Tgt Ion:166 Resp: 399763
Ion Ratio Lower Upper
166 100
165 93.4 74.5 111.7
167 13.8 10.6 16.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 46.284 ng
RT: 10.239 min Scan# 1384
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD



Tgt Ion:232 Resp: 99225
Ion Ratio Lower Upper
232 100
131 50.1 40.7 61.1
130 2.7 2.2 3.2
166 32.3 25.0 37.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#60
Diethylphthalate
Concen: 48.892 ng
RT: 10.333 min Scan# 1401
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13


Tgt Ion:149 Resp: 421960
Ion Ratio Lower Upper
149 100
177 20.4 16.6 24.8
150 12.5 10.6 15.8





#61
4-Chlorophenyl-phenylether
Concen: 46.726 ng
RT: 10.457 min Scan# 1421
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD



Tgt Ion:204 Resp: 19885
Ion Ratio Lower Upper
204 100
206 32.9 26.2 39.2
141 63.8 53.9 80.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#62
4-Nitroaniline
Concen: 37.670 ng
RT: 10.480 min Scan# 1426
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:138 Resp: 76121
Ion Ratio Lower Upper
138 100
92 56.7 37.0 77.0
108 102.1 84.4 124.4





#63

Azobenzene

Concen: 51.068 ng

RT: 10.616 min Scan# 1449

Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD

Tgt Ion: 77 Resp: 43348

Ion Ratio Lower Upper

77 100

182 24.9 1.8 41.8





105 22.0 0.0 38.6

51 39.9 21.4 61.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.398 min Scan# 1582

Delta R.T. -0.000 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13




Tgt Ion:188 Resp: 190204


Ion Ratio Lower Upper

188 100

94 7.8 5.5 8.3

80 9.0 6.6 9.8









#65
4,6-Dinitro-2-methylphenol
Concen: 53.844 ng
RT: 10.510 min Scan# 1431
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :
BNA_F
ClientSampleId :
TP-7MSD

Tgt Ion:198 Resp: 54052
Ion Ratio Lower Upper
198 100
51 65.2 50.4 90.4
105 44.7 28.3 68.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#66
n-Nitrosodiphenylamine
Concen: 60.525 ng
RT: 10.575 min Scan# 1442
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13


Tgt Ion:169 Resp: 336572
Ion Ratio Lower Upper
169 100
168 65.4 53.6 80.4
167 35.9 28.7 43.1





#67
4-Bromophenyl-phenylether
Concen: 58.602 ng
RT: 10.945 min Scan# 11045
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD




Tgt Ion:248 Resp: 11045
Ion Ratio Lower Upper
248 100
250 96.8 77.6 116.4
141 82.7 66.9 100.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#68
Hexachlorobenzene
Concen: 52.975 ng
RT: 11.010 min Scan# 1516
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13



Tgt Ion:284 Resp: 117187
Ion Ratio Lower Upper
284 100
142 33.2 28.0 42.0
249 31.6 25.3 37.9





#69

Atrazine

Concen: 74.758 ng

RT: 11.098 min Scan# 1531

Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:	200	Resp:	9897
Ion Ratio	Lower	Upper	
200	100		
173	26.0	6.1	46.1
215	47.2	28.2	68.2

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#70

Pentachlorophenol

Concen: 92.327 ng




RT: 11.204 min Scan# 1549


Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13


Tgt Ion:	266	Resp:	122553
Ion Ratio	Lower	Upper	
266	100		
268	63.8	51.1	76.7
264	61.9	51.4	77.0





#71
Phenanthrene
Concen: 51.711 ng
RT: 11.422 min Scan# 1586
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD



Tgt Ion:178 Resp: 474520
Ion Ratio Lower Upper
178 100
176 19.1 15.2 22.8
179 15.4 12.2 18.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#72
Anthracene
Concen: 52.426 ng
RT: 11.474 min Scan# 1595
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13


Tgt Ion:178 Resp: 470368
Ion Ratio Lower Upper
178 100
176 19.0 15.0 22.6
179 15.3 12.0 18.0





#73
 Carbazole
 Concen: 44.993 ng
 RT: 11.627 min Scan# 1621
 Delta R.T. -0.000 min
 Lab File: BF139402.D
 Acq: 17 Sep 2024 15:13




Instrument :
 BNA_F
 ClientSampleId :
 TP-7MSD




Tgt Ion:167 Resp: 386360
 Ion Ratio Lower Upper
 167 100
 166 21.3 17.5 26.3
 139 13.5 10.9 16.3

Manual Integrations
 APPROVED



Reviewed By :Jagrut Upadhyay 09/18/2024
 Supervised By :mohammad ahmed 09/19/2024




#74
 Di-n-butylphthalate
 Concen: 52.367 ng
 RT: 11.957 min Scan# 1677
 Delta R.T. -0.000 min
 Lab File: BF139402.D
 Acq: 17 Sep 2024 15:13




Tgt Ion:149 Resp: 500935
 Ion Ratio Lower Upper
 149 100
 150 8.9 7.3 10.9
 104 5.4 4.3 6.5





#75
Fluoranthene
Concen: 40.390 ng
RT: 12.610 min Scan# 1788
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13




Instrument :
BNA_F
ClientSampleId :
TP-7MSD



Tgt Ion:202 Resp: 39581
Ion Ratio Lower Upper
202 100
101 7.9 0.0 27.7
203 17.2 0.0 37.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.033 min Scan# 2030
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:240 Resp: 112114
Ion Ratio Lower Upper
240 100
120 8.3 6.2 9.2
236 26.4 20.9 31.3





#77

Benzidine

Concen: 71.324 ng

RT: 12.727 min Scan# 1808

Delta R.T. -0.000 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:184	Resp: 11456
Ion Ratio	Lower Upper
184	100
185	14.2 11.5 17.3
183	11.6 8.9 13.3

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#78

Pyrene

Concen: 41.374 ng




RT: 12.839 min Scan# 1827


Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Tgt Ion:202	Resp: 398286
Ion Ratio	Lower Upper
202	100
200	20.3 16.2 24.2
203	17.6 13.9 20.9






#79
 Terphenyl-d14
 Concen: 54.445 ng
 RT: 12.980 min Scan# 1851
 Delta R.T. -0.000 min
 Lab File: BF139402.D
 Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD






Tgt Ion:244 Resp: 37188
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.0 9.0
 122 9.1 7.6 11.4


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 09/18/2024
 Supervised By :mohammad ahmed 09/19/2024




#80
 Butylbenzylphthalate
 Concen: 48.261 ng
 RT: 13.457 min Scan# 1932
 Delta R.T. 0.006 min
 Lab File: BF139402.D
 Acq: 17 Sep 2024 15:13



Tgt Ion:149 Resp: 158135
 Ion Ratio Lower Upper
 149 100
 91 73.2 60.9 91.3
 206 20.4 15.8 23.8






#81
Benzo(a)anthracene
Concen: 52.485 ng
RT: 14.021 min Scan# 2028
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD






Tgt Ion:228 Resp: 38977
Ion Ratio Lower Upper
228 100
226 27.4 21.6 32.4
229 19.9 15.7 23.5


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024




#82
3,3'-Dichlorobenzidine
Concen: 39.447 ng
RT: 13.986 min Scan# 2022
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13



Tgt Ion:252 Resp: 85791
Ion Ratio Lower Upper
252 100
254 64.4 51.4 77.2
126 10.5 7.7 11.5





#83

Chrysene

Concen: 48.424 ng

RT: 14.063 min Scan# 2035

Delta R.T. 0.006 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:	228	Resp:	33084
Ion Ratio	Lower	Upper	
228	100		
226	30.7	24.1	36.1
229	20.0	15.4	23.0

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#84

Bis(2-ethylhexyl)phthalate

Concen: 50.890 ng




RT: 14.010 min Scan# 2026


Delta R.T. -0.000 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Tgt Ion:	149	Resp:	212127
Ion Ratio	Lower	Upper	
149	100		
167	27.2	21.6	32.4
279	4.0	3.3	4.9





#85

Di-n-octyl phthalate

Concen: 61.758 ng

RT: 14.621 min Scan# 2130

Delta R.T. -0.000 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:	149	Resp:	37911
Ion	Ratio	Lower	Upper
149	100		
167	1.7	1.2	1.8
43	13.1	10.6	16.0

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#86

Perylene-d12

Concen: 20.000 ng




RT: 15.498 min Scan# 2279


Delta R.T. -0.000 min

Lab File: BF139402.D

Acq: 17 Sep 2024 15:13

Tgt Ion:	264	Resp:	97799
Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.5	29.3
265	21.3	16.6	25.0






#87
 Indeno(1,2,3-cd)pyrene
 Concen: 32.276 ng
 RT: 16.968 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BF139402.D
 Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD






Tgt Ion:276 Resp: 187690
 Ion Ratio Lower Upper
 276 100
 138 20.4 15.4 23.2
 277 25.2 20.4 30.6


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 09/18/2024
 Supervised By :mohammad ahmed 09/19/2024




#88
 Benzo(b)fluoranthene
 Concen: 55.551 ng
 RT: 15.074 min Scan# 2207
 Delta R.T. 0.006 min
 Lab File: BF139402.D
 Acq: 17 Sep 2024 15:13



Tgt Ion:252 Resp: 335062
 Ion Ratio Lower Upper
 252 100
 253 22.2 17.6 26.4
 125 7.8 6.2 9.2





#89
Benzo(k)fluoranthene
Concen: 58.518 ng
RT: 15.104 min Scan# 2211
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :





TP-7MSD

Tgt Ion:252 Resp: 325438
Ion Ratio Lower Upper
252 100
253 22.1 17.3 25.9
125 7.9 5.9 8.9

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#90
Benzo(a)pyrene
Concen: 54.812 ng
RT: 15.439 min Scan# 2269
Delta R.T. 0.006 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Tgt Ion:252 Resp: 274187
Ion Ratio Lower Upper
252 100
253 22.0 17.3 25.9
125 8.5 6.8 10.2






#91
Dibenzo(a,h)anthracene
Concen: 32.292 ng
RT: 16.986 min Scan# 2532
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13

Instrument :

BNA_F

ClientSampleId :

TP-7MSD






Tgt Ion:278 Resp: 155179
Ion Ratio Lower Upper
278 100
139 13.1 10.2 15.2
279 23.0 18.9 28.3


Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 09/18/2024
Supervised By :mohammad ahmed 09/19/2024



#92
Benzo(g,h,i)perylene
Concen: 29.676 ng
RT: 17.415 min Scan# 2605
Delta R.T. -0.000 min
Lab File: BF139402.D
Acq: 17 Sep 2024 15:13



Tgt Ion:276 Resp: 141200
Ion Ratio Lower Upper
276 100
277 22.5 18.9 28.3
138 16.0 13.0 19.6

