

Data Path : Z:\HPCHEM1\BNA F\DATA\BF091817\
 Data File : BF098628.D
 Acq On : 19 Sep 2017 4:05
 Operator : SJ/JU
 Sample : I5262-03
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 19 05:43:43 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF091117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 18 13:37:24 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.63	152	114250	20.00	ng	0.00
21) Naphthalene-d8	7.92	136	478735	20.00	ng	0.00
38) Acenaphthene-d10	9.67	164	212240	20.00	ng	0.00
63) Phenanthrene-d10	11.15	188	352421	20.00	ng	0.00
75) Chrysene-d12	13.79	240	259054	20.00	ng	0.00
86) Perylene-d12	15.18	264	246625	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	315154	40.78	ng	0.00
7) Phenol-d6	6.29	99	245719	25.05	ng	0.00
23) Nitrobenzene-d5	7.21	82	717488	83.55	ng	0.00
41) 2,4,6-Tribromophenol	10.46	330	132940	93.85	ng	0.00
44) 2-Fluorobiphenyl	9.00	172	1235748	98.69	ng	0.00
78) Terphenyl-d14	12.73	244	1004880	83.73	ng	0.00
Target Compounds						
9) Benzaldehyde	6.40	77	13942	2.174	ng	# 80
19) n-Nitroso-di-n-propylamine	7.20	70	97095	15.733	ng	# 79
25) Isophorone	7.21	82	717482	41.296	ng	# 67
49) Dimethylphthalate	9.39	163	44225	2.692	ng	# 97
50) 2,6-Dinitrotoluene	9.67	165	25993	7.702	ng	# 33
56) 2,4-Dinitrotoluene	9.67	165	25993	6.335	ng	# 32
64) 4,6-Dinitro-2-methylphenol	10.46	198	318	5.096	ng	# 71
66) 4-Bromophenyl-phenylether	10.46	248	10419	3.115	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF091817\
Data File : BF098628.D
Acq On : 19 Sep 2017 4:05
Operator : SJ/JU
Sample : I5262-03
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 19 05:43:43 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF091117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 18 13:37:24 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 6.63 min Scan# 773

Delta R.T. 0.00 min

Lab File: BF098628.D

Acq: 19 Sep 2017 4:05

Instrument :

BNA_F

ClientSampleId :


Tot Ion:152 Resp: 114250

Ion Ratio Lower Upper

152 100

150 157.9 126.2 189.2




115 68.3 52.2 78.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 40.784 ng

RT: 5.24 min Scan# 536

Delta R.T. 0.00 min

Lab File: BF098628.D

Acq: 19 Sep 2017 4:05


Tgt Ion:112 Resp: 315154

Ion Ratio Lower Upper

112 100

64 66.0 46.0 69.0



63 35.6 23.4 35.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 25.045 ng

RT: 6.29 min Scan# 714

Delta R.T. -0.01 min

Lab File: BF098628.D

Acq: 19 Sep 2017 4:05

Instrument :

BNA_F

ClientSampleId :





Tot Ion: 99 Resp: 245719

Ion Ratio Lower Upper

99 100

42 19.3 13.5 20.3

71 34.5 24.5 36.7



#9

Benzaldehyde

Concen: 2.174 ng

RT: 6.40 min Scan# 734

Delta R.T. 0.22 min

Lab File: BF098628.D

Acq: 19 Sep 2017 4:05




Tgt Ion: 77 Resp: 13942


Ion Ratio Lower Upper

77 100

105 79.9 83.8 123.8#

106 82.9 79.1 119.1









#19
n-Nitroso-di-n-propylamine
Concen: 15.733 ng
RT: 7.20 min Scan# 870
Delta R.T. 0.15 min
Lab File: BF098628.D
Acq: 19 Sep 2017 4:05




Instrument :
BNA_F
ClientSampleId :


Tot Ion:	70	Resp:	97095
Ion	Ratio	Lower	Upper
70	100		
42	48.7	47.2	70.8
101	0.0	7.2	10.8#
130	2.0	15.9	23.9#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.92 min Scan# 991
Delta R.T. -0.01 min
Lab File: BF098628.D
Acq: 19 Sep 2017 4:05

Tgt Ion:	136	Resp:	478735
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.5	12.7
54	9.4	4.9	7.3#
68	5.4	4.1	6.1





#23

Nitrobenzene-d5

Concen: 83.553 ng

RT: 7.21 min Scan# 871

Delta R.T. 0.00 min

Lab File: BF098628.D

Acq: 19 Sep 2017 4:05

Instrument :

BNA_F

ClientSampled :


Tot Ion: 82 Resp: 717488

Ion Ratio Lower Upper

82 100

128 46.9 34.0 51.0




54 53.8 42.2 63.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): BF0

Ion 54.00 (53.70 to 54.70): BF0



#25

Isophorone

Concen: 41.296 ng

RT: 7.21 min Scan# 871

Delta R.T. -0.26 min

Lab File: BF098628.D

Acq: 19 Sep 2017 4:05


Tgt Ion: 82 Resp: 717482

Ion Ratio Lower Upper

82 100

95 0.0 5.3 7.9#



138 0.0 13.1 19.7#




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 138.00 (137.70 to 138.70): BF0





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.67 min Scan# 1289

Delta R.T. 0.00 min

Lab File: BF098628.D

Acq: 19 Sep 2017 4:05

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 212240

Ion Ratio Lower Upper




164 100

162 102.1 82.6 123.8

160 46.8 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 93.849 ng

RT: 10.46 min Scan# 1423

Delta R.T. -0.01 min

Lab File: BF098628.D

Acq: 19 Sep 2017 4:05


Tgt Ion:330 Resp: 132940

Ion Ratio Lower Upper



330 100


332 96.9 76.6 115.0

141 43.1 31.4 47.2



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 98.685 ng
RT: 9.00 min Scan# 1175
Delta R.T. 0.00 min
Lab File: BF098628.D
Acq: 19 Sep 2017 4:05




Instrument :
BNA_F
ClientSampleId :


Tot Ion:172 Resp: 1235748
Ion Ratio Lower Upper
172 100
171 36.0 29.6 44.4
170 23.5 19.8 29.8



#49
Dimethylphthalate
Concen: 2.692 ng
RT: 9.39 min Scan# 1242
Delta R.T. -0.01 min
Lab File: BF098628.D
Acq: 19 Sep 2017 4:05

Tgt Ion:163 Resp: 44225
Ion Ratio Lower Upper
163 100
194 3.0 2.6 4.0
164 9.2 8.4 12.6





#50

2,6-Dinitrotoluene

Concen: 7.702 ng

RT: 9.67 min Scan# 1289

Delta R.T. 0.20 min

Lab File: BF098628.D

Acq: 19 Sep 2017 4:05

Instrument :

BNA_F

ClientSampleId :


Tot Ion:165 Resp: 25993

Ion Ratio Lower Upper

165 100

63 0.0 34.3 51.5#




89 1.7 37.1 55.7#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0



#56

2,4-Dinitrotoluene

Concen: 6.335 ng

RT: 9.67 min Scan# 1289

Delta R.T. -0.21 min

Lab File: BF098628.D

Acq: 19 Sep 2017 4:05

Tgt Ion:165 Resp: 25993


Ion Ratio Lower Upper

165 100

63 0.0 25.4 38.0#

89 1.7 46.4 69.6#

182 0.0 1.8 2.6#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF0

Ion 89.00 (88.70 to 89.70): BF0

Ion 182.00 (181.70 to 182.70): E









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.15 min Scan# 1541
 Delta R.T. 0.00 min
 Lab File: BF098628.D
 Acq: 19 Sep 2017 4:05

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:188 Resp: 352421
 Ion Ratio Lower Upper
 188 100
 94 8.5 9.4 14.2#
 80 9.5 10.2 15.2#




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#64
 4,6-Dinitro-2-methylphenol
 Concen: 5.096 ng
 RT: 10.46 min Scan# 1423
 Delta R.T. 0.16 min
 Lab File: BF098628.D
 Acq: 19 Sep 2017 4:05

Tgt Ion:198 Resp: 318
 Ion Ratio Lower Upper
 198 100
 51 36.7 53.2 93.2#
 105 56.3 45.8 85.8



Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 51.00 (50.70 to 51.70): BF0
 Ion 105.00 (104.70 to 105.70): E









#66
 4-Bromophenyl-phenylether
 Concen: 3.115 ng
 RT: 10.46 min Scan# 1423
 Delta R.T. -0.24 min
 Lab File: BF098628.D
 Acq: 19 Sep 2017 4:05

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:248 Resp: 10419
 Ion Ratio Lower Upper
 248 100
 250 206.6 76.8 115.2#
 141 525.7 68.6 103.0#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.79 min Scan# 1989
 Delta R.T. 0.00 min
 Lab File: BF098628.D
 Acq: 19 Sep 2017 4:05

Tgt Ion:240 Resp: 259054
 Ion Ratio Lower Upper
 240 100
 120 10.6 5.8 8.8#
 236 25.0 20.5 30.7



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 83.728 ng
 RT: 12.73 min Scan# 1810
 Delta R.T. 0.00 min
 Lab File: BF098628.D
 Acq: 19 Sep 2017 4:05

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 1004880
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.0 9.0
 122 12.9 10.3 15.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.18 min Scan# 2226
 Delta R.T. 0.01 min
 Lab File: BF098628.D
 Acq: 19 Sep 2017 4:05

Tgt Ion:264 Resp: 246625
 Ion Ratio Lower Upper
 264 100
 260 22.9 19.5 29.3
 265 20.9 17.2 25.8

