

Data Path : Z:\HPCHEM1\BNA F\DATA\BF091817\
 Data File : BF098634.D
 Acq On : 19 Sep 2017 6:54
 Operator : SJ/JU
 Sample : I5265-10 20X
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 19 07:36:47 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF091117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 18 13:37:24 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.63	152	102083	20.00	ng	0.00
21) Naphthalene-d8	7.92	136	446749	20.00	ng	0.00
38) Acenaphthene-d10	9.67	164	212439	20.00	ng	0.00
63) Phenanthrene-d10	11.15	188	320069	20.00	ng	0.00
75) Chrysene-d12	13.79	240	217813	20.00	ng	0.00
86) Perylene-d12	15.18	264	221327	20.00	ng	0.00

System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	30184	4.37	ng	0.01
7) Phenol-d6	6.30	99	46725	5.33	ng	0.00
23) Nitrobenzene-d5	7.21	82	27335	3.41	ng	0.00
41) 2,4,6-Tribromophenol	10.46	330	4965	3.50	ng	0.00
44) 2-Fluorobiphenyl	8.99	172	44366	3.54	ng	0.00
78) Terphenyl-d14	12.73	244	31239	3.10	ng	0.00


Target Compounds				Qvalue		
48) Acenaphthylene	9.70	152	68920	3.413	ng	# 1
50) 2,6-Dinitrotoluene	9.67	165	28560	8.455	ng	# 35
51) Acenaphthene	9.70	154	130888	10.198	ng	96
54) Dibenzofuran	9.87	168	91921	5.436	ng	99
55) 4-Nitrophenol	9.87	139	35199	15.025	ng	# 27
57) Fluorene	10.22	166	229059	16.367	ng	100
70) Phenanthrene	11.18	178	1311914	77.318	ng	99
71) Anthracene	11.23	178	350890	20.142	ng	99
72) Carbazole	11.39	167	110753	6.822	ng	97
74) Fluoranthene	12.36	202	1307347	76.966	ng	100
77) Pyrene	12.59	202	925273	53.850	ng	98
80) Benzo(a)anthracene	13.78	228	591262	46.301	ng	99
82) Chrysene	13.82	228	571966	44.310	ng	97
85) Indeno(1,2,3-cd)pyrene	16.52	276	175035	19.327	ng	92
87) Benzo(b)fluoranthene	14.80	252	806495	57.953	ng	100
88) Benzo(k)fluoranthene	14.89	252	87550	6.739	ng	96
89) Benzo(a)pyrene	15.13	252	352433	28.426	ng	98
90) Dibenzo(a,h)anthracene	16.52	278	63124	6.999	ng	97
91) Benzo(a,h,i)perylene	16.92	276	141495	15.598	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF091817\
Data File : BF098634.D
Acq On : 19 Sep 2017 6:54
Operator : SJ/JU
Sample : I5265-10 20X
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 19 07:36:47 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF091117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 18 13:37:24 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.63 min Scan# 773
Delta R.T. -0.00 min
Lab File: BF098634.D
Acq: 19 Sep 2017 6:54

Instrument :
BNA_F
ClientSampled :

Tot Ion	Ratio	Lower	Upper
152	100		
150	159.2	126.2	189.2
115	65.0	52.2	78.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 4.372 ng
RT: 5.25 min Scan# 538
Delta R.T. 0.01 min
Lab File: BF098634.D
Acq: 19 Sep 2017 6:54

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.0	46.0	69.0
63	32.3	23.4	35.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 5.330 ng

RT: 6.30 min Scan# 716

Delta R.T. 0.01 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54


Instrument :

BNA_F

ClientSampleId :

Tot Ion: 99 Resp: 46725

Ion	Ratio	Lower	Upper
99	100		
42	19.4	13.5	20.3
71	34.8	24.5	36.7






Abundance

Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.92 min Scan# 991


Delta R.T. -0.01 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54

Tgt Ion: 136 Resp: 446749

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.5	12.7
54	9.1	4.9	7.3
68	5.5	4.1	6.1





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
Nitrobenzene-d5
Concen: 3.411 ng
RT: 7.21 min Scan# 871
Delta R.T. -0.00 min
Lab File: BF098634.D
Acq: 19 Sep 2017 6:54

Instrument :
BNA_F
ClientSampled :

Tot Ion	82	Resp	27335
Ion Ratio	100	Lower	Upper
128	41.4	34.0	51.0
54	54.2	42.2	63.2




Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.67 min Scan# 1289
Delta R.T. -0.00 min
Lab File: BF098634.D
Acq: 19 Sep 2017 6:54

Tgt Ion	164	Resp	212439
Ion Ratio	100	Lower	Upper
162	104.8	82.6	123.8
160	46.7	36.2	54.2



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 3.502 ng
 RT: 10.46 min Scan# 1424
 Delta R.T. -0.00 min
 Lab File: BF098634.D
 Acq: 19 Sep 2017 6:54

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:330 Resp: 4965
 Ion Ratio Lower Upper
 330 100
 332 96.3 76.6 115.0
 141 54.8 31.4 47.2#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 3.540 ng
 RT: 8.99 min Scan# 1174
 Delta R.T. -0.01 min
 Lab File: BF098634.D
 Acq: 19 Sep 2017 6:54

Tgt Ion:172 Resp: 44366
 Ion Ratio Lower Upper
 172 100
 171 35.2 29.6 44.4
 170 23.1 19.8 29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#48

Acenaphthylene

Concen: 3.413 ng

RT: 9.70 min Scan# 1294

Delta R.T. 0.16 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54

Instrument :

BNA_F

ClientSampleId :


Tot Ion:152 Resp: 68920

Ion Ratio Lower Upper




152 100

151 36.4 16.8 25.2#

153 224.5 10.8 16.2#



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E
Ion 153.00 (152.70 to 153.70): E



#50

2,6-Dinitrotoluene

Concen: 8.455 ng

RT: 9.67 min Scan# 1289

Delta R.T. 0.20 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54


Tgt Ion:165 Resp: 28560

Ion Ratio Lower Upper



165 100


63 2.2 34.3 51.5#

89 1.9 37.1 55.7#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BF0
Ion 89.00 (88.70 to 89.70): BF0





#51

Acenaphthene

Concen: 10.198 ng

RT: 9.70 min Scan# 1294

Delta R.T. -0.01 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54

Instrument :

BNA_F

ClientSampleId :


Tot Ion:154 Resp: 130888

Ion Ratio Lower Upper

154 100

153 117.5 90.5 135.7




152 52.3 43.6 65.4



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#54

Dibenzofuran

Concen: 5.436 ng

RT: 9.87 min Scan# 1324

Delta R.T. -0.00 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54


Tgt Ion:168 Resp: 91921

Ion Ratio Lower Upper

168 100

139 38.6 30.6 45.8



169 14.9 10.8 16.2




Abundance Ion 168.00 (167.70 to 168.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 169.00 (168.70 to 169.70): E









#55
4-Nitrophenol
Concen: 15.025 ng
RT: 9.87 min Scan# 1324
Delta R.T. 0.05 min
Lab File: BF098634.D
Acq: 19 Sep 2017 6:54

Instrument :
BNA_F
ClientSampled :

Tot Ion	Ratio	Lower	Upper
139	100		
109	0.0	34.1	74.1#
65	1.6	31.4	71.4#




Abundance Ion 139.00 (138.70 to 139.70): E
Ion 109.00 (108.70 to 109.70): E
Ion 65.00 (64.70 to 65.70): BF0






#57
Fluorene
Concen: 16.367 ng
RT: 10.22 min Scan# 1382
Delta R.T. -0.00 min
Lab File: BF098634.D
Acq: 19 Sep 2017 6:54

Tgt Ion	Ratio	Lower	Upper
166	100		
165	98.4	78.8	118.2
167	13.6	10.6	16.0



Abundance Ion 166.00 (165.70 to 166.70): E
Ion 165.00 (164.70 to 165.70): E
Ion 167.00 (166.70 to 167.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.15 min Scan# 1541
Delta R.T. -0.00 min
Lab File: BF098634.D
Acq: 19 Sep 2017 6:54

Instrument :
BNA_F
ClientSampled :

Tot Ion:188 Resp: 320069
Ion Ratio Lower Upper
188 100
94 8.9 9.4 14.2#
80 10.1 10.2 15.2#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0






#70
Phenanthrene
Concen: 77.318 ng
RT: 11.18 min Scan# 1546
Delta R.T. 0.01 min
Lab File: BF098634.D
Acq: 19 Sep 2017 6:54

Tgt Ion:178 Resp: 1311914
Ion Ratio Lower Upper
178 100
176 19.4 16.2 24.4
179 15.5 12.6 19.0



Abundance Ion 178.00 (177.70 to 178.70): E
Ion 176.00 (175.70 to 176.70): E
Ion 179.00 (178.70 to 179.70): E









#71
 Anthracene
 Concen: 20.142 ng
 RT: 11.23 min Scan# 1554
 Delta R.T. -0.00 min
 Lab File: BF098634.D
 Acq: 19 Sep 2017 6:54

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:178 Resp: 350890
 Ion Ratio Lower Upper
 178 100
 176 18.9 15.8 23.8
 179 15.6 12.7 19.1




Abundance Ion 178.00 (177.70 to 178.70): E
 Ion 176.00 (175.70 to 176.70): E
 Ion 179.00 (178.70 to 179.70): E






#72
 Carbazole
 Concen: 6.822 ng
 RT: 11.39 min Scan# 1581
 Delta R.T. -0.00 min
 Lab File: BF098634.D
 Acq: 19 Sep 2017 6:54

Tgt Ion:167 Resp: 110753
 Ion Ratio Lower Upper
 167 100
 166 21.3 18.1 27.1
 139 12.9 11.7 17.5



Abundance Ion 167.00 (166.70 to 167.70): E
 Ion 166.00 (165.70 to 166.70): E
 Ion 139.00 (138.70 to 139.70): E





#74

Fluoranthene

Concen: 76.966 ng

RT: 12.36 min Scan# 1747

Delta R.T. -0.00 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54

Instrument :

BNA_F

ClientSampleId :


Tot Ion:202 Resp: 1307347

Ion Ratio Lower Upper

202 100

101 13.4 0.0 33.2




203 18.2 0.0 38.1



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.79 min Scan# 1989

Delta R.T. -0.00 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54


Tgt Ion:240 Resp: 217813

Ion Ratio Lower Upper

240 100

120 12.5 5.8 8.8#



236 25.8 20.5 30.7




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Pvrene

Concen: 53.850 ng

RT: 12.59 min Scan# 1786

Delta R.T. 0.01 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54

Instrument :

BNA_F

ClientSampled :


Tot Ion:202 Resp: 925273

Ion Ratio Lower Upper

202 100

200 21.0 17.6 26.4




203 17.5 14.4 21.6



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#78

Terphenyl-d14

Concen: 3.096 ng

RT: 12.73 min Scan# 1809

Delta R.T. -0.01 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54


Tgt Ion:244 Resp: 31239

Ion Ratio Lower Upper

244 100

212 7.9 6.0 9.0



122 13.8 10.3 15.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#80

Benzo(a)anthracene

Concen: 46.301 ng

RT: 13.78 min Scan# 1988

Delta R.T. 0.01 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54

Instrument :

BNA_F

ClientSampleId :


Tot Ion:228 Resp: 591262

Ion Ratio Lower Upper

228 100

226 27.9 22.6 33.8




229 21.1 16.3 24.5



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#82

Chrysene

Concen: 44.310 ng

RT: 13.82 min Scan# 1994

Delta R.T. -0.00 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54


Tgt Ion:228 Resp: 571966

Ion Ratio Lower Upper

228 100

226 30.0 24.9 37.3



229 22.0 15.8 23.6




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E









#85
 Indeno(1,2,3-cd)pyrene
 Concen: 19.327 ng
 RT: 16.52 min Scan# 2453
 Delta R.T. -0.00 min
 Lab File: BF098634.D
 Acq: 19 Sep 2017 6:54




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
276	100		
138	27.9	27.8	41.6
277	23.7	20.2	30.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.18 min Scan# 2226
 Delta R.T. 0.01 min
 Lab File: BF098634.D
 Acq: 19 Sep 2017 6:54

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.5	29.3
265	23.4	17.2	25.8





#87

Benzo(b)fluoranthene

Concen: 57.953 ng

RT: 14.80 min Scan# 2161

Delta R.T. 0.01 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54

Instrument :

BNA_F

ClientSampleId :


Tot Ion:252 Resp: 806495

Ion Ratio Lower Upper




252 100

253 22.9 18.1 27.1

125 12.3 9.8 14.8



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E



#88

Benzo(k)fluoranthene

Concen: 6.739 ng

RT: 14.89 min Scan# 2177

Delta R.T. 0.08 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54


Tgt Ion:252 Resp: 87550

Ion Ratio Lower Upper



252 100


253 24.7 18.4 27.6

125 14.8 13.1 19.7



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E





#89

Benzo(a)pyrene

Concen: 28.426 ng

RT: 15.13 min Scan# 2217

Delta R.T. 0.01 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54

Instrument :

BNA_F

ClientSampleId :


Tot Ion:252 Resp: 352433

Ion Ratio Lower Upper

252 100

253 22.9 17.5 26.3




125 13.1 11.0 16.4



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#90

Dibenzo(a,h)anthracene

Concen: 6.999 ng

RT: 16.52 min Scan# 2453

Delta R.T. -0.00 min

Lab File: BF098634.D

Acq: 19 Sep 2017 6:54


Tgt Ion:278 Resp: 63124

Ion Ratio Lower Upper

278 100

139 22.9 16.6 24.8



279 24.6 19.3 28.9




Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E






#91
 Benzo(a,h,i)perylene
 Concen: 15.598 ng
 RT: 16.92 min Scan# 2521
 Delta R.T. 0.01 min
 Lab File: BF098634.D
 Acq: 19 Sep 2017 6:54

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
276	100		
277	23.1	18.6	28.0
138	25.3	25.4	38.0



Abundance

Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

