

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF091918\
 Data File : BF109154.D
 Acq On : 19 Sep 2018 20:03
 Operator : JU/SJ
 Sample : J4974-10 10X
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DPC-84010-OW-COMP

Quant Time: Sep 20 04:51:35 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF091418.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 14 13:26:52 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.72	152	119540	20.00	ng	0.00
21) Naphthalene-d8	8.00	136	424568	20.00	ng	0.00
38) Acenaphthene-d10	9.75	164	174640	20.00	ng	0.00
63) Phenanthrene-d10	11.23	188	291174	20.00	ng	0.00
75) Chrysene-d12	13.86	240	302882	20.00	ng	0.00
86) Perylene-d12	15.27	264	308474	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	5679	0.79	ng	0.00
7) Phenol-d6	6.35	99	7404	0.80	ng	-0.01
23) Nitrobenzene-d5	7.28	82	4522	0.60	ng	-0.01
41) 2,4,6-Tribromophenol	10.54	330	1155	0.61	ng	0.00
44) 2-Fluorobiphenyl	9.08	172	10883	0.98	ng	0.00
78) Terphenyl-d14	12.81	244	11559	0.90	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF091918\
Data File : BF109154.D
Acq On : 19 Sep 2018 20:03
Operator : JU/SJ
Sample : J4974-10 10X
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DPC-84010-OW-COMP

Quant Time: Sep 20 04:51:35 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF091418.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 14 13:26:52 2018
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.72 min Scan# 745
 Delta R.T. -0.01 min
 Lab File: BF109154.D
 Acq: 19 Sep 2018 20:03

Instrument :
 BNA_F
 ClientSampleId :
 DPC-84010-OW-COMP

Tgt Ion:152 Resp: 119540
 Ion Ratio Lower Upper
 152 100
 150 159.1 124.6 186.8
 115 62.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 0.789 ng
 RT: 5.32 min Scan# 508
 Delta R.T. 0.00 min
 Lab File: BF109154.D
 Acq: 19 Sep 2018 20:03

Tgt Ion:112 Resp: 5679
 Ion Ratio Lower Upper
 112 100
 64 65.5 47.9 71.9
 63 29.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 0.798 ng

RT: 6.35 min Scan# 682

Delta R.T. -0.01 min

Lab File: BF109154.D

Acq: 19 Sep 2018 20:03

Instrument :

BNA_F

ClientSampleId :

DPC-84010-OW-COMP





Tgt Ion: 99 Resp: 7404

Ion Ratio Lower Upper

99 100

42 18.6 14.5 21.7

71 33.6 25.4 38.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.00 min Scan# 963

Delta R.T. -0.01 min

Lab File: BF109154.D

Acq: 19 Sep 2018 20:03

Tgt Ion: 136 Resp: 424568




Ion Ratio Lower Upper


136 100

137 11.1 8.9 13.3

54 7.6 6.6 9.8

68 5.9 5.0 7.4









#23
Nitrobenzene-d5
Concen: 0.597 ng
RT: 7.28 min Scan# 840
Delta R.T. -0.01 min
Lab File: BF109154.D
Acq: 19 Sep 2018 20:03

Instrument :
BNA_F
ClientSampled :
DPC-84010-OW-COMP

Tgt Ion: 82 Resp: 4522
Ion Ratio Lower Upper
82 100
128 53.5 36.1 54.1
54 48.0 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.75 min Scan# 1261
Delta R.T. -0.00 min
Lab File: BF109154.D
Acq: 19 Sep 2018 20:03

Tgt Ion: 164 Resp: 174640
Ion Ratio Lower Upper
164 100
162 104.4 86.1 129.1
160 47.8 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): BF1
Ion 162.00 (161.70 to 162.70): BF1
Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 0.609 ng
 RT: 10.54 min Scan# 1394
 Delta R.T. -0.01 min
 Lab File: BF109154.D
 Acq: 19 Sep 2018 20:03




Instrument :
 BNA_F
 ClientSampleId :
 DPC-84010-OW-COMP


Tgt Ion:330 Resp: 1155
 Ion Ratio Lower Upper
 330 100
 332 106.2 77.0 115.6
 141 47.0 29.9 44.9#



#44
 2-Fluorobiphenyl
 Concen: 0.976 ng
 RT: 9.08 min Scan# 1146
 Delta R.T. -0.01 min
 Lab File: BF109154.D
 Acq: 19 Sep 2018 20:03

Tgt Ion:172 Resp: 10883
 Ion Ratio Lower Upper
 172 100
 171 37.1 29.7 44.5
 170 20.5 19.6 29.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.23 min Scan# 1512
Delta R.T. -0.00 min
Lab File: BF109154.D
Acq: 19 Sep 2018 20:03




Instrument :
BNA_F
ClientSampleId :
DPC-84010-OW-COMP


Tgt Ion:188 Resp: 291174
Ion Ratio Lower Upper
188 100
94 10.4 8.5 12.7
80 10.7 9.2 13.8



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.86 min Scan# 1959
Delta R.T. -0.00 min
Lab File: BF109154.D
Acq: 19 Sep 2018 20:03

Tgt Ion:240 Resp: 302882
Ion Ratio Lower Upper
240 100
120 11.0 9.5 14.3
236 25.0 20.7 31.1





#78

Terphenyl-d14

Concen: 0.905 ng

RT: 12.81 min Scan# 1780

Delta R.T. -0.01 min

Lab File: BF109154.D

Acq: 19 Sep 2018 20:03

Instrument :

BNA_F

ClientSampleId :

DPC-84010-OW-COMP


Tgt Ion:244 Resp: 11559

Ion Ratio Lower Upper

244 100

212 8.6 5.4 8.0#




122 17.5 11.0 16.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.27 min Scan# 2198

Delta R.T. 0.01 min

Lab File: BF109154.D

Acq: 19 Sep 2018 20:03


Tgt Ion:264 Resp: 308474

Ion Ratio Lower Upper

264 100

260 24.3 19.2 28.8

265 21.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

