

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091924\
 Data File : BF139465.D
 Acq On : 19 Sep 2024 15:34
 Operator : RC/JU
 Sample : P4087-07
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 NB-614-COMP-02

Quant Time: Sep 19 16:11:58 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 14 02:58:23 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	80563	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	299732	20.000	ng	0.00
39) Acenaphthene-d10	9.910	164	155103	20.000	ng	0.00
64) Phenanthrene-d10	11.392	188	275535	20.000	ng	0.00
76) Chrysene-d12	14.027	240	132508	20.000	ng	# 0.00
86) Perylene-d12	15.498	264	133313	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.499	112	387480	78.462	ng	0.00
7) Phenol-d6	6.504	99	533669	82.331	ng	0.00
23) Nitrobenzene-d5	7.440	82	338192	53.044	ng	0.00
42) 2,4,6-Tribromophenol	10.698	330	120429	72.932	ng	0.00
45) 2-Fluorobiphenyl	9.234	172	548708	49.617	ng	0.00
79) Terphenyl-d14	12.980	244	449156	55.637	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF091924\
Data File : BF139465.D
Acq On : 19 Sep 2024 15:34
Operator : RC/JU
Sample : P4087-07
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
NB-614-COMP-02

Quant Time: Sep 19 16:11:58 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091324.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 14 02:58:23 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 814
Delta R.T. -0.006 min
Lab File: BF139465.D
Acq: 19 Sep 2024 15:34




Instrument :
BNA_F
ClientSampleId :
NB-614-COMP-02


Tgt Ion:152 Resp: 80563
Ion Ratio Lower Upper
152 100
150 159.7 124.1 186.1
115 62.9 48.1 72.1



#5
2-Fluorophenol
Concen: 78.462 ng
RT: 5.499 min Scan# 579
Delta R.T. 0.006 min
Lab File: BF139465.D
Acq: 19 Sep 2024 15:34

Tgt Ion:112 Resp: 387480
Ion Ratio Lower Upper
112 100
64 69.6 54.8 82.2
63 39.3 33.0 49.4









#7
Phenol-d6
Concen: 82.331 ng
RT: 6.504 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF139465.D
Acq: 19 Sep 2024 15:34




Instrument :
BNA_F
ClientSampleId :
NB-614-COMP-02


Tgt Ion: 99 Resp: 533669
Ion Ratio Lower Upper
99 100
42 24.6 21.9 32.9
71 39.3 34.6 52.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF139465.D
Acq: 19 Sep 2024 15:34

Tgt Ion: 136 Resp: 299732
Ion Ratio Lower Upper
136 100
137 10.8 8.6 12.8
54 10.0 7.8 11.8
68 5.2 3.6 5.4





#23

Nitrobenzene-d5

Concen: 53.044 ng

RT: 7.440 min Scan# 90

Delta R.T. -0.006 min

Lab File: BF139465.D

Acq: 19 Sep 2024 15:34

Instrument :

BNA_F

ClientSampleId :

NB-614-COMP-02





Tgt Ion: 82 Resp: 338192

Ion Ratio Lower Upper

82 100

128 40.4 31.8 47.6

54 61.2 50.6 75.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.910 min Scan# 1329

Delta R.T. -0.006 min

Lab File: BF139465.D

Acq: 19 Sep 2024 15:34




Tgt Ion:164 Resp: 155103


Ion Ratio Lower Upper

164 100

162 101.4 81.3 121.9

160 45.0 36.4 54.6





#42

2,4,6-Tribromophenol

Concen: 72.932 ng

RT: 10.698 min Scan# 1463

Delta R.T. -0.000 min

Lab File: BF139465.D


Acq: 19 Sep 2024 15:34

Instrument :

BNA_F

ClientSampleId :

NB-614-COMP-02






Tgt Ion:330 Resp: 120429

Ion Ratio Lower Upper

330 100

332 95.4 75.2 112.8

141 38.1 31.2 46.8



#45

2-Fluorobiphenyl

Concen: 49.617 ng

RT: 9.234 min Scan# 1214

Delta R.T. 0.000 min

Lab File: BF139465.D

Acq: 19 Sep 2024 15:34




Tgt Ion:172 Resp: 548708


Ion Ratio Lower Upper

172 100

171 35.3 28.3 42.5

170 23.3 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.392 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139465.D
Acq: 19 Sep 2024 15:34




Instrument :
BNA_F
ClientSampleId :
NB-614-COMP-02


Tgt Ion:188 Resp: 275535
Ion Ratio Lower Upper
188 100
94 7.9 5.5 8.3
80 9.0 6.6 9.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.027 min Scan# 2029
Delta R.T. -0.006 min
Lab File: BF139465.D
Acq: 19 Sep 2024 15:34

Tgt Ion:240 Resp: 132508
Ion Ratio Lower Upper
240 100
120 9.5 6.2 9.2#
236 25.6 20.9 31.3





#79

Terphenyl-d14

Concen: 55.637 ng

RT: 12.980 min Scan# 1851

Delta R.T. 0.000 min

Lab File: BF139465.D


Acq: 19 Sep 2024 15:34

Instrument :




BNA_F

ClientSampleId :

NB-614-COMP-02



Tgt Ion:	244	Resp:	449156
Ion Ratio	Lower	Upper	
244	100		
212	6.9	6.0	9.0
122	9.2	7.6	11.4



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.498 min Scan# 2279

Delta R.T. 0.000 min

Lab File: BF139465.D

Acq: 19 Sep 2024 15:34

Tgt Ion:	264	Resp:	133313
Ion Ratio	Lower	Upper	
264	100		
260	23.2	19.5	29.3
265	21.2	16.6	25.0

