

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092115\
 Data File : BF081727.D
 Acq On : 21 Sep 2015 22:44
 Operator : UM/IZ
 Sample : G3717-13
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK-9-17-15

Quant Time: Sep 22 03:30:32 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 15 14:03:59 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.16	152	42960	20.00	ng	-0.06
21) Naphthalene-d8	11.06	136	163768	20.00	ng	-0.06
38) Acenaphthene-d10	15.19	164	77043	20.00	ng	-0.07
63) Phenanthrene-d10	18.70	188	162546	20.00	ng	-0.06
75) Chrysene-d12	23.35	240	124142	20.00	ng	-0.03
86) Perylene-d12	24.79	264	87648	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.33	112	137282	49.58	ng	-0.02
7) Phenol-d6	7.60	99	111216	30.34	ng	-0.04
23) Nitrobenzene-d5	9.46	82	362087	106.67	ng	-0.07
41) 2,4,6-Tribromophenol	17.10	330	113510	165.47	ng	-0.07
44) 2-Fluorobiphenyl	13.71	172	628863	104.60	ng	-0.07
78) Terphenyl-d14	22.07	244	649564	121.80	ng	-0.04


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092115\
Data File : BF081727.D
Acq On : 21 Sep 2015 22:44
Operator : UM/IZ
Sample : G3717-13
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FIELDBLANK-9-17-15

Quant Time: Sep 22 03:30:32 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF090115.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 15 14:03:59 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.16 min Scan# 619

Delta R.T. -0.06 min

Lab File: BF081727.D

Acq: 21 Sep 2015 22:44

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK-9-17-15


Tot Ion:152 Resp: 42960

Ion Ratio Lower Upper

152 100

150 154.7 124.7 187.1



115 66.4 39.0 58.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 49.58 ng

RT: 5.33 min Scan# 371

Delta R.T. -0.02 min

Lab File: BF081727.D

Acq: 21 Sep 2015 22:44


Tgt Ion:112 Resp: 137282

Ion Ratio Lower Upper

112 100

64 76.7 39.7 59.5#



63 42.5 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 30.34 ng

RT: 7.60 min Scan# 570

Delta R.T. -0.04 min

Lab File: BF081727.D

Acq: 21 Sep 2015 22:44

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK-9-17-15


Tot Ion: 99 Resp: 111216

Ion Ratio Lower Upper




99 100

42 27.1 13.7 20.5#

71 42.1 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.06 min Scan# 873

Delta R.T. -0.06 min

Lab File: BF081727.D

Acq: 21 Sep 2015 22:44

Tgt Ion: 136 Resp: 163768


Ion Ratio Lower Upper

136 100



137 10.9 9.0 13.6

54 10.3 8.2 12.2

68 4.5 5.8 8.6#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 106.67 ng
 RT: 9.46 min Scan# 733
 Delta R.T. -0.07 min
 Lab File: BF081727.D
 Acq: 21 Sep 2015 22:44




Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK-9-17-15


Tot Ion: 82 Resp: 362087
 Ion Ratio Lower Upper
 82 100
 128 36.1 51.0 76.6#
 54 71.3 47.5 71.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 15.19 min Scan# 1234
 Delta R.T. -0.07 min
 Lab File: BF081727.D
 Acq: 21 Sep 2015 22:44

Tgt Ion:164 Resp: 77043
 Ion Ratio Lower Upper
 164 100
 162 101.7 75.2 112.8
 160 46.0 31.5 47.3









#41
 2,4,6-Tribromophenol
 Concen: 165.47 ng
 RT: 17.10 min Scan# 1401
 Delta R.T. -0.07 min
 Lab File: BF081727.D
 Acq: 21 Sep 2015 22:44




Instrument :
 BNA_F
 ClientSampleId :
 FIELDBLANK-9-17-15


Tot Ion:330 Resp: 113510
 Ion Ratio Lower Upper
 330 100
 332 96.9 76.6 114.8
 141 48.1 29.7 44.5#



#44
 2-Fluorobiphenyl
 Concen: 104.60 ng
 RT: 13.71 min Scan# 1104
 Delta R.T. -0.07 min
 Lab File: BF081727.D
 Acq: 21 Sep 2015 22:44

Tgt Ion:172 Resp: 628863
 Ion Ratio Lower Upper
 172 100
 171 35.8 26.1 39.1
 170 23.9 17.4 26.2









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 18.70 min Scan# 1541
Delta R.T. -0.06 min
Lab File: BF081727.D
Acq: 21 Sep 2015 22:44




Instrument :
BNA_F
ClientSampleId :
FIELDBLANK-9-17-15


Tot Ion	Ratio	Lower	Upper
188	100		
94	7.1	11.1	16.7#
80	8.3	11.0	16.4#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 23.35 min Scan# 1948
Delta R.T. -0.03 min
Lab File: BF081727.D
Acq: 21 Sep 2015 22:44

Tgt Ion	Ratio	Lower	Upper
240	100		
120	6.8	16.2	24.2#
236	26.3	18.4	27.6





#78

Terphenyl-d14

Concen: 121.80 ng

RT: 22.07 min Scan# 1836

Delta R.T. -0.04 min

Lab File: BF081727.D

Acq: 21 Sep 2015 22:44

Instrument :

BNA_F

ClientSampleId :

FIELDBLANK-9-17-15


Tot Ion:244 Resp: 649564

Ion Ratio Lower Upper

244 100

212 8.0 4.3 6.5#




122 13.2 17.4 26.2#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 24.79 min Scan# 2074

Delta R.T. -0.02 min

Lab File: BF081727.D

Acq: 21 Sep 2015 22:44


Tgt Ion:264 Resp: 87648

Ion Ratio Lower Upper

264 100

260 23.7 16.7 25.1

265 21.4 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

