

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF092116\
 Data File : BF090163.D
 Acq On : 21 Sep 2016 16:27
 Operator : UM/SJ
 Sample : H4860-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-5

Quant Time: Sep 22 01:53:26 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 20 17:58:29 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.50	152	148982	20.00	ng	-0.02
21) Naphthalene-d8	7.79	136	545468	20.00	ng	-0.02
38) Acenaphthene-d10	9.53	164	297829	20.00	ng	-0.02
63) Phenanthrene-d10	11.00	188	503513	20.00	ng	-0.02
75) Chrysene-d12	13.61	240	305914	20.00	ng	-0.02
86) Perylene-d12	14.94	264	261769	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.07	112	68000	7.44	ng	0.00
7) Phenol-d6	6.15	99	83129	7.36	ng	-0.02
23) Nitrobenzene-d5	7.07	82	536046	56.97	ng	-0.02
41) 2,4,6-Tribromophenol	10.32	330	55243	21.62	ng	-0.02
44) 2-Fluorobiphenyl	8.88	172	1091603	71.95	ng	-0.01
78) Terphenyl-d14	12.58	244	775749	64.38	ng	-0.02
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.07	70	61304	9.25	ng	Qvalue # 78
49) Dimethylphthalate	9.28	163	681534	35.93	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF092116\
Data File : BF090163.D
Acq On : 21 Sep 2016 16:27
Operator : UM/SJ
Sample : H4860-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-5

Quant Time: Sep 22 01:53:26 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 20 17:58:29 2016
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.50 min Scan# 430
 Delta R.T. -0.02 min
 Lab File: BF090163.D
 Acq: 21 Sep 2016 16:27




Instrument :
 BNA_F
 ClientSampleId :
 MW-5



Tgt Ion:152 Resp: 148982
 Ion Ratio Lower Upper
 152 100
 150 157.4 128.9 193.3
 115 62.6 55.5 83.3



#5
 2-Fluorophenol
 Concen: 7.44 ng
 RT: 5.07 min Scan# 305
 Delta R.T. 0.00 min
 Lab File: BF090163.D
 Acq: 21 Sep 2016 16:27

Tgt Ion:112 Resp: 68000
 Ion Ratio Lower Upper
 112 100
 64 47.1 39.8 59.6
 63 22.4 18.9 28.3





#7

Phenol-d6

Concen: 7.36 ng

RT: 6.15 min Scan# 399

Delta R.T. -0.02 min

Lab File: BF090163.D

Acq: 21 Sep 2016 16:27

Instrument :

BNA_F

ClientSampleId :

MW-5





Tgt Ion: 99 Resp: 83129

Ion Ratio Lower Upper

99 100

42 14.4 10.6 15.8

71 29.1 23.0 34.6



#19

n-Nitroso-di-n-propylamine

Concen: 9.25 ng

RT: 7.07 min Scan# 480

Delta R.T. 0.12 min

Lab File: BF090163.D

Acq: 21 Sep 2016 16:27

Tgt Ion: 70 Resp: 61304


Ion Ratio Lower Upper


70 100

42 36.1 35.1 52.7

101 0.0 7.5 11.3#

130 2.4 16.6 25.0#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.79 min Scan# 543
Delta R.T. -0.02 min
Lab File: BF090163.D
Acq: 21 Sep 2016 16:27




Instrument :
BNA_F
ClientSampleId :
MW-5


Tgt Ion: 136 Resp: 545468
Ion Ratio Lower Upper
136 100
137 10.8 9.0 13.4
54 5.9 6.4 9.6#
68 6.0 6.3 9.5#



#23
Nitrobenzene-d5
Concen: 56.97 ng
RT: 7.07 min Scan# 480
Delta R.T. -0.02 min
Lab File: BF090163.D
Acq: 21 Sep 2016 16:27

Tgt Ion: 82 Resp: 536046
Ion Ratio Lower Upper
82 100
128 45.9 37.5 56.3
54 40.7 31.9 47.9









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.53 min Scan# 695
 Delta R.T. -0.02 min
 Lab File: BF090163.D
 Acq: 21 Sep 2016 16:27

Instrument :
 BNA_F
 ClientSampleId :
 MW-5

Tgt Ion:164 Resp: 297829
 Ion Ratio Lower Upper
 164 100
 162 100.1 81.4 122.2
 160 44.6 36.6 54.8




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 21.62 ng
 RT: 10.32 min Scan# 764
 Delta R.T. -0.02 min
 Lab File: BF090163.D
 Acq: 21 Sep 2016 16:27

Tgt Ion:330 Resp: 55243
 Ion Ratio Lower Upper
 330 100
 332 99.2 78.1 117.1
 141 41.5 23.9 35.9#



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 71.95 ng
 RT: 8.88 min Scan# 638
 Delta R.T. -0.01 min
 Lab File: BF090163.D
 Acq: 21 Sep 2016 16:27




Instrument :
 BNA_F
 ClientSampleId :
 MW-5


Tgt Ion:172 Resp: 1091603
 Ion Ratio Lower Upper
 172 100
 171 35.1 29.2 43.8
 170 23.8 19.8 29.8



#49
 Dimethylphthalate
 Concen: 35.93 ng
 RT: 9.28 min Scan# 673
 Delta R.T. -0.02 min
 Lab File: BF090163.D
 Acq: 21 Sep 2016 16:27

Tgt Ion:163 Resp: 681534
 Ion Ratio Lower Upper
 163 100
 194 3.4 2.8 4.2
 164 10.0 8.1 12.1





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.00 min Scan# 824

Delta R.T. -0.02 min

Lab File: BF090163.D

Acq: 21 Sep 2016 16:27

Instrument :

BNA_F

ClientSampleId :

MW-5


Tgt Ion:188 Resp: 503513

Ion Ratio Lower Upper

188 100

94 9.7 10.5 15.7#




80 9.4 11.2 16.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0



#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.61 min Scan# 1052

Delta R.T. -0.02 min

Lab File: BF090163.D

Acq: 21 Sep 2016 16:27


Tgt Ion:240 Resp: 305914

Ion Ratio Lower Upper

240 100

120 14.4 10.6 16.0



236 26.3 21.6 32.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 64.38 ng
 RT: 12.58 min Scan# 962
 Delta R.T. -0.02 min
 Lab File: BF090163.D
 Acq: 21 Sep 2016 16:27

Instrument :
 BNA_F
 ClientSampleId :
 MW-5

Tgt Ion:244 Resp: 775749
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.8
 122 17.1 9.4 14.0#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.94 min Scan# 1168
 Delta R.T. -0.02 min
 Lab File: BF090163.D
 Acq: 21 Sep 2016 16:27

Tgt Ion:264 Resp: 261769
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.5 29.3
 265 21.7 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

