

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092116\
 Data File : BF090164.D
 Acq On : 21 Sep 2016 16:55
 Operator : UM/SJ
 Sample : H4860-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PZ-6

Quant Time: Sep 22 02:19:24 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 20 17:58:29 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.50	152	148234	20.00	ng	-0.02
21) Naphthalene-d8	7.79	136	583763	20.00	ng	-0.02
38) Acenaphthene-d10	9.53	164	258977	20.00	ng	-0.02
63) Phenanthrene-d10	11.00	188	451804	20.00	ng	-0.02
75) Chrysene-d12	13.61	240	322389	20.00	ng	-0.02
86) Perylene-d12	14.94	264	262137	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.06	112	612016	67.30	ng	-0.01
7) Phenol-d6	6.15	99	520862	46.38	ng	-0.02
23) Nitrobenzene-d5	7.07	82	898499	89.22	ng	-0.02
41) 2,4,6-Tribromophenol	10.32	330	327714	147.50	ng	-0.02
44) 2-Fluorobiphenyl	8.88	172	1459598	110.64	ng	-0.01
78) Terphenyl-d14	12.59	244	1267323	99.80	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.27	163	43736	2.65	ng	Qvalue # 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092116\
Data File : BF090164.D
Acq On : 21 Sep 2016 16:55
Operator : UM/SJ
Sample : H4860-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PZ-6

Quant Time: Sep 22 02:19:24 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 20 17:58:29 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.50 min Scan# 430

Delta R.T. -0.02 min

Lab File: BF090164.D

Acq: 21 Sep 2016 16:55

Instrument :

BNA_F

ClientSampleId :

PZ-6


Tot Ion:152 Resp: 148234

Ion Ratio Lower Upper

152 100

150 155.8 128.9 193.3




115 63.2 55.5 83.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 67.30 ng

RT: 5.06 min Scan# 304

Delta R.T. -0.01 min

Lab File: BF090164.D

Acq: 21 Sep 2016 16:55


Tgt Ion:112 Resp: 612016

Ion Ratio Lower Upper

112 100

64 54.0 39.8 59.6



63 26.2 18.9 28.3



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 46.38 ng

RT: 6.15 min Scan# 399

Delta R.T. -0.02 min

Lab File: BF090164.D

Acq: 21 Sep 2016 16:55

Instrument :

BNA_F

ClientSampleId :

PZ-6





Tot Ion: 99 Resp: 520862

Ion Ratio Lower Upper

99 100

42 14.8 10.6 15.8

71 29.7 23.0 34.6



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 7.79 min Scan# 543

Delta R.T. -0.02 min

Lab File: BF090164.D

Acq: 21 Sep 2016 16:55

Tgt Ion: 136 Resp: 583763




Ion Ratio Lower Upper


136 100

137 10.8 9.0 13.4

54 6.2 6.4 9.6#

68 6.2 6.3 9.5#





#23

Nitrobenzene-d5

Concen: 89.22 ng

RT: 7.07 min Scan# 480

Delta R.T. -0.02 min

Lab File: BF090164.D

Acq: 21 Sep 2016 16:55

Instrument :

BNA_F

ClientSampled :

PZ-6


Tot Ion: 82 Resp: 898499

Ion Ratio Lower Upper




82 100

128 42.7 37.5 56.3

54 42.1 31.9 47.9



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): B
Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.53 min Scan# 695

Delta R.T. -0.02 min

Lab File: BF090164.D

Acq: 21 Sep 2016 16:55


Tgt Ion:164 Resp: 258977

Ion Ratio Lower Upper



164 100


162 97.6 81.4 122.2

160 44.3 36.6 54.8



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 147.50 ng
 RT: 10.32 min Scan# 764
 Delta R.T. -0.02 min
 Lab File: BF090164.D
 Acq: 21 Sep 2016 16:55

Instrument :
 BNA_F
 ClientSampleId :
 PZ-6

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.6	78.1	117.1
141	33.3	23.9	35.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 110.64 ng
 RT: 8.88 min Scan# 638
 Delta R.T. -0.01 min
 Lab File: BF090164.D
 Acq: 21 Sep 2016 16:55

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	29.2	43.8
170	24.5	19.8	29.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 2.65 ng
RT: 9.27 min Scan# 672
Delta R.T. -0.03 min
Lab File: BF090164.D
Acq: 21 Sep 2016 16:55

Instrument :
BNA_F
ClientSampleId :
PZ-6

Tot Ion:163 Resp: 43736
Ion Ratio Lower Upper
163 100
194 2.7 2.8 4.2#
164 12.2 8.1 12.1#




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.00 min Scan# 824
Delta R.T. -0.02 min
Lab File: BF090164.D
Acq: 21 Sep 2016 16:55

Tgt Ion:188 Resp: 451804
Ion Ratio Lower Upper
188 100
94 10.4 10.5 15.7#
80 10.3 11.2 16.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF0
Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.61 min Scan# 1052

Delta R.T. -0.02 min

Lab File: BF090164.D

Acq: 21 Sep 2016 16:55

Instrument :

BNA_F

ClientSampleId :

PZ-6


Tot Ion:240 Resp: 322389

Ion Ratio Lower Upper

240 100

120 15.3 10.6 16.0




236 25.6 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 99.80 ng

RT: 12.59 min Scan# 963

Delta R.T. -0.01 min

Lab File: BF090164.D

Acq: 21 Sep 2016 16:55


Tgt Ion:244 Resp: 1267323

Ion Ratio Lower Upper

244 100

212 7.2 5.8 8.8



122 11.4 9.4 14.0






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 14.94 min Scan# 1168
Delta R.T. -0.02 min
Lab File: BF090164.D
Acq: 21 Sep 2016 16:55

Instrument :
BNA_F
ClientSampleId :
PZ-6

Tot Ion:	264	Resp:	262137
Ion Ratio	Lower	Upper	
264	100		
260	24.4	19.5	29.3
265	21.5	17.0	25.4

