

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092121\
 Data File : BF125543.D
 Acq On : 21 Sep 2021 19:07
 Operator : JU/CG
 Sample : M3835-04
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SW-CB-02-(0.2)

Quant Time: Sep 22 04:02:26 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 21 19:21:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	210396	20.000	ng	0.00
21) Naphthalene-d8	8.175	136	875289	20.000	ng	# 0.00
39) Acenaphthene-d10	9.933	164	473515	20.000	ng	0.00
64) Phenanthrene-d10	11.416	188	815140	20.000	ng	# 0.00
76) Chrysene-d12	14.051	240	473292	20.000	ng	-0.01
86) Perylene-d12	15.533	264	399981	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	801429	60.236	ng	0.00
7) Phenol-d6	6.504	99	598171	34.870	ng	-0.02
23) Nitrobenzene-d5	7.457	82	1256014	91.525	ng	0.00
42) 2,4,6-Tribromophenol	10.721	330	594257	128.130	ng	0.00
45) 2-Fluorobiphenyl	9.257	172	2397324	92.676	ng	0.00
79) Terphenyl-d14	13.010	244	2421026	82.603	ng	0.00
Target Compounds						
						Qvalue
9) Benzaldehyde	6.439	77	167	Below Cal	#	45
19) n-Nitroso-di-n-propyla...	7.457	70	161260	15.707	ng	# 53
25) Isophorone	7.457	82	1253613	42.449	ng	# 59
51) 2,6-Dinitrotoluene	9.933	165	58828	9.073	ng	# 27
57) 2,4-Dinitrotoluene	9.933	165	58828	7.571	ng	# 19
67) 4-Bromophenyl-phenylether	10.721	248	32605	3.500	ng	# 1
77) Benizidine	13.010	184	32587	2.428	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092121\
Data File : BF125543.D
Acq On : 21 Sep 2021 19:07
Operator : JU/CG
Sample : M3835-04
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SW-CB-02-(0.2)

Quant Time: Sep 22 04:02:26 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 21 19:21:36 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 817
Delta R.T. -0.006 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07




Instrument :
BNA_F
ClientSampleId :
SW-CB-02-(0.2)


Tgt Ion:152 Resp: 210396
Ion Ratio Lower Upper
152 100
150 162.3 117.6 176.4
115 61.3 47.1 70.7



#5
2-Fluorophenol
Concen: 60.236 ng
RT: 5.510 min Scan# 582
Delta R.T. 0.000 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07

Tgt Ion:112 Resp: 801429
Ion Ratio Lower Upper
112 100
64 52.9 44.2 66.2
63 26.3 26.2 39.2









#7
Phenol-d6
Concen: 34.870 ng
RT: 6.504 min Scan# 751
Delta R.T. -0.018 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07




Instrument :
BNA_F
ClientSampleId :
SW-CB-02-(0.2)


Tgt Ion: 99 Resp: 598171
Ion Ratio Lower Upper
99 100
42 15.7 23.5 35.3#
71 29.4 25.6 38.4



#9
Benzaldehyde
Concen: Below Cal
RT: 6.439 min Scan# 740
Delta R.T. -0.012 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07


Tgt Ion: 77 Resp: 167
Ion Ratio Lower Upper
77 100
105 91.6 75.9 115.9
106 0.0 84.0 124.0#








#19
n-Nitroso-di-n-propylamine
Concen: 15.707 ng
RT: 7.457 min Scan# 913
Delta R.T. 0.141 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07

Instrument :
BNA_F
ClientSampleId :
SW-CB-02-(0.2)







Tgt Ion: 70 Resp: 161260
Ion Ratio Lower Upper
70 100
42 44.2 72.2 108.2#
101 0.0 7.8 11.8#
130 2.4 21.8 32.6#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.006 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07

Tgt Ion: 136 Resp: 875289
Ion Ratio Lower Upper
136 100
137 10.6 9.8 14.6
54 7.0 6.4 9.6
68 5.8 3.3 4.9#





#23

Nitrobenzene-d5

Concen: 91.525 ng

RT: 7.457 min Scan# 913

Delta R.T. -0.006 min

Lab File: BF125543.D

Acq: 21 Sep 2021 19:07

Tgt Ion: 82 Resp: 1256014





Ion	Ratio	Lower	Upper
82	100		
128	47.3	40.6	60.8
54	46.4	49.6	74.4#

Instrument :

BNA_F

ClientSampleId :

SW-CB-02-(0.2)



#25

Isophorone

Concen: 42.449 ng

RT: 7.457 min Scan# 913




Delta R.T. -0.265 min


Lab File: BF125543.D

Acq: 21 Sep 2021 19:07

Tgt Ion: 82 Resp: 1253613

Ion	Ratio	Lower	Upper
82	100		
95	0.0	6.5	9.7#
138	0.0	18.4	27.6#









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.006 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07




Instrument :
BNA_F
ClientSampleId :
SW-CB-02-(0.2)


Tgt Ion:164 Resp: 473515
Ion Ratio Lower Upper
164 100
162 103.7 81.3 121.9
160 45.2 38.0 57.0



#42
2,4,6-Tribromophenol
Concen: 128.130 ng
RT: 10.721 min Scan# 1468
Delta R.T. -0.006 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07

Tgt Ion:330 Resp: 594257
Ion Ratio Lower Upper
330 100
332 93.5 76.2 114.4
141 31.8 44.6 66.8#









#45
2-Fluorobiphenyl
Concen: 92.676 ng
RT: 9.257 min Scan# 1219
Delta R.T. -0.006 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07




Instrument :
BNA_F
ClientSampleId :
SW-CB-02-(0.2)


Tgt Ion:172 Resp: 2397324
Ion Ratio Lower Upper
172 100
171 40.6 26.5 39.7#
170 27.0 18.8 28.2



#51
2,6-Dinitrotoluene
Concen: 9.073 ng
RT: 9.933 min Scan# 1334
Delta R.T. 0.218 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07


Tgt Ion:165 Resp: 58828
Ion Ratio Lower Upper
165 100
63 1.1 42.6 63.8#
89 1.0 40.6 60.8#








#57
2,4-Dinitrotoluene
Concen: 7.571 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.188 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07

Instrument :
BNA_F
ClientSampleId :
SW-CB-02-(0.2)







Tgt Ion:165 Resp: 58828
Ion Ratio Lower Upper
165 100
63 1.1 40.9 61.3#
89 1.0 59.7 89.5#
182 0.0 0.0 0.0



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.416 min Scan# 1586
Delta R.T. -0.006 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07

Tgt Ion:188 Resp: 815140
Ion Ratio Lower Upper
188 100
94 10.1 6.7 10.1#
80 10.7 7.5 11.3









#67
4-Bromophenyl-phenylether
Concen: 3.500 ng
RT: 10.721 min Scan# 1468
Delta R.T. -0.247 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07




Instrument :
BNA_F
ClientSampleId :
SW-CB-02-(0.2)


Tgt Ion:248 Resp: 32605
Ion Ratio Lower Upper
248 100
250 203.6 74.2 111.4#
141 548.6 60.4 90.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2034
Delta R.T. -0.012 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07

Tgt Ion:240 Resp: 473292
Ion Ratio Lower Upper
240 100
120 13.4 10.8 16.2
236 25.8 21.6 32.4









#77
Benzidine
Concen: 2.428 ng
RT: 13.010 min Scan# 1857
Delta R.T. 0.259 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07




Instrument :
BNA_F
ClientSampleId :
SW-CB-02-(0.2)


Tgt Ion:184 Resp: 32587
Ion Ratio Lower Upper
184 100
185 16.8 10.8 16.2#
183 10.7 8.1 12.1



#79
Terphenyl-d14
Concen: 82.603 ng
RT: 13.010 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BF125543.D
Acq: 21 Sep 2021 19:07

Tgt Ion:244 Resp: 2421026
Ion Ratio Lower Upper
244 100
212 7.4 5.9 8.9
122 12.0 9.0 13.4





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.533 min Scan# 2286
 Delta R.T. -0.006 min
 Lab File: BF125543.D
 Acq: 21 Sep 2021 19:07

Instrument :
 BNA_F
 ClientSampleId :
 SW-CB-02-(0.2)

Tgt Ion:264	Resp:	399981
Ion Ratio	Lower	Upper
264	100	
260	24.0	19.6 29.4
265	21.2	17.2 25.8

