

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092122\
 Data File : BF130363.D
 Acq On : 21 Sep 2022 16:01
 Operator : CG\JU
 Sample : N4724-14
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-04-COMP

Quant Time: Sep 22 05:56:39 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 19 15:06:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.657	152	122936	20.000	ng	0.00
21) Naphthalene-d8	7.940	136	489718	20.000	ng	# 0.00
39) Acenaphthene-d10	9.687	164	248618	20.000	ng	0.00
64) Phenanthrene-d10	11.169	188	374275	20.000	ng	0.00
76) Chrysene-d12	13.798	240	235990	20.000	ng	0.00
86) Perylene-d12	15.192	264	236138	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.269	112	902491	127.330	ng	0.01
7) Phenol-d6	6.304	99	1094870	123.456	ng	0.00
23) Nitrobenzene-d5	7.222	82	712997	74.381	ng	-0.01
42) 2,4,6-Tribromophenol	10.475	330	301588	126.599	ng	0.00
45) 2-Fluorobiphenyl	9.016	172	1335348	78.213	ng	0.00
79) Terphenyl-d14	12.757	244	1094083	76.797	ng	0.00
Target Compounds						Qvalue
19) n-Nitroso-di-n-propyla...	7.222	70	96950	16.201	ng	# 73
25) Isophorone	7.222	82	704993	45.631	ng	# 66
50) Dimethylphthalate	9.687	163	46686	2.718	ng	# 1
51) 2,6-Dinitrotoluene	9.687	165	31528	8.778	ng	# 16
57) 2,4-Dinitrotoluene	9.687	165	31528	6.869	ng	# 16
67) 4-Bromophenyl-phenylether	10.475	248	18259	4.422	ng	# 1
77) Benzidine	12.757	184	16363	2.389	ng	# 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092122\
Data File : BF130363.D
Acq On : 21 Sep 2022 16:01
Operator : CG\JU
Sample : N4724-14
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-04-COMP

Quant Time: Sep 22 05:56:39 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 19 15:06:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.657 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion:152 Resp: 122936
Ion Ratio Lower Upper
152 100
150 155.7 122.8 184.2
115 63.7 53.8 80.8



#5
2-Fluorophenol
Concen: 127.330 ng
RT: 5.269 min Scan# 541
Delta R.T. 0.012 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01

Tgt Ion:112 Resp: 902491
Ion Ratio Lower Upper
112 100
64 59.2 51.4 77.0
63 32.4 28.8 43.2









#7
Phenol-d6
Concen: 123.456 ng
RT: 6.304 min Scan# 71
Delta R.T. 0.006 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion: 99 Resp: 1094870
Ion Ratio Lower Upper
99 100
42 18.9 17.0 25.6
71 38.1 32.3 48.5



#19
n-Nitroso-di-n-propylamine
Concen: 16.201 ng
RT: 7.222 min Scan# 873
Delta R.T. 0.130 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01

Tgt Ion: 70 Resp: 96950
Ion Ratio Lower Upper
70 100
42 46.1 50.8 76.2#
101 0.0 8.2 12.4#
130 2.0 16.6 25.0#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.940 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion:136 Resp: 489718
Ion Ratio Lower Upper
136 100
137 10.5 9.1 13.7
54 6.6 7.1 10.7#
68 4.7 4.5 6.7



#23
Nitrobenzene-d5
Concen: 74.381 ng
RT: 7.222 min Scan# 873
Delta R.T. -0.012 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01

Tgt Ion: 82 Resp: 712997
Ion Ratio Lower Upper
82 100
128 42.7 32.6 49.0
54 50.7 43.8 65.6









#25
Isophorone
Concen: 45.631 ng
RT: 7.222 min Scan# 81
Delta R.T. -0.270 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion: 82 Resp: 704993
Ion Ratio Lower Upper
82 100
95 0.0 6.4 9.6#
138 0.0 13.8 20.6#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.687 min Scan# 1292
Delta R.T. -0.006 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01

Tgt Ion: 164 Resp: 248618
Ion Ratio Lower Upper
164 100
162 102.7 81.4 122.0
160 45.0 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 126.599 ng

RT: 10.475 min Scan# 1426

Delta R.T. -0.006 min

Lab File: BF130363.D

Acq: 21 Sep 2022 16:01

Instrument :

BNA_F

ClientSampleId :

SB-04-COMP





Tgt Ion:330 Resp: 301588

Ion Ratio Lower Upper

330 100

332 104.5 83.4 125.2

141 35.0 34.0 51.0



#45

2-Fluorobiphenyl

Concen: 78.213 ng

RT: 9.016 min Scan# 1178

Delta R.T. -0.006 min

Lab File: BF130363.D

Acq: 21 Sep 2022 16:01




Tgt Ion:172 Resp: 1335348


Ion Ratio Lower Upper

172 100

171 35.4 28.3 42.5

170 23.2 18.7 28.1









#50
Dimethylphthalate
Concen: 2.718 ng
RT: 9.687 min Scan# 1217
Delta R.T. 0.259 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion:163 Resp: 46686
Ion Ratio Lower Upper
163 100
194 0.0 2.8 4.2#
164 572.8 8.2 12.2#



#51
2,6-Dinitrotoluene
Concen: 8.778 ng
RT: 9.687 min Scan# 1292
Delta R.T. 0.200 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01


Tgt Ion:165 Resp: 31528
Ion Ratio Lower Upper
165 100
63 1.3 58.8 88.2#
89 1.7 54.5 81.7#








#57
2,4-Dinitrotoluene
Concen: 6.869 ng
RT: 9.687 min Scan# 11
Delta R.T. -0.200 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01

Instrument :
BNA_F
ClientSampleId :
SB-04-COMP







Tgt Ion:165 Resp: 31528
Ion Ratio Lower Upper
165 100
63 1.3 44.7 67.1#
89 1.7 69.0 103.4#
182 0.0 1.9 2.9#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.169 min Scan# 1544
Delta R.T. -0.006 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01

Tgt Ion:188 Resp: 374275
Ion Ratio Lower Upper
188 100
94 8.2 7.4 11.2
80 8.9 7.9 11.9









#67
4-Bromophenyl-phenylether
Concen: 4.422 ng
RT: 10.475 min Scan# 1426
Delta R.T. -0.247 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion:248 Resp: 18259
Ion Ratio Lower Upper
248 100
250 196.8 80.0 120.0#
141 605.2 68.5 102.7#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.798 min Scan# 1991
Delta R.T. -0.006 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01

Tgt Ion:240 Resp: 235990
Ion Ratio Lower Upper
240 100
120 9.7 8.7 13.1
236 25.7 20.9 31.3









#77
Benzidine
Concen: 2.389 ng
RT: 12.757 min Scan# 1814
Delta R.T. 0.247 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01




Instrument :
BNA_F
ClientSampleId :
SB-04-COMP


Tgt Ion:184 Resp: 16363
Ion Ratio Lower Upper
184 100
185 17.0 11.8 17.6
183 6.3 9.1 13.7#



#79
Terphenyl-d14
Concen: 76.797 ng
RT: 12.757 min Scan# 1814
Delta R.T. 0.000 min
Lab File: BF130363.D
Acq: 21 Sep 2022 16:01


Tgt Ion:244 Resp: 1094083
Ion Ratio Lower Upper
244 100
212 7.2 5.9 8.9
122 10.6 8.5 12.7





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.192 min Scan# 21
 Delta R.T. 0.006 min
 Lab File: BF130363.D
 Acq: 21 Sep 2022 16:01

Instrument :
 BNA_F
 ClientSampleId :
 SB-04-COMP



Tgt Ion:264 Resp: 236138
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.3 28.9
 265 20.6 17.0 25.4

