

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092122\
 Data File : BF130364.D
 Acq On : 21 Sep 2022 16:34
 Operator : CG\JU
 Sample : N4723-04
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-14-COMP

Quant Time: Sep 22 05:57:03 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 19 15:06:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.657	152	122136	20.000	ng	0.00
21) Naphthalene-d8	7.939	136	468384	20.000	ng	# 0.00
39) Acenaphthene-d10	9.686	164	233366	20.000	ng	0.00
64) Phenanthrene-d10	11.169	188	330988	20.000	ng	0.00
76) Chrysene-d12	13.798	240	220547	20.000	ng	0.00
86) Perylene-d12	15.192	264	232539	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.263	112	760201	107.957	ng	0.00
7) Phenol-d6	6.298	99	937854	106.444	ng	0.00
23) Nitrobenzene-d5	7.222	82	589763	64.328	ng	-0.01
42) 2,4,6-Tribromophenol	10.474	330	212625	95.088	ng	0.00
45) 2-Fluorobiphenyl	9.016	172	1064230	66.407	ng	0.00
79) Terphenyl-d14	12.757	244	759501	57.045	ng	0.00


Target Compounds Qvalue


 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092122\
Data File : BF130364.D
Acq On : 21 Sep 2022 16:34
Operator : CG\JU
Sample : N4723-04
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-14-COMP

Quant Time: Sep 22 05:57:03 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 19 15:06:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.657 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF130364.D
Acq: 21 Sep 2022 16:34




Instrument :
BNA_F
ClientSampleId :
SB-14-COMP

Tgt Ion:152 Resp: 122136
Ion Ratio Lower Upper
152 100
150 157.8 122.8 184.2
115 63.4 53.8 80.8



#5
2-Fluorophenol
Concen: 107.957 ng
RT: 5.263 min Scan# 540
Delta R.T. 0.006 min
Lab File: BF130364.D
Acq: 21 Sep 2022 16:34

Tgt Ion:112 Resp: 760201
Ion Ratio Lower Upper
112 100
64 60.0 51.4 77.0
63 32.5 28.8 43.2









#7
Phenol-d6
Concen: 106.444 ng
RT: 6.298 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF130364.D
Acq: 21 Sep 2022 16:34




Instrument :
BNA_F
ClientSampleId :
SB-14-COMP

Tgt Ion: 99 Resp: 937854
Ion Ratio Lower Upper
99 100
42 18.9 17.0 25.6
71 38.7 32.3 48.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.939 min Scan# 995
Delta R.T. -0.006 min
Lab File: BF130364.D
Acq: 21 Sep 2022 16:34

Tgt Ion: 136 Resp: 468384
Ion Ratio Lower Upper
136 100
137 10.8 9.1 13.7
54 6.8 7.1 10.7#
68 4.9 4.5 6.7





#23

Nitrobenzene-d5

Concen: 64.328 ng

RT: 7.222 min Scan# 81

Delta R.T. -0.012 min

Lab File: BF130364.D

Acq: 21 Sep 2022 16:34

Instrument :

BNA_F

ClientSampleId :

SB-14-COMP





Tgt Ion: 82 Resp: 589763

Ion Ratio Lower Upper

82 100

128 42.5 32.6 49.0

54 50.0 43.8 65.6



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.686 min Scan# 1292

Delta R.T. -0.006 min

Lab File: BF130364.D

Acq: 21 Sep 2022 16:34




Tgt Ion:164 Resp: 233366

Ion Ratio Lower Upper

164 100

162 101.1 81.4 122.0

160 45.7 36.2 54.4








#42
2,4,6-Tribromophenol
Concen: 95.088 ng
RT: 10.474 min Scan# 1426
Delta R.T. -0.006 min
Lab File: BF130364.D
Acq: 21 Sep 2022 16:34




Instrument :
BNA_F
ClientSampleId :
SB-14-COMP


Tgt Ion:330 Resp: 212625
Ion Ratio Lower Upper
330 100
332 105.9 83.4 125.2
141 36.6 34.0 51.0



#45
2-Fluorobiphenyl
Concen: 66.407 ng
RT: 9.016 min Scan# 1178
Delta R.T. -0.006 min
Lab File: BF130364.D
Acq: 21 Sep 2022 16:34

Tgt Ion:172 Resp: 1064230
Ion Ratio Lower Upper
172 100
171 35.1 28.3 42.5
170 23.0 18.7 28.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.169 min Scan# 111
Delta R.T. -0.006 min
Lab File: BF130364.D
Acq: 21 Sep 2022 16:34




Instrument :
BNA_F
ClientSampleId :
SB-14-COMP


Tgt Ion:188 Resp: 330988
Ion Ratio Lower Upper
188 100
94 9.2 7.4 11.2
80 10.1 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.798 min Scan# 1991
Delta R.T. -0.006 min
Lab File: BF130364.D
Acq: 21 Sep 2022 16:34

Tgt Ion:240 Resp: 220547
Ion Ratio Lower Upper
240 100
120 10.3 8.7 13.1
236 24.9 20.9 31.3









#79
 Terphenyl-d14
 Concen: 57.045 ng
 RT: 12.757 min Scan# 1814
 Delta R.T. -0.000 min
 Lab File: BF130364.D
 Acq: 21 Sep 2022 16:34

Instrument :
 BNA_F
 ClientSampleId :
 SB-14-COMP

Tgt Ion:244 Resp: 759501
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.9 8.9
 122 10.4 8.5 12.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.192 min Scan# 2228
 Delta R.T. 0.006 min
 Lab File: BF130364.D
 Acq: 21 Sep 2022 16:34

Tgt Ion:264 Resp: 232539
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.3 28.9
 265 21.0 17.0 25.4

