

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092222\
 Data File : BF130384.D
 Acq On : 22 Sep 2022 19:52
 Operator : CG\JU
 Sample : N4753-01 10X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EO-01-092122

Quant Time: Sep 23 02:58:44 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 19 15:06:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.657	152	105489	20.000	ng	0.00
21) Naphthalene-d8	7.940	136	371127	20.000	ng	# 0.00
39) Acenaphthene-d10	9.687	164	165350	20.000	ng	0.00
64) Phenanthrene-d10	11.169	188	251526	20.000	ng	0.00
76) Chrysene-d12	13.798	240	214695	20.000	ng	0.00
86) Perylene-d12	15.198	264	167076	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.251	112	51282	8.432	ng	0.00
7) Phenol-d6	6.293	99	59885	7.869	ng	0.00
23) Nitrobenzene-d5	7.216	82	36212	4.985	ng	-0.02
42) 2,4,6-Tribromophenol	10.475	330	10610	6.697	ng	0.00
45) 2-Fluorobiphenyl	9.010	172	70761	6.232	ng	-0.01
79) Terphenyl-d14	12.751	244	64650	4.988	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092222\
Data File : BF130384.D
Acq On : 22 Sep 2022 19:52
Operator : CG\JU
Sample : N4753-01 10X
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EO-01-092122

Quant Time: Sep 23 02:58:44 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 19 15:06:14 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.657 min Scan# 71
 Delta R.T. -0.006 min
 Lab File: BF130384.D
 Acq: 22 Sep 2022 19:52




Instrument :
 BNA_F
 ClientSampleId :
 EO-01-092122


Tgt Ion:152 Resp: 105489
 Ion Ratio Lower Upper
 152 100
 150 159.7 122.8 184.2
 115 63.5 53.8 80.8



#5
 2-Fluorophenol
 Concen: 8.432 ng
 RT: 5.251 min Scan# 538
 Delta R.T. -0.006 min
 Lab File: BF130384.D
 Acq: 22 Sep 2022 19:52

Tgt Ion:112 Resp: 51282
 Ion Ratio Lower Upper
 112 100
 64 54.3 51.4 77.0
 63 30.6 28.8 43.2








#7
Phenol-d6
Concen: 7.869 ng
RT: 6.293 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF130384.D
Acq: 22 Sep 2022 19:52




Instrument :
BNA_F
ClientSampleId :
EO-01-092122

Tgt Ion: 99 Resp: 59885
Ion Ratio Lower Upper
99 100
42 18.9 17.0 25.6
71 38.4 32.3 48.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.940 min Scan# 995
Delta R.T. -0.006 min
Lab File: BF130384.D
Acq: 22 Sep 2022 19:52

Tgt Ion: 136 Resp: 371127
Ion Ratio Lower Upper
136 100
137 10.6 9.1 13.7
54 6.5 7.1 10.7#
68 4.5 4.5 6.7









#23
Nitrobenzene-d5
Concen: 4.985 ng
RT: 7.216 min Scan# 81
Delta R.T. -0.018 min
Lab File: BF130384.D
Acq: 22 Sep 2022 19:52




Instrument :
BNA_F
ClientSampleId :
EO-01-092122


Tgt Ion: 82 Resp: 36212
Ion Ratio Lower Upper
82 100
128 44.7 32.6 49.0
54 51.7 43.8 65.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.687 min Scan# 1292
Delta R.T. -0.006 min
Lab File: BF130384.D
Acq: 22 Sep 2022 19:52

Tgt Ion:164 Resp: 165350
Ion Ratio Lower Upper
164 100
162 100.4 81.4 122.0
160 44.0 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 6.697 ng

RT: 10.475 min Scan# 1426

Delta R.T. -0.006 min

Lab File: BF130384.D


Acq: 22 Sep 2022 19:52

Instrument :

BNA_F

ClientSampleId :

EO-01-092122






Tgt Ion:330 Resp: 10610

Ion Ratio Lower Upper

330 100

332 107.8 83.4 125.2

141 45.3 34.0 51.0



#45

2-Fluorobiphenyl

Concen: 6.232 ng

RT: 9.010 min Scan# 1177

Delta R.T. -0.012 min

Lab File: BF130384.D

Acq: 22 Sep 2022 19:52




Tgt Ion:172 Resp: 70761


Ion Ratio Lower Upper

172 100

171 33.4 28.3 42.5


170 22.1 18.7 28.1








#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.169 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF130384.D
Acq: 22 Sep 2022 19:52

Instrument :
BNA_F
ClientSampleId :
EO-01-092122







Tgt Ion:188 Resp: 251526
Ion Ratio Lower Upper
188 100
94 8.6 7.4 11.2
80 9.0 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.798 min Scan# 1991
Delta R.T. -0.006 min
Lab File: BF130384.D
Acq: 22 Sep 2022 19:52

Tgt Ion:240 Resp: 214695
Ion Ratio Lower Upper
240 100
120 11.1 8.7 13.1
236 25.9 20.9 31.3









#79
 Terphenyl-d14
 Concen: 4.988 ng
 RT: 12.751 min Scan# 1813
 Delta R.T. -0.006 min
 Lab File: BF130384.D
 Acq: 22 Sep 2022 19:52

Instrument :
 BNA_F
 ClientSampleId :
 EO-01-092122

Tgt Ion:244 Resp: 64650
 Ion Ratio Lower Upper
 244 100
 212 7.4 5.9 8.9
 122 12.0 8.5 12.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.198 min Scan# 2229
 Delta R.T. 0.012 min
 Lab File: BF130384.D
 Acq: 22 Sep 2022 19:52

Tgt Ion:264 Resp: 167076
 Ion Ratio Lower Upper
 264 100
 260 23.5 19.3 28.9
 265 21.1 17.0 25.4

