

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092316\
 Data File : BF090213.D
 Acq On : 23 Sep 2016 22:23
 Operator : UM/SJ
 Sample : H4927-01
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-18A

Manual Integrations
 APPROVED

sohil
 9/26/2016 5:59:06 PM

Quant Time: Sep 24 00:09:40 2016
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 23 23:35:22 2016
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.49	152	124047	20.00	ng	0.00
21) Naphthalene-d8	7.78	136	459386	20.00	ng	0.00
38) Acenaphthene-d10	9.52	164	191565	20.00	ng	0.00
63) Phenanthrene-d10	10.99	188	260316	20.00	ng	0.01
75) Chrysene-d12	13.63	240	187608	20.00	ng	0.03
86) Perylene-d12	14.96	264	195111	20.00	ng	0.05

System Monitoring Compounds						
5) 2-Fluorophenol	5.06	112	436738	57.39	ng	0.01
7) Phenol-d6	6.15	99	728811	77.55	ng	0.00
23) Nitrobenzene-d5	7.06	82	432169	54.53	ng	0.00
41) 2,4,6-Tribromophenol	10.31	330	31720	19.30	ng	0.00
44) 2-Fluorobiphenyl	8.86	172	730631	74.88	ng	0.00
78) Terphenyl-d14	12.58	244	505975	68.47	ng	0.01

Target Compounds						Qvalue
31) Naphthalene	7.80	128	96860	4.43	ng	98
37) 2-Methylnaphthalene	8.49	142	191093	14.05	ng	98
45) 1,1'-Biphenyl	8.96	154	36238	2.64	ng	93
48) Acenaphthylene	9.38	152	37273	2.27	ng	# 72
49) Dimethylphthalate	9.26	163	270642	22.18	ng	# 99
51) Acenaphthene	9.55	154	464137	47.62	ng	99
54) Dibenzofuran	9.72	168	81522	6.36	ng	# 87
57) Fluorene	10.07	166	462100	47.80	ng	99
70) Phenanthrene	11.04	178	3406043	279.77	ng	99
71) Anthracene	11.07	178	1007637	78.91	ng	99
72) Carbazole	11.23	167	65661	4.86	ng	# 91
74) Fluoranthene	12.22	202	2097442	160.50	ng	97
77) Pvrene	12.45	202	3332054	259.55	ng	# 94
80) Benzo(a)anthracene	13.62	228	1842081	182.50	ng	97
82) Chrysene	13.66	228	1908018m	194.06	ng	
85) Indeno(1,2,3-cd)pyrene	16.11	276	386100	48.57	ng	# 92
87) Benzo(b)fluoranthene	14.62	252	1040930m	96.35	ng	
88) Benzo(k)fluoranthene	14.63	252	329001m	32.45	ng	
89) Benzo(a)pvrene	14.91	252	935657	92.06	ng	# 95
90) Dibenzo(a,h)anthracene	16.13	278	155647	19.63	ng	# 93
91) Benzo(g,h,i)perylene	16.47	276	421582	54.31	ng	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\HPCHEM1\BNA F\DATA\BF092316\
Data File : BF090213.D
Acq On : 23 Sep 2016 22:23
Operator : UM/SJ
Sample : H4927-01
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-18A

Manual Integrations
APPROVED

sohil
9/26/2016 5:59:06 PM

Quant Time: Sep 24 00:09:40 2016
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 23 23:35:22 2016
Response via : Initial Calibration





#1





1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.49 min Scan# 429
Delta R.T. 0.00 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-18A

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.6	128.9	193.3
115	63.6	55.5	83.3

Manual Integrations
APPROVED




sohil
9/26/2016 5:59:06 PM




#5

2-Fluorophenol
Concen: 57.39 ng
RT: 5.06 min Scan# 304
Delta R.T. 0.01 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Lower	Upper
112	100		
64	43.7	39.8	59.6
63	21.0	18.9	28.3





#7

Phenol-d6

Concen: 77.55 ng

RT: 6.15 min Scan# 399

Delta R.T. -0.00 min

Lab File: BF090213.D

Acq: 23 Sep 2016 22:23

Instrument :

BNA_F





ClientSampleId :

TRACK-D-GRID-18A

Tot Ion:	99	Resp:	728811
Ion Ratio	Lower	Upper	
99	100		
42	13.5	10.6	15.8
71	30.0	23.0	34.6

Manual Integrations
APPROVED

sohil
9/26/2016 5:59:06 PM



#21

Naphthalene-d8

Concen: 20.00 ng




RT: 7.78 min Scan# 542


Delta R.T. -0.00 min

Lab File: BF090213.D

Acq: 23 Sep 2016 22:23

Tgt Ion:	136	Resp:	459386
Ion Ratio	Lower	Upper	
136	100		
137	10.7	9.0	13.4
54	6.2	6.4	9.6#
68	5.9	6.3	9.5#









#23
Nitrobenzene-d5
Concen: 54.53 ng
RT: 7.06 min Scan# 479
Delta R.T. 0.00 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-18A

Tot Ion	Ratio	Lower	Upper
82	100		
128	43.8	37.5	56.3
54	42.9	31.9	47.9




Manual Integrations
APPROVED


sohil
9/26/2016 5:59:06 PM



#31
Naphthalene
Concen: 4.43 ng
RT: 7.80 min Scan# 544
Delta R.T. 0.00 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Lower	Upper
128	100		
129	11.0	9.3	13.9
127	12.7	10.8	16.2









#37
2-Methylnaphthalene
Concen: 14.05 ng
RT: 8.49 min Scan# 604
Delta R.T. 0.00 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-18A

Tot Ion	Ratio	Lower	Upper
142	100		
141	87.9	71.4	107.2
115	33.4	28.3	42.5




Manual Integrations
APPROVED


sohil
9/26/2016 5:59:06 PM



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.52 min Scan# 694
Delta R.T. -0.00 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Lower	Upper
164	100		
162	100.6	81.4	122.2
160	44.6	36.6	54.8









#41
 2,4,6-Tribromophenol
 Concen: 19.30 ng
 RT: 10.31 min Scan# 763
 Delta R.T. -0.00 min
 Lab File: BF090213.D
 Acq: 23 Sep 2016 22:23

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-18A

Tot Ion	Ratio	Resp	Lower	Upper
330	100	31720		
332	96.0	78.1	117.1	
141	54.7	23.9	35.9	




Manual Integrations
 APPROVED


sohil
 9/26/2016 5:59:06 PM



#44
 2-Fluorobiphenyl
 Concen: 74.88 ng
 RT: 8.86 min Scan# 636
 Delta R.T. 0.00 min
 Lab File: BF090213.D
 Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Resp	Lower	Upper
172	100	730631		
171	35.6	29.2	43.8	
170	23.9	19.8	29.8	





#45

1,1'-Biphenyl

Concen: 2.64 ng

RT: 8.96 min Scan# 645

Delta R.T. 0.00 min

Lab File: BF090213.D

Acq: 23 Sep 2016 22:23

Instrument :

BNA_F





ClientSampleId :

TRACK-D-GRID-18A

Tot Ion:	154	Resp:	36238
Ion Ratio	Lower	Upper	
154	100		
153	38.5	20.6	60.6
76	10.6	0.0	36.7

Manual Integrations
APPROVED

sohil
9/26/2016 5:59:06 PM



#48

Acenaphthylene

Concen: 2.27 ng




RT: 9.38 min Scan# 682


Delta R.T. 0.00 min

Lab File: BF090213.D

Acq: 23 Sep 2016 22:23

Tgt Ion:	152	Resp:	37273
Ion Ratio	Lower	Upper	
152	100		
151	22.8	16.5	24.7
153	38.7	10.6	15.8#









#49
Dimethylphthalate
Concen: 22.18 ng
RT: 9.26 min Scan# 671
Delta R.T. -0.01 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-18A

Tot Ion	Ratio	Resp	Lower	Upper
163	100	270642		
194	2.8		2.8	4.2#
164	10.3		8.1	12.1




Manual Integrations
APPROVED


sohil
9/26/2016 5:59:06 PM



#51
Acenaphthene
Concen: 47.62 ng
RT: 9.55 min Scan# 697
Delta R.T. -0.00 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Resp	Lower	Upper
154	100	464137		
153	113.1		90.8	136.2
152	54.3		44.2	66.4









#54
Dibenzenofuran
Concen: 6.36 ng
RT: 9.72 min Scan# 712
Delta R.T. -0.00 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-18A

Tot Ion	Ratio	Lower	Upper
168	100		
139	41.8	28.8	43.2
169	22.5	10.7	16.1#




Manual Integrations
APPROVED


sohil
9/26/2016 5:59:06 PM



#57
Fluorene
Concen: 47.80 ng
RT: 10.07 min Scan# 742
Delta R.T. 0.00 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Lower	Upper
166	100		
165	98.1	78.5	117.7
167	16.5	11.2	16.8









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 10.99 min Scan# 823
Delta R.T. 0.01 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-18A

Tot Ion	Ratio	Resp	Lower	Upper
188	100	260316		
94	12.1		10.5	15.7
80	13.1		11.2	16.8




Manual Integrations
APPROVED


sohil
9/26/2016 5:59:06 PM



#70
Phenanthrene
Concen: 279.77 ng
RT: 11.04 min Scan# 827
Delta R.T. 0.02 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Resp	Lower	Upper
178	100	3406043		
176	21.0		15.9	23.9
179	16.3		12.9	19.3





#71

Anthracene

Concen: 78.91 ng

RT: 11.07 min Scan# 830

Delta R.T. 0.01 min

Lab File: BF090213.D

Acq: 23 Sep 2016 22:23

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-18A

Tot Ion:178 Resp: 1007637

Ion Ratio Lower Upper

178 100

176 19.3 15.8 23.6


179 16.3 12.6 19.0

Manual Integrations

APPROVED

sohil




9/26/2016 5:59:06 PM



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



#72

Carbazole

Concen: 4.86 ng

RT: 11.23 min Scan# 844

Delta R.T. 0.01 min

Lab File: BF090213.D

Acq: 23 Sep 2016 22:23


Tgt Ion:167 Resp: 65661

Ion Ratio Lower Upper

167 100

166 28.4 18.0 27.0#



139 14.5 10.4 15.6




Abundance Ion 167.00 (166.70 to 167.70): E

Ion 166.00 (165.70 to 166.70): E

Ion 139.00 (138.70 to 139.70): E









#74
 Fluoranthene
 Concen: 160.50 ng
 RT: 12.22 min Scan# 930
 Delta R.T. 0.03 min
 Lab File: BF090213.D
 Acq: 23 Sep 2016 22:23

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-18A

Tot Ion	Ratio	Lower	Upper
202	100		
101	13.9	0.0	36.1
203	18.8	0.0	38.2




Manual Integrations
 APPROVED


sohil
 9/26/2016 5:59:06 PM



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 13.63 min Scan# 1054
 Delta R.T. 0.03 min
 Lab File: BF090213.D
 Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Lower	Upper
240	100		
120	13.1	10.6	16.0
236	27.3	21.6	32.4





#77

Pvrene

Concen: 259.55 ng

RT: 12.45 min Scan# 950

Delta R.T. 0.03 min

Lab File: BF090213.D

Acq: 23 Sep 2016 22:23

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-18A

Tot Ion:202 Resp: 3332054

Ion Ratio Lower Upper

202 100

200 23.0 17.9 26.9


203 22.8 14.2 21.4#

Manual Integrations

APPROVED

sohil




9/26/2016 5:59:06 PM



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#78

Terphenyl-d14

Concen: 68.47 ng

RT: 12.58 min Scan# 962

Delta R.T. 0.01 min

Lab File: BF090213.D

Acq: 23 Sep 2016 22:23


Tgt Ion:244 Resp: 505975

Ion Ratio Lower Upper

244 100

212 7.6 5.8 8.8



122 16.1 9.4 14.0#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#80
Benzo(a)anthracene
Concen: 182.50 ng
RT: 13.62 min Scan# 1053
Delta R.T. 0.03 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-18A




Tot Ion	Ratio	Lower	Upper
228	100		
226	28.6	22.0	33.0
229	22.5	16.2	24.2

Manual Integrations
APPROVED

sohil
9/26/2016 5:59:06 PM






Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E




#82
Chrysene
Concen: 194.06 ng m
RT: 13.66 min Scan# 1056
Delta R.T. 0.03 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Lower	Upper
228	100		
226	31.7	24.6	37.0
229	24.6	16.2	24.4#

Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E









#85
 Indeno(1,2,3-cd)pyrene
 Concen: 48.57 ng
 RT: 16.11 min Scan# 1271
 Delta R.T. 0.05 min
 Lab File: BF090213.D
 Acq: 23 Sep 2016 22:23

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-18A

Tot Ion	Ratio	Lower	Upper
276	100		
138	25.4	25.9	38.9#
277	25.9	19.9	29.9




Manual Integrations
 APPROVED


sohil
 9/26/2016 5:59:06 PM



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 14.96 min Scan# 1170
 Delta R.T. 0.05 min
 Lab File: BF090213.D
 Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.7	19.5	29.3
265	41.2	17.0	25.4#





#87

Benzo(b)fluoranthene

Concen: 96.35 ng m

RT: 14.62 min Scan# 1140

Delta R.T. 0.03 min

Lab File: BF090213.D

Acq: 23 Sep 2016 22:23

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-18A

Tot Ion:252 Resp: 1040930

Ion Ratio Lower Upper

252 100

253 23.2 17.9 26.9


125 13.8 12.7 19.1

Manual Integrations

APPROVED

sohil




9/26/2016 5:59:06 PM



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#88

Benzo(k)fluoranthene

Concen: 32.45 ng m

RT: 14.63 min Scan# 1141

Delta R.T. 0.02 min

Lab File: BF090213.D

Acq: 23 Sep 2016 22:23

Tgt Ion:252 Resp: 329001

Ion Ratio Lower Upper

252 100




253 23.9 17.8 26.8


125 13.6 7.8 11.6#

Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E






#89
Benzo(a)pyrene
Concen: 92.06 ng
RT: 14.91 min Scan# 1166
Delta R.T. 0.05 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-18A




Tot Ion	Ratio	Lower	Upper
252	100		
253	23.1	17.4	26.0
125	12.6	7.7	11.5#

Manual Integrations
APPROVED

sohil
9/26/2016 5:59:06 PM




Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E






#90
Dibenzo(a,h)anthracene
Concen: 19.63 ng
RT: 16.13 min Scan# 1272
Delta R.T. 0.05 min
Lab File: BF090213.D
Acq: 23 Sep 2016 22:23

Tgt Ion	Ratio	Lower	Upper
278	100		
139	18.9	14.6	21.8
279	28.8	18.8	28.2#



Abundance Ion 278.00 (277.70 to 278.70): E
Ion 139.00 (138.70 to 139.70): E
Ion 279.00 (278.70 to 279.70): E





#91
 Benzo(a,h,i)perylene
 Concen: 54.31 ng
 RT: 16.47 min Scan# 1302
 Delta R.T. 0.06 min
 Lab File: BF090213.D
 Acq: 23 Sep 2016 22:23

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-18A

Tot Ion	Ratio	Lower	Upper
276	100		
277	25.2	18.9	28.3
138	25.5	23.3	34.9

Manual Integrations
 APPROVED

sohil
 9/26/2016 5:59:06 PM

