

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092321\
 Data File : BF125609.D
 Acq On : 24 Sep 2021 00:30
 Operator : JU/CG
 Sample : M3822-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PILLARS-2

Quant Time: Sep 24 04:20:33 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 21 19:21:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	224521	20.000	ng	0.00
21) Naphthalene-d8	8.175	136	928190	20.000	ng	# 0.00
39) Acenaphthene-d10	9.933	164	501785	20.000	ng	0.00
64) Phenanthrene-d10	11.416	188	891440	20.000	ng	0.00
76) Chrysene-d12	14.057	240	722361	20.000	ng	0.00
86) Perylene-d12	15.533	264	626821	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	919922	64.792	ng	0.00
7) Phenol-d6	6.510	99	1441484	78.744	ng	-0.01
23) Nitrobenzene-d5	7.451	82	948856	65.202	ng	-0.01
42) 2,4,6-Tribromophenol	10.716	330	109721	22.325	ng	-0.01
45) 2-Fluorobiphenyl	9.251	172	1972711	69.053	ng	-0.01
79) Terphenyl-d14	13.004	244	2196719	49.107	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092321\
Data File : BF125609.D
Acq On : 24 Sep 2021 00:30
Operator : JU/CG
Sample : M3822-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PILLARS-2

Quant Time: Sep 24 04:20:33 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 21 19:21:36 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 817
Delta R.T. -0.006 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30




Instrument :
BNA_F
ClientSampleId :
PILLARS-2


Tgt Ion:152 Resp: 224521
Ion Ratio Lower Upper
152 100
150 162.4 117.6 176.4
115 59.8 47.1 70.7



#5
2-Fluorophenol
Concen: 64.792 ng
RT: 5.510 min Scan# 582
Delta R.T. 0.000 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30

Tgt Ion:112 Resp: 919922
Ion Ratio Lower Upper
112 100
64 54.9 44.2 66.2
63 27.1 26.2 39.2









#7
Phenol-d6
Concen: 78.744 ng
RT: 6.510 min Scan# 752
Delta R.T. -0.012 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30




Instrument :
BNA_F
ClientSampleId :
PILLARS-2


Tgt Ion: 99 Resp: 1441484
Ion Ratio Lower Upper
99 100
42 14.6 23.5 35.3#
71 29.9 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.006 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30

Tgt Ion: 136 Resp: 928190
Ion Ratio Lower Upper
136 100
137 10.7 9.8 14.6
54 6.7 6.4 9.6
68 6.0 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 65.202 ng
RT: 7.451 min Scan# 912
Delta R.T. -0.012 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30




Instrument :
BNA_F
ClientSampleId :
PILLARS-2


Tgt Ion: 82 Resp: 948856
Ion Ratio Lower Upper
82 100
128 47.4 40.6 60.8
54 44.3 49.6 74.4#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.006 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30

Tgt Ion:164 Resp: 501785
Ion Ratio Lower Upper
164 100
162 102.1 81.3 121.9
160 43.8 38.0 57.0









#42
2,4,6-Tribromophenol
Concen: 22.325 ng
RT: 10.716 min Scan# 1467
Delta R.T. -0.012 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30




Instrument :
BNA_F
ClientSampleId :
PILLARS-2


Tgt Ion:330 Resp: 109721
Ion Ratio Lower Upper
330 100
332 96.0 76.2 114.4
141 32.6 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 69.053 ng
RT: 9.251 min Scan# 1218
Delta R.T. -0.012 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30

Tgt Ion:172 Resp: 1972711
Ion Ratio Lower Upper
172 100
171 36.9 26.5 39.7
170 24.7 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.416 min Scan# 1586
Delta R.T. -0.006 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30




Instrument :
BNA_F
ClientSampleId :
PILLARS-2


Tgt Ion:188 Resp: 891440
Ion Ratio Lower Upper
188 100
94 9.9 6.7 10.1
80 10.4 7.5 11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.057 min Scan# 2035
Delta R.T. -0.006 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30

Tgt Ion:240 Resp: 722361
Ion Ratio Lower Upper
240 100
120 11.8 10.8 16.2
236 25.8 21.6 32.4









#79
Terphenyl-d14
Concen: 49.107 ng
RT: 13.004 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30

Instrument :
BNA_F
ClientSampleId :
PILLARS-2

Tgt Ion:244 Resp: 2196719
Ion Ratio Lower Upper
244 100
212 7.0 5.9 8.9
122 12.6 9.0 13.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.533 min Scan# 2286
Delta R.T. -0.006 min
Lab File: BF125609.D
Acq: 24 Sep 2021 00:30

Tgt Ion:264 Resp: 626821
Ion Ratio Lower Upper
264 100
260 23.8 19.6 29.4
265 20.7 17.2 25.8

