

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092421\
 Data File : BF125630.D
 Acq On : 24 Sep 2021 20:17
 Operator : JU/CG
 Sample : M3911-05
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SW-CB-04-(0.5)

Quant Time: Sep 25 03:01:01 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 24 15:38:32 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.886	152	201546	20.00	ng	0.00
21) Naphthalene-d8	8.169	136	828294	20.00	ng	# 0.00
39) Acenaphthene-d10	9.922	164	439202	20.00	ng	0.00
64) Phenanthrene-d10	11.404	188	748298	20.00	ng	# 0.00
76) Chrysene-d12	14.039	240	383250	20.00	ng	0.00
86) Perylene-d12	15.515	264	397513	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	830074	67.86	ng	0.00
7) Phenol-d6	6.498	99	627791	38.17	ng	-0.01
23) Nitrobenzene-d5	7.445	82	1257260	105.87	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	579504	141.52	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	2369397	99.16	ng	0.00
79) Terphenyl-d14	12.992	244	2141986	96.79	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092421\
Data File : BF125630.D
Acq On : 24 Sep 2021 20:17
Operator : JU/CG
Sample : M3911-05
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SW-CB-04-(0.5)

Quant Time: Sep 25 03:01:01 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 24 15:38:32 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.886 min Scan# 816
Delta R.T. -0.006 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17




Instrument :
BNA_F
ClientSampleId :
SW-CB-04-(0.5)


Tgt Ion:152 Resp: 201546
Ion Ratio Lower Upper
152 100
150 158.1 117.6 176.4
115 57.6 47.1 70.7



#5
2-Fluorophenol
Concen: 67.86 ng
RT: 5.504 min Scan# 581
Delta R.T. 0.000 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17

Tgt Ion:112 Resp: 830074
Ion Ratio Lower Upper
112 100
64 52.1 44.2 66.2
63 26.1 26.2 39.2#









#7
Phenol-d6
Concen: 38.17 ng
RT: 6.498 min Scan# 750
Delta R.T. -0.012 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17




Instrument :
BNA_F
ClientSampleId :
SW-CB-04-(0.5)


Tgt Ion: 99 Resp: 627791
Ion Ratio Lower Upper
99 100
42 14.1 23.5 35.3#
71 29.3 25.6 38.4



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17

Tgt Ion: 136 Resp: 828294
Ion Ratio Lower Upper
136 100
137 10.4 9.8 14.6
54 5.9 6.4 9.6#
68 5.3 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 105.87 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.006 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17

Instrument :
BNA_F
ClientSampleId :
SW-CB-04-(0.5)

Tgt Ion: 82 Resp: 1257260




Ion	Ratio	Lower	Upper
82	100		
128	47.4	40.6	60.8
54	45.2	49.6	74.4#




#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.922 min Scan# 1332
Delta R.T. -0.006 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17

Tgt Ion: 164 Resp: 439202


Ion	Ratio	Lower	Upper
164	100		
162	102.2	81.3	121.9
160	45.1	38.0	57.0








#42
2,4,6-Tribromophenol
Concen: 141.52 ng
RT: 10.710 min Scan# 1466
Delta R.T. -0.006 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17

Instrument :
BNA_F
ClientSampleId :
SW-CB-04-(0.5)







Tgt Ion: 330 Resp: 579504
Ion Ratio Lower Upper
330 100
332 93.9 76.2 114.4
141 31.2 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 99.16 ng
RT: 9.245 min Scan# 1217
Delta R.T. -0.006 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17

Tgt Ion: 172 Resp: 2369397
Ion Ratio Lower Upper
172 100
171 38.0 26.5 39.7
170 25.5 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.404 min Scan# 1584
Delta R.T. -0.006 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17




Instrument :
BNA_F
ClientSampleId :
SW-CB-04-(0.5)


Tgt Ion:188 Resp: 748298
Ion Ratio Lower Upper
188 100
94 10.3 6.7 10.1#
80 10.8 7.5 11.3



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.039 min Scan# 2032
Delta R.T. -0.006 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17

Tgt Ion:240 Resp: 383250
Ion Ratio Lower Upper
240 100
120 11.8 10.8 16.2
236 24.8 21.6 32.4









#79
Terphenyl-d14
Concen: 96.79 ng
RT: 12.992 min Scan# 1854
Delta R.T. -0.000 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17

Instrument :
BNA_F
ClientSampleId :
SW-CB-04-(0.5)

Tgt Ion:244 Resp: 2141986
Ion Ratio Lower Upper
244 100
212 7.0 5.9 8.9
122 12.2 9.0 13.4



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.515 min Scan# 2283
Delta R.T. -0.006 min
Lab File: BF125630.D
Acq: 24 Sep 2021 20:17

Tgt Ion:264 Resp: 397513
Ion Ratio Lower Upper
264 100
260 24.3 19.6 29.4
265 21.8 17.2 25.8

