

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092421\
 Data File : BF125633.D
 Acq On : 24 Sep 2021 21:52
 Operator : JU/CG
 Sample : M3911-16
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P287-DITCH

Quant Time: Sep 25 03:01:50 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 24 15:38:32 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.886	152	204610	20.00	ng	0.00
21) Naphthalene-d8	8.169	136	843977	20.00	ng	# 0.00
39) Acenaphthene-d10	9.921	164	449357	20.00	ng	0.00
64) Phenanthrene-d10	11.404	188	745668	20.00	ng	# 0.00
76) Chrysene-d12	14.039	240	387713	20.00	ng	0.00
86) Perylene-d12	15.515	264	413080	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	819454	65.98	ng	0.00
7) Phenol-d6	6.498	99	624747	37.42	ng	-0.01
23) Nitrobenzene-d5	7.445	82	1210995	100.08	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	552362	131.84	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	2329232	94.66	ng	0.00
79) Terphenyl-d14	12.992	244	2033803	90.84	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092421\
Data File : BF125633.D
Acq On : 24 Sep 2021 21:52
Operator : JU/CG
Sample : M3911-16
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P287-DITCH

Quant Time: Sep 25 03:01:50 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 24 15:38:32 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.886 min Scan# 816
Delta R.T. -0.006 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52




Instrument :
BNA_F
ClientSampleId :
P287-DITCH


Tgt Ion:152 Resp: 204610
Ion Ratio Lower Upper
152 100
150 158.3 117.6 176.4
115 59.0 47.1 70.7



#5
2-Fluorophenol
Concen: 65.98 ng
RT: 5.504 min Scan# 581
Delta R.T. 0.000 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52

Tgt Ion:112 Resp: 819454
Ion Ratio Lower Upper
112 100
64 49.7 44.2 66.2
63 24.5 26.2 39.2#









#7
Phenol-d6
Concen: 37.42 ng
RT: 6.498 min Scan# 750
Delta R.T. -0.012 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52




Instrument :
BNA_F
ClientSampleId :
P287-DITCH

Tgt Ion: 99 Resp: 624747
Ion Ratio Lower Upper
99 100
42 13.9 23.5 35.3#
71 28.8 25.6 38.4



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52

Tgt Ion: 136 Resp: 843977
Ion Ratio Lower Upper
136 100
137 10.4 9.8 14.6
54 5.8 6.4 9.6#
68 5.1 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 100.08 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.006 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52




Instrument :
BNA_F
ClientSampleId :
P287-DITCH


Tgt Ion: 82 Resp: 1210995
Ion Ratio Lower Upper
82 100
128 47.6 40.6 60.8
54 44.1 49.6 74.4#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.921 min Scan# 1332
Delta R.T. -0.007 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52


Tgt Ion:164 Resp: 449357
Ion Ratio Lower Upper
164 100
162 101.1 81.3 121.9
160 43.1 38.0 57.0








#42
2,4,6-Tribromophenol
Concen: 131.84 ng
RT: 10.710 min Scan# 1466
Delta R.T. -0.006 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52


Instrument :
BNA_F
ClientSampleId :
P287-DITCH





Tgt Ion: 330 Resp: 552362
Ion Ratio Lower Upper
330 100
332 94.4 76.2 114.4
141 30.8 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 94.66 ng
RT: 9.245 min Scan# 1217
Delta R.T. -0.006 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52



Tgt Ion: 172 Resp: 2329232
Ion Ratio Lower Upper
172 100
171 38.3 26.5 39.7
170 25.3 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.404 min Scan# 1584
Delta R.T. -0.006 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52




Instrument :
BNA_F
ClientSampleId :
P287-DITCH

Tgt Ion:188 Resp: 745668
Ion Ratio Lower Upper
188 100
94 10.1 6.7 10.1#
80 10.2 7.5 11.3



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.039 min Scan# 2032
Delta R.T. -0.006 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52

Tgt Ion:240 Resp: 387713
Ion Ratio Lower Upper
240 100
120 12.2 10.8 16.2
236 25.5 21.6 32.4









#79
Terphenyl-d14
Concen: 90.84 ng
RT: 12.992 min Scan# 1854
Delta R.T. -0.000 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52

Instrument :
BNA_F
ClientSampleId :
P287-DITCH

Tgt Ion:244 Resp: 2033803
Ion Ratio Lower Upper
244 100
212 7.0 5.9 8.9
122 12.1 9.0 13.4



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.515 min Scan# 2283
Delta R.T. -0.006 min
Lab File: BF125633.D
Acq: 24 Sep 2021 21:52

Tgt Ion:264 Resp: 413080
Ion Ratio Lower Upper
264 100
260 24.2 19.6 29.4
265 20.0 17.2 25.8

