

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092517\
 Data File : BF098818.D
 Acq On : 26 Sep 2017 8:31
 Operator : SJ/JU
 Sample : I5384-03
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 26 11:17:49 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 23 13:50:58 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.91	152	137902	20.00	ng	-0.01
21) Naphthalene-d8	8.19	136	570446	20.00	ng	-0.01
38) Acenaphthene-d10	9.95	164	253329	20.00	ng	-0.01
63) Phenanthrene-d10	11.43	188	408586	20.00	ng	-0.01
75) Chrysene-d12	14.07	240	231384	20.00	ng	-0.01
86) Perylene-d12	15.56	264	220982	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	413409	47.72	ng	-0.01
7) Phenol-d6	6.53	99	307772	28.80	ng	-0.02
23) Nitrobenzene-d5	7.47	82	957545	107.65	ng	-0.01
41) 2,4,6-Tribromophenol	10.74	330	202919	97.89	ng	-0.01
44) 2-Fluorobiphenyl	9.27	172	1669893	110.04	ng	0.00
78) Terphenyl-d14	13.02	244	1099062	108.02	ng	-0.01
Target Compounds						
9) Benzaldehyde	6.68	77	15788	2.547	ng	83
19) n-Nitroso-di-n-propylamine	7.47	70	125762	18.432	ng	# 78
25) Isophorone	7.47	82	957244	52.050	ng	# 64
49) Dimethylphthalate	9.66	163	64336	3.365	ng	99
50) 2,6-Dinitrotoluene	9.95	165	31787	7.636	ng	# 26
56) 2,4-Dinitrotoluene	9.95	165	31787	5.884	ng	# 23
66) 4-Bromophenyl-phenylether	10.74	248	14203	3.551	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092517\
Data File : BF098818.D
Acq On : 26 Sep 2017 8:31
Operator : SJ/JU
Sample : I5384-03
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 26 11:17:49 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 23 13:50:58 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.91 min Scan# 820
Delta R.T. -0.01 min
Lab File: BF098818.D
Acq: 26 Sep 2017 8:31

Instrument :
BNA_F
ClientSampleId :




Tot Ion:152 Resp: 137902
Ion Ratio Lower Upper
152 100
150 155.8 124.6 186.8
115 63.7 50.1 75.1




#5

2-Fluorophenol
Concen: 47.723 ng
RT: 5.53 min Scan# 585
Delta R.T. -0.01 min
Lab File: BF098818.D
Acq: 26 Sep 2017 8:31

Tgt Ion:112 Resp: 413409
Ion Ratio Lower Upper
112 100
64 54.7 47.9 71.9
63 27.2 23.7 35.5





#7

Phenol-d6

Concen: 28.800 ng

RT: 6.53 min Scan# 755

Delta R.T. -0.02 min

Lab File: BF098818.D

Acq: 26 Sep 2017 8:31

Instrument :

BNA_F

ClientSampled :





Tot Ion: 99 Resp: 307772

Ion Ratio Lower Upper

99 100

42 16.7 14.5 21.7

71 31.4 25.4 38.0



#9

Benzaldehyde

Concen: 2.547 ng

RT: 6.68 min Scan# 781

Delta R.T. 0.21 min

Lab File: BF098818.D

Acq: 26 Sep 2017 8:31




Tgt Ion: 77 Resp: 15788


Ion Ratio Lower Upper

77 100

105 87.4 81.1 121.1

106 75.4 74.5 114.5









#19
 n-Nitroso-di-n-propylamine
 Concen: 18.432 ng
 RT: 7.47 min Scan# 916
 Delta R.T. 0.14 min
 Lab File: BF098818.D
 Acq: 26 Sep 2017 8:31




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion: 70 Resp: 125762
 Ion Ratio Lower Upper
 70 100
 42 48.0 47.5 71.3
 101 0.0 7.4 11.2#
 130 2.2 16.6 25.0#



#21
 Naphthalene-d8
 Concen: 20.000 ng
 RT: 8.19 min Scan# 1038
 Delta R.T. -0.01 min
 Lab File: BF098818.D
 Acq: 26 Sep 2017 8:31

Tgt Ion: 136 Resp: 570446
 Ion Ratio Lower Upper
 136 100
 137 11.1 8.9 13.3
 54 8.0 6.6 9.8
 68 6.4 5.0 7.4





#23

Nitrobenzene-d5

Concen: 107.648 ng

RT: 7.47 min Scan# 916

Delta R.T. -0.01 min

Lab File: BF098818.D

Acq: 26 Sep 2017 8:31

Instrument :

BNA_F

ClientSampled :


Tot Ion: 82 Resp: 957545

Ion Ratio Lower Upper

82 100

128 46.0 36.1 54.1




54 49.9 41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): BF0

Ion 54.00 (53.70 to 54.70): BF0



#25

Isophorone

Concen: 52.050 ng

RT: 7.47 min Scan# 916

Delta R.T. -0.27 min

Lab File: BF098818.D

Acq: 26 Sep 2017 8:31


Tgt Ion: 82 Resp: 957244

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#



138 0.0 14.9 22.3#




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 138.00 (137.70 to 138.70): BF0





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.95 min Scan# 1337

Delta R.T. -0.01 min

Lab File: BF098818.D

Acq: 26 Sep 2017 8:31

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 253329

Ion Ratio Lower Upper

164 100

162 107.5 86.1 129.1




160 48.0 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 97.891 ng

RT: 10.74 min Scan# 1471

Delta R.T. -0.01 min

Lab File: BF098818.D

Acq: 26 Sep 2017 8:31


Tgt Ion:330 Resp: 202919

Ion Ratio Lower Upper

330 100

332 96.1 77.0 115.6



141 41.3 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 110.045 ng
RT: 9.27 min Scan# 1222
Delta R.T. -0.01 min
Lab File: BF098818.D
Acq: 26 Sep 2017 8:31

Instrument :
BNA_F
ClientSampled :

Tot Ion:172 Resp: 1669893
Ion Ratio Lower Upper
172 100
171 36.0 29.7 44.5
170 24.2 19.6 29.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#49
Dimethylphthalate
Concen: 3.365 ng
RT: 9.66 min Scan# 1287
Delta R.T. -0.02 min
Lab File: BF098818.D
Acq: 26 Sep 2017 8:31

Tgt Ion:163 Resp: 64336
Ion Ratio Lower Upper
163 100
194 3.2 2.7 4.1
164 10.6 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#50
 2,6-Dinitrotoluene
 Concen: 7.636 ng
 RT: 9.95 min Scan# 1337
 Delta R.T. 0.21 min
 Lab File: BF098818.D
 Acq: 26 Sep 2017 8:31




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
165	100		
63	1.1	44.7	67.1#
89	2.0	44.0	66.0#



#56
 2,4-Dinitrotoluene
 Concen: 5.884 ng
 RT: 9.95 min Scan# 1337
 Delta R.T. -0.19 min
 Lab File: BF098818.D
 Acq: 26 Sep 2017 8:31

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.1	36.4	54.6#
89	2.0	57.8	86.6#
182	0.0	1.6	2.4#









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.43 min Scan# 1589
Delta R.T. -0.01 min
Lab File: BF098818.D
Acq: 26 Sep 2017 8:31




Instrument :
BNA_F
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
188	100		
94	11.4	8.5	12.7
80	12.9	9.2	13.8



#66
4-Bromophenyl-phenylether
Concen: 3.551 ng
RT: 10.74 min Scan# 1471
Delta R.T. -0.25 min
Lab File: BF098818.D
Acq: 26 Sep 2017 8:31

Tgt Ion	Ratio	Lower	Upper
248	100		
250	195.8	76.9	115.3#
141	526.7	74.4	111.6#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 14.07 min Scan# 2038

Delta R.T. -0.01 min

Lab File: BF098818.D

Acq: 26 Sep 2017 8:31

Instrument :

BNA_F

ClientSampleId :


Tot Ion:240 Resp: 231384

Ion Ratio Lower Upper

240 100

120 11.6 9.5 14.3




236 24.8 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 108.023 ng

RT: 13.02 min Scan# 1859

Delta R.T. -0.01 min

Lab File: BF098818.D

Acq: 26 Sep 2017 8:31


Tgt Ion:244 Resp: 1099062

Ion Ratio Lower Upper

244 100

212 7.2 5.4 8.0



122 14.3 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.56 min Scan# 2291
 Delta R.T. -0.01 min
 Lab File: BF098818.D
 Acq: 26 Sep 2017 8:31

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.2	28.8
265	22.7	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

