

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092518\
 Data File : BF109323.D
 Acq On : 26 Sep 2018 8:15
 Operator : JU/SJ
 Sample : J5052-12
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 092018-TIPC-E-D-S

Quant Time: Sep 26 08:54:08 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 22 13:32:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.71	152	117949	20.00	ng	0.00
21) Naphthalene-d8	7.99	136	436987	20.00	ng	0.00
38) Acenaphthene-d10	9.74	164	185842	20.00	ng	0.00
63) Phenanthrene-d10	11.22	188	299966	20.00	ng	0.00
75) Chrysene-d12	13.84	240	277274	20.00	ng	0.00
86) Perylene-d12	15.24	264	201322	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.31	112	301126	42.05	ng	0.00
7) Phenol-d6	6.34	99	243987	26.70	ng	-0.02
23) Nitrobenzene-d5	7.27	82	750481	101.38	ng	-0.01
41) 2,4,6-Tribromophenol	10.52	330	161246	88.02	ng	-0.01
44) 2-Fluorobiphenyl	9.07	172	1210506	98.24	ng	0.00
78) Terphenyl-d14	12.80	244	1094501	96.87	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.46	163	77420	5.728	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092518\
Data File : BF109323.D
Acq On : 26 Sep 2018 8:15
Operator : JU/SJ
Sample : J5052-12
Misc :
ALS Vial : 41 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
092018-TIPC-E-D-S

Quant Time: Sep 26 08:54:08 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 22 13:32:18 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.71 min Scan# 786
Delta R.T. -0.00 min
Lab File: BF109323.D
Acq: 26 Sep 2018 8:15

Instrument :
BNA_F
ClientSampleId :
092018-TIPC-E-D-S

Tot Ion:152 Resp: 117949
Ion Ratio Lower Upper
152 100
150 151.3 124.6 186.8
115 56.7 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 42.050 ng
RT: 5.31 min Scan# 548
Delta R.T. -0.01 min
Lab File: BF109323.D
Acq: 26 Sep 2018 8:15

Tgt Ion:112 Resp: 301126
Ion Ratio Lower Upper
112 100
64 58.2 47.9 71.9
63 30.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 26.701 ng

RT: 6.34 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF109323.D

Acq: 26 Sep 2018 8:15

Instrument :

BNA_F

ClientSampleId :

092018-TIPC-E-D-S


Tot Ion: 99 Resp: 243987

Ion Ratio Lower Upper




99 100

42 16.8 14.5 21.7

71 32.7 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.99 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF109323.D

Acq: 26 Sep 2018 8:15

Tgt Ion: 136 Resp: 436987


Ion Ratio Lower Upper

136 100



137 11.2 8.9 13.3


54 7.3 6.6 9.8

68 5.8 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 101.381 ng
 RT: 7.27 min Scan# 881
 Delta R.T. -0.01 min
 Lab File: BF109323.D
 Acq: 26 Sep 2018 8:15

Instrument :
 BNA_F
 ClientSampleId :
 092018-TIPC-E-D-S

Tot Ion	82	Resp	750481
Ion Ratio	Lower	Upper	
82	100		
128	42.7	36.1	54.1
54	48.9	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.74 min Scan# 1301
 Delta R.T. -0.00 min
 Lab File: BF109323.D
 Acq: 26 Sep 2018 8:15

Tgt Ion	164	Resp	185842
Ion Ratio	Lower	Upper	
164	100		
162	103.3	86.1	129.1
160	46.8	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 88.016 ng
 RT: 10.52 min Scan# 1434
 Delta R.T. -0.01 min
 Lab File: BF109323.D
 Acq: 26 Sep 2018 8:15




Instrument :
 BNA_F
 ClientSampleId :
 092018-TIPC-E-D-S


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.5	77.0	115.6
141	32.4	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 98.238 ng
 RT: 9.07 min Scan# 1187
 Delta R.T. -0.01 min
 Lab File: BF109323.D
 Acq: 26 Sep 2018 8:15

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.7	44.5
170	24.2	19.6	29.4









#49
Dimethylphthalate
Concen: 5.728 ng
RT: 9.46 min Scan# 1253
Delta R.T. -0.02 min
Lab File: BF109323.D
Acq: 26 Sep 2018 8:15

Instrument :
BNA_F
ClientSampleId :
092018-TIPC-E-D-S

Tot Ion:163 Resp: 77420
Ion Ratio Lower Upper
163 100
194 4.1 2.7 4.1#
164 9.5 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.22 min Scan# 1552
Delta R.T. -0.00 min
Lab File: BF109323.D
Acq: 26 Sep 2018 8:15

Tgt Ion:188 Resp: 299966
Ion Ratio Lower Upper
188 100
94 8.4 8.5 12.7#
80 8.9 9.2 13.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.84 min Scan# 1998

Delta R.T. -0.01 min

Lab File: BF109323.D

Acq: 26 Sep 2018 8:15

Instrument :

BNA_F

ClientSampleId :

092018-TIPC-E-D-S


Tot Ion:240 Resp: 277274

Ion Ratio Lower Upper

240 100

120 11.2 9.5 14.3




236 24.8 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 96.875 ng

RT: 12.80 min Scan# 1821

Delta R.T. -0.01 min

Lab File: BF109323.D

Acq: 26 Sep 2018 8:15


Tgt Ion:244 Resp: 1094501

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0



122 12.0 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.24 min Scan# 2236
 Delta R.T. -0.00 min
 Lab File: BF109323.D
 Acq: 26 Sep 2018 8:15

Instrument :
 BNA_F
 ClientSampleId :
 092018-TIPC-E-D-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	22.8	19.2	28.8
265	21.2	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

