

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092521\
 Data File : BF125653.D
 Acq On : 25 Sep 2021 13:23
 Operator : JU/CG
 Sample : M3908-05
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DUPLICATE-03

Quant Time: Sep 27 01:21:22 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 24 15:38:32 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.887	152	159945	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	662174	20.000	ng	# 0.00
39) Acenaphthene-d10	9.922	164	343886	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	587072	20.000	ng	0.00
76) Chrysene-d12	14.039	240	405329	20.000	ng	0.00
86) Perylene-d12	15.515	264	313975	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	955792	98.454	ng	0.00
7) Phenol-d6	6.504	99	1189554	91.143	ng	0.00
23) Nitrobenzene-d5	7.445	82	705610	74.326	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	349970	109.151	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	1424524	72.458	ng	0.00
79) Terphenyl-d14	12.992	244	1446666	61.809	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092521\
Data File : BF125653.D
Acq On : 25 Sep 2021 13:23
Operator : JU/CG
Sample : M3908-05
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DUPLICATE-03

Quant Time: Sep 27 01:21:22 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 24 15:38:32 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.887 min Scan# 816
Delta R.T. -0.005 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23




Instrument :
BNA_F
ClientSampleId :
DUPLICATE-03


Tgt Ion:152 Resp: 159945
Ion Ratio Lower Upper
152 100
150 158.2 117.6 176.4
115 57.2 47.1 70.7



#5
2-Fluorophenol
Concen: 98.454 ng
RT: 5.504 min Scan# 581
Delta R.T. 0.000 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23

Tgt Ion:112 Resp: 955792
Ion Ratio Lower Upper
112 100
64 51.4 44.2 66.2
63 26.1 26.2 39.2#









#7
Phenol-d6
Concen: 91.143 ng
RT: 6.504 min Scan# 751
Delta R.T. -0.006 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23




Instrument :
BNA_F
ClientSampleId :
DUPLICATE-03

Tgt Ion: 99 Resp: 1189554
Ion Ratio Lower Upper
99 100
42 14.6 23.5 35.3#
71 30.5 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23

Tgt Ion: 136 Resp: 662174
Ion Ratio Lower Upper
136 100
137 10.4 9.8 14.6
54 5.8 6.4 9.6#
68 5.1 3.3 4.9#








#23
Nitrobenzene-d5
Concen: 74.326 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.006 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23




Instrument :
BNA_F
ClientSampleId :
DUPLICATE-03


Tgt Ion: 82 Resp: 705610
Ion Ratio Lower Upper
82 100
128 49.3 40.6 60.8
54 42.8 49.6 74.4#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.922 min Scan# 1332
Delta R.T. -0.006 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23

Tgt Ion:164 Resp: 343886
Ion Ratio Lower Upper
164 100
162 102.6 81.3 121.9
160 44.5 38.0 57.0









#42
2,4,6-Tribromophenol
Concen: 109.151 ng
RT: 10.710 min Scan# 1466
Delta R.T. -0.006 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23




Instrument :
BNA_F
ClientSampleId :
DUPLICATE-03

Tgt Ion:330 Resp: 349970
Ion Ratio Lower Upper
330 100
332 94.9 76.2 114.4
141 31.3 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 72.458 ng
RT: 9.245 min Scan# 1217
Delta R.T. -0.006 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23

Tgt Ion:172 Resp: 1424524
Ion Ratio Lower Upper
172 100
171 35.7 26.5 39.7
170 24.0 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 1584
Delta R.T. -0.006 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23




Instrument :
BNA_F
ClientSampleId :
DUPLICATE-03


Tgt Ion:188 Resp: 587072
Ion Ratio Lower Upper
188 100
94 10.1 6.7 10.1
80 10.5 7.5 11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.039 min Scan# 2032
Delta R.T. -0.006 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23

Tgt Ion:240 Resp: 405329
Ion Ratio Lower Upper
240 100
120 12.4 10.8 16.2
236 25.6 21.6 32.4









#79
Terphenyl-d14
Concen: 61.809 ng
RT: 12.992 min Scan# 1854
Delta R.T. 0.000 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23

Instrument :
BNA_F
ClientSampleId :
DUPLICATE-03

Tgt Ion:244 Resp: 1446666
Ion Ratio Lower Upper
244 100
212 6.5 5.9 8.9
122 10.9 9.0 13.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.515 min Scan# 2283
Delta R.T. -0.006 min
Lab File: BF125653.D
Acq: 25 Sep 2021 13:23

Tgt Ion:264 Resp: 313975
Ion Ratio Lower Upper
264 100
260 23.1 19.6 29.4
265 21.3 17.2 25.8

