

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF092016\
 Data File : BF090242.D
 Acq On : 27 Sep 2016 2:35
 Operator : UM/SJ
 Sample : H4954-02
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-20A

Quant Time: Sep 27 03:42:10 2016
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092016.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 26 15:58:38 2016
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.48	152	144522	20.00	ng	0.00
21) Naphthalene-d8	7.77	136	573064	20.00	ng	0.00
38) Acenaphthene-d10	9.51	164	294998	20.00	ng	0.00
63) Phenanthrene-d10	10.98	188	404977	20.00	ng	0.00
75) Chrysene-d12	13.59	240	307728	20.00	ng	-0.01
86) Perylene-d12	14.91	264	279848	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.05	112	909934	102.63	ng	0.02
7) Phenol-d6	6.14	99	1135036	103.66	ng	0.00
23) Nitrobenzene-d5	7.05	82	657143	66.47	ng	-0.01
41) 2,4,6-Tribromophenol	10.30	330	276375	109.20	ng	0.00
44) 2-Fluorobiphenyl	8.84	172	1240578	82.56	ng	-0.01
78) Terphenyl-d14	12.56	244	914539	75.45	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.05	70	76421	11.88	ng	Qvalue # 80


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF092616\
Data File : BF090242.D
Acq On : 27 Sep 2016 2:35
Operator : UM/SJ
Sample : H4954-02
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-20A

Quant Time: Sep 27 03:42:10 2016
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092016.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 26 15:58:38 2016
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.48 min Scan# 428

Delta R.T. -0.00 min

Lab File: BF090242.D

Acq: 27 Sep 2016 2:35

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-20A


Tgt Ion:152 Resp: 144522

Ion Ratio Lower Upper

152 100

150 158.8 128.9 193.3




115 62.4 55.5 83.3



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 102.63 ng

RT: 5.05 min Scan# 303

Delta R.T. 0.02 min

Lab File: BF090242.D

Acq: 27 Sep 2016 2:35


Tgt Ion:112 Resp: 909934

Ion Ratio Lower Upper

112 100

64 52.9 39.8 59.6



63 26.0 18.9 28.3






Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 103.66 ng

RT: 6.14 min Scan# 398

Delta R.T. -0.00 min

Lab File: BF090242.D

Acq: 27 Sep 2016 2:35

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-20A





Tgt Ion: 99 Resp: 1135036

Ion Ratio Lower Upper

99 100

42 13.3 10.6 15.8

71 29.9 23.0 34.6



#19

n-Nitroso-di-n-propylamine

Concen: 11.88 ng

RT: 7.05 min Scan# 478

Delta R.T. 0.14 min

Lab File: BF090242.D

Acq: 27 Sep 2016 2:35

Tgt Ion: 70 Resp: 76421


Ion Ratio Lower Upper


70 100

42 37.6 35.1 52.7

101 0.0 7.5 11.3#

130 2.2 16.6 25.0#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.77 min Scan# 541
Delta R.T. -0.00 min
Lab File: BF090242.D
Acq: 27 Sep 2016 2:35




Instrument :
BNA_F
ClientSampleId :
TRACK-D-GRID-20A


Tgt Ion:	136	Resp:	573064
Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.0	13.4
54	5.7	6.4	9.6#
68	5.6	6.3	9.5#



#23
Nitrobenzene-d5
Concen: 66.47 ng
RT: 7.05 min Scan# 478
Delta R.T. -0.01 min
Lab File: BF090242.D
Acq: 27 Sep 2016 2:35

Tgt Ion:	82	Resp:	657143
Ion	Ratio	Lower	Upper
82	100		
128	43.1	37.5	56.3
54	42.4	31.9	47.9









#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.51 min Scan# 693
 Delta R.T. -0.00 min
 Lab File: BF090242.D
 Acq: 27 Sep 2016 2:35

Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-20A

Tgt Ion:164 Resp: 294998
 Ion Ratio Lower Upper
 164 100
 162 99.6 81.4 122.2
 160 44.2 36.6 54.8




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 109.20 ng
 RT: 10.30 min Scan# 762
 Delta R.T. -0.00 min
 Lab File: BF090242.D
 Acq: 27 Sep 2016 2:35

Tgt Ion:330 Resp: 276375
 Ion Ratio Lower Upper
 330 100
 332 96.9 78.1 117.1
 141 34.5 23.9 35.9



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 82.56 ng
 RT: 8.84 min Scan# 635
 Delta R.T. -0.01 min
 Lab File: BF090242.D
 Acq: 27 Sep 2016 2:35




Instrument :
 BNA_F
 ClientSampleId :
 TRACK-D-GRID-20A


Tgt Ion:172 Resp: 1240578
 Ion Ratio Lower Upper
 172 100
 171 36.1 29.2 43.8
 170 24.4 19.8 29.8



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 10.98 min Scan# 822
 Delta R.T. -0.00 min
 Lab File: BF090242.D
 Acq: 27 Sep 2016 2:35

Tgt Ion:188 Resp: 404977
 Ion Ratio Lower Upper
 188 100
 94 7.5 10.5 15.7#
 80 7.2 11.2 16.8#





#75

Chrysene-d12

Concen: 20.00 ng

RT: 13.59 min Scan# 1050

Delta R.T. -0.01 min

Lab File: BF090242.D

Acq: 27 Sep 2016 2:35

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-20A


Tgt Ion:240 Resp: 307728

Ion Ratio Lower Upper

240 100

120 12.6 10.6 16.0




236 26.0 21.6 32.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 75.45 ng

RT: 12.56 min Scan# 960

Delta R.T. -0.00 min

Lab File: BF090242.D

Acq: 27 Sep 2016 2:35


Tgt Ion:244 Resp: 914539

Ion Ratio Lower Upper

244 100

212 7.4 5.8 8.8



122 16.1 9.4 14.0#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Perylene-d12

Concen: 20.00 ng

RT: 14.91 min Scan# 1166

Delta R.T. -0.00 min

Lab File: BF090242.D

Acq: 27 Sep 2016 2:35

Instrument :

BNA_F

ClientSampleId :

TRACK-D-GRID-20A

Tgt Ion: 264 Resp: 279848

Ion Ratio Lower Upper

264 100

260 24.3 19.5 29.3

265 21.5 17.0 25.4

