

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092618\
 Data File : BF109365.D
 Acq On : 27 Sep 2018 4:30
 Operator : JU/SJ
 Sample : J5051-01
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 092118-SIDI-F-D-B

Quant Time: Sep 27 07:44:57 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 22 13:32:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	97507	20.00	ng	0.00
21) Naphthalene-d8	7.99	136	347472	20.00	ng	0.00
38) Acenaphthene-d10	9.73	164	149130	20.00	ng	0.00
63) Phenanthrene-d10	11.22	188	266771	20.00	ng	0.00
75) Chrysene-d12	13.84	240	279767	20.00	ng	0.00
86) Perylene-d12	15.24	264	243491	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	278888	47.11	ng	0.00
7) Phenol-d6	6.34	99	255017	33.76	ng	-0.02
23) Nitrobenzene-d5	7.27	82	624534	106.10	ng	-0.01
41) 2,4,6-Tribromophenol	10.52	330	155252	105.61	ng	-0.01
44) 2-Fluorobiphenyl	9.06	172	1004028	101.54	ng	-0.01
78) Terphenyl-d14	12.80	244	1056124	92.65	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.46	163	44626	4.114	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092618\
Data File : BF109365.D
Acq On : 27 Sep 2018 4:30
Operator : JU/SJ
Sample : J5051-01
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
092118-SIDI-F-D-B

Quant Time: Sep 27 07:44:57 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 22 13:32:18 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 6.70 min Scan# 785

Delta R.T. -0.01 min

Lab File: BF109365.D

Acq: 27 Sep 2018 4:30

Instrument :

BNA_F

ClientSampleId :

092118-SIDI-F-D-B


Tot Ion:152 Resp: 97507

Ion Ratio Lower Upper

152 100

150 160.6 124.6 186.8




115 62.9 50.1 75.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 47.109 ng

RT: 5.32 min Scan# 549

Delta R.T. -0.00 min

Lab File: BF109365.D

Acq: 27 Sep 2018 4:30


Tgt Ion:112 Resp: 278888

Ion Ratio Lower Upper

112 100

64 54.3 47.9 71.9



63 28.9 23.7 35.5




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 33.759 ng

RT: 6.34 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF109365.D

Acq: 27 Sep 2018 4:30

Instrument :

BNA_F

ClientSampleId :

092118-SIDI-F-D-B


Tot Ion: 99 Resp: 255017

Ion Ratio Lower Upper



99 100

42 19.5 14.5 21.7

71 35.1 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.99 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF109365.D

Acq: 27 Sep 2018 4:30

Tgt Ion: 136 Resp: 347472


Ion Ratio Lower Upper

136 100



137 10.6 8.9 13.3

54 7.2 6.6 9.8

68 6.1 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 106.101 ng
 RT: 7.27 min Scan# 881
 Delta R.T. -0.01 min
 Lab File: BF109365.D
 Acq: 27 Sep 2018 4:30

Instrument :
 BNA_F
 ClientSampleId :
 092118-SIDI-F-D-B

Tot Ion	82	Resp	624534
Ion Ratio	Lower	Upper	
82	100		
128	43.5	36.1	54.1
54	48.5	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.73 min Scan# 1300
 Delta R.T. -0.01 min
 Lab File: BF109365.D
 Acq: 27 Sep 2018 4:30

Tgt Ion	164	Resp	149130
Ion Ratio	Lower	Upper	
164	100		
162	102.0	86.1	129.1
160	45.6	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 105.606 ng
 RT: 10.52 min Scan# 1434
 Delta R.T. -0.01 min
 Lab File: BF109365.D
 Acq: 27 Sep 2018 4:30




Instrument :
 BNA_F
 ClientSampleId :
 092118-SIDI-F-D-B


Tot Ion	Ratio	Lower	Upper
330	100		
332	94.5	77.0	115.6
141	32.4	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 101.540 ng
 RT: 9.06 min Scan# 1186
 Delta R.T. -0.01 min
 Lab File: BF109365.D
 Acq: 27 Sep 2018 4:30

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.8	29.7	44.5
170	24.2	19.6	29.4








#49
Dimethylphthalate
Concen: 4.114 ng
RT: 9.46 min Scan# 1253
Delta R.T. -0.02 min
Lab File: BF109365.D
Acq: 27 Sep 2018 4:30

Instrument :
BNA_F
ClientSampleId :
092118-SIDI-F-D-B

Tot Ion:163 Resp: 44626
Ion Ratio Lower Upper
163 100
194 4.0 2.7 4.1
164 9.5 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.22 min Scan# 1552
Delta R.T. -0.00 min
Lab File: BF109365.D
Acq: 27 Sep 2018 4:30

Tgt Ion:188 Resp: 266771
Ion Ratio Lower Upper
188 100
94 8.2 8.5 12.7#
80 8.8 9.2 13.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.84 min Scan# 1998

Delta R.T. -0.01 min

Lab File: BF109365.D

Acq: 27 Sep 2018 4:30

Instrument :

BNA_F

ClientSampleId :

092118-SIDI-F-D-B


Tot Ion:240 Resp: 279767

Ion Ratio Lower Upper

240 100

120 10.6 9.5 14.3



236 26.2 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 92.645 ng

RT: 12.80 min Scan# 1821

Delta R.T. -0.01 min

Lab File: BF109365.D

Acq: 27 Sep 2018 4:30


Tgt Ion:244 Resp: 1056124

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0



122 11.7 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.24 min Scan# 2236
 Delta R.T. -0.00 min
 Lab File: BF109365.D
 Acq: 27 Sep 2018 4:30

Instrument :
 BNA_F
 ClientSampleId :
 092118-SIDI-F-D-B

Tot Ion:	264	Resp:	243491
Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.2	28.8
265	22.2	17.5	26.3

