

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092717\
 Data File : BF098856.D
 Acq On : 27 Sep 2017 11:56
 Operator : SJ/JU
 Sample : PB102634BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 28 01:47:05 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 23 13:50:58 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.92	152	133077	20.00	ng	0.00
21) Naphthalene-d8	8.19	136	569042	20.00	ng	-0.01
38) Acenaphthene-d10	9.95	164	261620	20.00	ng	-0.01
63) Phenanthrene-d10	11.44	188	459357	20.00	ng	0.00
75) Chrysene-d12	14.07	240	291494	20.00	ng	-0.01
86) Perylene-d12	15.57	264	239220	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.55	112	1048815	125.46	ng	0.00
7) Phenol-d6	6.54	99	1243583	120.59	ng	0.00
23) Nitrobenzene-d5	7.47	82	765838	86.31	ng	-0.01
41) 2,4,6-Tribromophenol	10.74	330	254919	119.08	ng	-0.01
44) 2-Fluorobiphenyl	9.27	172	1416866	90.41	ng	-0.01
78) Terphenyl-d14	13.03	244	1210681	94.46	ng	0.00
Target Compounds						
9) Benzaldehyde	6.69	77	21592	3.61	ng	Qvalue 87
19) n-Nitroso-di-n-propylamine	7.47	70	99053	15.04	ng	# 77
25) Isophorone	7.47	82	765588	41.73	ng	# 64
50) 2,6-Dinitrotoluene	9.95	165	33574	7.81	ng	# 25
56) 2,4-Dinitrotoluene	9.95	165	33574	6.02	ng	# 23
66) 4-Bromophenyl-phenylether	10.74	248	17763	3.95	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092717\
Data File : BF098856.D
Acq On : 27 Sep 2017 11:56
Operator : SJ/JU
Sample : PB102634BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 28 01:47:05 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 23 13:50:58 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.92 min Scan# 821
 Delta R.T. -0.01 min
 Lab File: BF098856.D
 Acq: 27 Sep 2017 11:56

Instrument :
 BNA_F
 ClientSampleId :




Tot Ion:152 Resp: 133077
 Ion Ratio Lower Upper
 152 100
 150 159.2 124.6 186.8
 115 61.7 50.1 75.1




#5

2-Fluorophenol
 Concen: 125.46 ng
 RT: 5.55 min Scan# 588
 Delta R.T. 0.01 min
 Lab File: BF098856.D
 Acq: 27 Sep 2017 11:56

Tgt Ion:112 Resp: 1048815
 Ion Ratio Lower Upper
 112 100
 64 54.9 47.9 71.9
 63 27.0 23.7 35.5





#7

Phenol-d6

Concen: 120.59 ng

RT: 6.54 min Scan# 757

Delta R.T. -0.01 min

Lab File: BF098856.D

Acq: 27 Sep 2017 11:56

Instrument :

BNA_F

ClientSampleId :





Tot Ion: 99 Resp: 1243583

Ion Ratio Lower Upper

99 100

42 17.0 14.5 21.7

71 32.0 25.4 38.0



#9

Benzaldehyde

Concen: 3.61 ng

RT: 6.69 min Scan# 782

Delta R.T. 0.21 min

Lab File: BF098856.D

Acq: 27 Sep 2017 11:56




Tgt Ion: 77 Resp: 21592



Ion Ratio Lower Upper

77 100

105 87.3 81.1 121.1

106 82.8 74.5 114.5









#19
n-Nitroso-di-n-propylamine
Concen: 15.04 ng
RT: 7.47 min Scan# 916
Delta R.T. 0.14 min
Lab File: BF098856.D
Acq: 27 Sep 2017 11:56


Instrument :
BNA_F
ClientSampleId :


Tot Ion: 70 Resp: 99053
Ion Ratio Lower Upper
70 100
42 47.2 47.5 71.3#
101 0.0 7.4 11.2#
130 2.2 16.6 25.0#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.19 min Scan# 1038
Delta R.T. -0.01 min
Lab File: BF098856.D
Acq: 27 Sep 2017 11:56

Tgt Ion: 136 Resp: 569042
Ion Ratio Lower Upper
136 100
137 11.1 8.9 13.3
54 8.3 6.6 9.8
68 6.5 5.0 7.4





#23

Nitrobenzene-d5

Concen: 86.31 ng

RT: 7.47 min Scan# 916

Delta R.T. -0.01 min

Lab File: BF098856.D

Acq: 27 Sep 2017 11:56

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 765838

Ion Ratio Lower Upper

82 100

128 46.0 36.1 54.1




54 49.6 41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): BF0

Ion 54.00 (53.70 to 54.70): BF0



#25

Isophorone

Concen: 41.73 ng

RT: 7.47 min Scan# 916

Delta R.T. -0.27 min

Lab File: BF098856.D

Acq: 27 Sep 2017 11:56


Tgt Ion: 82 Resp: 765588

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#



138 0.0 14.9 22.3#




Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 95.00 (94.70 to 95.70): BF0

Ion 138.00 (137.70 to 138.70): BF0





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.95 min Scan# 1337

Delta R.T. -0.01 min

Lab File: BF098856.D

Acq: 27 Sep 2017 11:56

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 261620

Ion Ratio Lower Upper

164 100

162 102.3 86.1 129.1




160 45.9 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 119.08 ng

RT: 10.74 min Scan# 1471

Delta R.T. -0.01 min

Lab File: BF098856.D

Acq: 27 Sep 2017 11:56


Tgt Ion:330 Resp: 254919

Ion Ratio Lower Upper

330 100

332 96.4 77.0 115.6



141 39.7 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 90.41 ng
 RT: 9.27 min Scan# 1221
 Delta R.T. -0.01 min
 Lab File: BF098856.D
 Acq: 27 Sep 2017 11:56




Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:172 Resp: 1416866

Ion	Ratio	Lower	Upper
172	100		
171	36.0	29.7	44.5
170	24.1	19.6	29.4




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50
 2,6-Dinitrotoluene
 Concen: 7.81 ng
 RT: 9.95 min Scan# 1337
 Delta R.T. 0.21 min
 Lab File: BF098856.D
 Acq: 27 Sep 2017 11:56


Tgt Ion:165 Resp: 33574

Ion	Ratio	Lower	Upper
165	100		
63	1.1	44.7	67.1#
89	1.1	44.0	66.0#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF0
 Ion 89.00 (88.70 to 89.70): BF0









#56
 2,4-Dinitrotoluene
 Concen: 6.02 ng
 RT: 9.95 min Scan# 1337
 Delta R.T. -0.19 min
 Lab File: BF098856.D
 Acq: 27 Sep 2017 11:56




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:165 Resp: 33574
 Ion Ratio Lower Upper
 165 100
 63 1.1 36.4 54.6#
 89 1.1 57.8 86.6#
 182 0.0 1.6 2.4#



#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.44 min Scan# 1590
 Delta R.T. -0.01 min
 Lab File: BF098856.D
 Acq: 27 Sep 2017 11:56

Tgt Ion:188 Resp: 459357
 Ion Ratio Lower Upper
 188 100
 94 10.5 8.5 12.7
 80 11.4 9.2 13.8









#66
4-Bromophenyl-phenylether
Concen: 3.95 ng
RT: 10.74 min Scan# 1471
Delta R.T. -0.25 min
Lab File: BF098856.D
Acq: 27 Sep 2017 11:56

Instrument :
BNA_F
ClientSampled :

Tot Ion:248 Resp: 17763
Ion Ratio Lower Upper
248 100
250 186.2 76.9 115.3#
141 532.5 74.4 111.6#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.07 min Scan# 2038
Delta R.T. -0.01 min
Lab File: BF098856.D
Acq: 27 Sep 2017 11:56

Tgt Ion:240 Resp: 291494
Ion Ratio Lower Upper
240 100
120 15.1 9.5 14.3#
236 25.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 94.46 ng
 RT: 13.03 min Scan# 1860
 Delta R.T. -0.01 min
 Lab File: BF098856.D
 Acq: 27 Sep 2017 11:56

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:244 Resp: 1210681
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.4 8.0
 122 12.2 11.0 16.4



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.57 min Scan# 2292
 Delta R.T. -0.01 min
 Lab File: BF098856.D
 Acq: 27 Sep 2017 11:56

Tgt Ion:264 Resp: 239220
 Ion Ratio Lower Upper
 264 100
 260 24.3 19.2 28.8
 265 21.5 17.5 26.3

