

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092817\
 Data File : BF098905.D
 Acq On : 28 Sep 2017 13:41
 Operator : SJ/JU
 Sample : I5447-04
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Sep 29 00:40:59 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 23 13:50:58 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.92	152	134147	20.00	ng	0.00
21) Naphthalene-d8	8.20	136	560718	20.00	ng	0.00
38) Acenaphthene-d10	9.95	164	253686	20.00	ng	-0.01
63) Phenanthrene-d10	11.44	188	456325	20.00	ng	0.00
75) Chrysene-d12	14.07	240	266612	20.00	ng	-0.01
86) Perylene-d12	15.57	264	234472	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.54	112	1074121	127.46	ng	0.00
7) Phenol-d6	6.54	99	1308069	125.83	ng	0.00
23) Nitrobenzene-d5	7.48	82	808882	92.51	ng	0.00
41) 2,4,6-Tribromophenol	10.75	330	269208	129.69	ng	0.00
44) 2-Fluorobiphenyl	9.27	172	1381610	90.92	ng	0.00
78) Terphenyl-d14	13.03	244	1165985	99.46	ng	0.00
Target Compounds						Qvalue
9) Benzaldehyde	6.69	77	23610	3.92	ng	81
10) Phenol	6.55	94	26891	2.31	ng	92
19) n-Nitroso-di-n-propylamine	7.47	70	108702	16.38	ng	# 77
25) Isophorone	7.48	82	806886	44.64	ng	# 64
49) Dimethylphthalate	9.66	163	311857	16.29	ng	99
56) 2,4-Dinitrotoluene	9.95	165	32578	6.02	ng	# 23
66) 4-Bromophenyl-phenylether	10.75	248	19341	4.33	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF092817\
Data File : BF098905.D
Acq On : 28 Sep 2017 13:41
Operator : SJ/JU
Sample : I5447-04
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Sep 29 00:40:59 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092317.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 23 13:50:58 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.92 min Scan# 821
Delta R.T. -0.01 min
Lab File: BF098905.D
Acq: 28 Sep 2017 13:41

Instrument :
BNA_F
ClientSampleId :




Tot Ion:152 Resp: 134147
Ion Ratio Lower Upper
152 100
150 154.1 124.6 186.8
115 59.0 50.1 75.1




#5

2-Fluorophenol
Concen: 127.46 ng
RT: 5.54 min Scan# 587
Delta R.T. -0.00 min
Lab File: BF098905.D
Acq: 28 Sep 2017 13:41

Tgt Ion:112 Resp: 1074121
Ion Ratio Lower Upper
112 100
64 58.5 47.9 71.9
63 29.1 23.7 35.5





#7

Phenol-d6

Concen: 125.83 ng

RT: 6.54 min Scan# 757

Delta R.T. -0.01 min

Lab File: BF098905.D

Acq: 28 Sep 2017 13:41

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 1308069

Ion Ratio Lower Upper




99 100

42 17.8 14.5 21.7

71 32.1 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF0
Ion 42.00 (41.70 to 42.70): BF0
Ion 71.00 (70.70 to 71.70): BF0



#9

Benzaldehyde

Concen: 3.92 ng

RT: 6.69 min Scan# 782

Delta R.T. 0.21 min

Lab File: BF098905.D

Acq: 28 Sep 2017 13:41


Tgt Ion: 77 Resp: 23610

Ion Ratio Lower Upper



77 100


105 82.2 81.1 121.1

106 75.1 74.5 114.5



Abundance Ion 77.00 (76.70 to 77.70): BF0
Ion 105.00 (104.70 to 105.70): BF0
Ion 106.00 (105.70 to 106.70): BF0





#10

Phenol

Concen: 2.31 ng

RT: 6.55 min Scan# 759

Delta R.T. -0.01 min

Lab File: BF098905.D

Acq: 28 Sep 2017 13:41

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 94 Resp: 26891

Ion Ratio Lower Upper

94 100

65 30.2 7.9 47.9




66 42.7 16.2 56.2



Abundance Ion 94.00 (93.70 to 94.70): BF0

Ion 65.00 (64.70 to 65.70): BF0

Ion 66.00 (65.70 to 66.70): BF0



#19

n-Nitroso-di-n-propylamine

Concen: 16.38 ng

RT: 7.47 min Scan# 916

Delta R.T. 0.14 min

Lab File: BF098905.D

Acq: 28 Sep 2017 13:41

Tgt Ion: 70 Resp: 108702


Ion Ratio Lower Upper

70 100

42 47.3 47.5 71.3#

101 0.0 7.4 11.2#

130 2.2 16.6 25.0#






Abundance Ion 70.00 (69.70 to 70.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 101.00 (100.70 to 101.70): BF0

Ion 130.00 (129.70 to 130.70): BF0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.20 min Scan# 1039
Delta R.T. -0.01 min
Lab File: BF098905.D
Acq: 28 Sep 2017 13:41

Instrument :
BNA_F
ClientSampled :

Tot Ion:136	Resp:	560718
Ion Ratio	Lower	Upper
136	100	
137	10.8	8.9 13.3
54	7.1	6.6 9.8
68	5.7	5.0 7.4




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF0
Ion 68.00 (67.70 to 68.70): BF0






#23
Nitrobenzene-d5
Concen: 92.51 ng
RT: 7.48 min Scan# 917
Delta R.T. -0.01 min
Lab File: BF098905.D
Acq: 28 Sep 2017 13:41

Tgt Ion: 82	Resp:	808882
Ion Ratio	Lower	Upper
82	100	
128	48.8	36.1 54.1
54	49.4	41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF0
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF0





#25

Isophorone

Concen: 44.64 ng

RT: 7.48 min Scan# 917

Delta R.T. -0.26 min

Lab File: BF098905.D

Acq: 28 Sep 2017 13:41

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 806886

Ion Ratio Lower Upper

82 100

95 0.0 5.2 7.8#

138 0.0 14.9 22.3#






Abundance Ion 82.00 (81.70 to 82.70): BF098679.D (-956) (-)

Ion 95.00 (94.70 to 95.70): BF098679.D (-956) (-)

Ion 138.00 (137.70 to 138.70): BF098679.D (-956) (-)

Time-->



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.95 min Scan# 1337

Delta R.T. -0.01 min

Lab File: BF098905.D

Acq: 28 Sep 2017 13:41


Tgt Ion: 164 Resp: 253686

Ion Ratio Lower Upper

164 100

162 105.9 86.1 129.1

160 46.6 38.3 57.5






Abundance Ion 164.00 (163.70 to 164.70): BF098679.D (-1334) (-)

Ion 162.00 (161.70 to 162.70): BF098679.D (-1334) (-)

Ion 160.00 (159.70 to 160.70): BF098679.D (-1334) (-)

Time-->









#41
 2,4,6-Tribromophenol
 Concen: 129.69 ng
 RT: 10.75 min Scan# 1472
 Delta R.T. -0.01 min
 Lab File: BF098905.D
 Acq: 28 Sep 2017 13:41




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.2	77.0	115.6
141	41.5	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 90.92 ng
 RT: 9.27 min Scan# 1222
 Delta R.T. -0.01 min
 Lab File: BF098905.D
 Acq: 28 Sep 2017 13:41

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	29.7	44.5
170	24.3	19.6	29.4









#49
Dimethylphthalate
Concen: 16.29 ng
RT: 9.66 min Scan# 1288
Delta R.T. -0.02 min
Lab File: BF098905.D
Acq: 28 Sep 2017 13:41




Instrument :
BNA_F
ClientSampleId :


Tot Ion:163	Resp:	311857
Ion Ratio	Lower	Upper
163	100	
194	3.2	2.7 4.1
164	9.6	8.2 12.2



#56
2,4-Dinitrotoluene
Concen: 6.02 ng
RT: 9.95 min Scan# 1337
Delta R.T. -0.19 min
Lab File: BF098905.D
Acq: 28 Sep 2017 13:41

Tgt Ion:165	Resp:	32578
Ion Ratio	Lower	Upper
165	100	
63	1.2	36.4 54.6#
89	1.4	57.8 86.6#
182	0.0	1.6 2.4#









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.44 min Scan# 1590
 Delta R.T. -0.01 min
 Lab File: BF098905.D
 Acq: 28 Sep 2017 13:41

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
188	100		
94	10.7	8.5	12.7
80	11.3	9.2	13.8




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF0
 Ion 80.00 (79.70 to 80.70): BF0






#66
 4-Bromophenyl-phenylether
 Concen: 4.33 ng
 RT: 10.75 min Scan# 1472
 Delta R.T. -0.25 min
 Lab File: BF098905.D
 Acq: 28 Sep 2017 13:41

Tgt Ion	Ratio	Lower	Upper
248	100		
250	176.7	76.9	115.3#
141	513.7	74.4	111.6#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.07 min Scan# 2038

Delta R.T. -0.01 min

Lab File: BF098905.D


Acq: 28 Sep 2017 13:41

Instrument :

BNA_F

ClientSampleId :




Tot Ion	Ratio	Lower	Upper
240	100		
120	15.4	9.5	14.3
236	25.4	20.7	31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 99.46 ng


RT: 13.03 min Scan# 1860

Delta R.T. -0.01 min

Lab File: BF098905.D

Acq: 28 Sep 2017 13:41



Tgt Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.4	8.0
122	13.2	11.0	16.4






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.00 ng
 RT: 15.57 min Scan# 2292
 Delta R.T. -0.01 min
 Lab File: BF098905.D
 Acq: 28 Sep 2017 13:41

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:	264	Resp:	234472
Ion Ratio	Lower	Upper	
264	100		
260	24.2	19.2	28.8
265	21.3	17.5	26.3

