

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF093022\
 Data File : BF130483.D
 Acq On : 30 Sep 2022 14:36
 Operator : CG\JU
 Sample : N4898-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CRUSHED-MASONRY-PILE-11

Quant Time: Oct 01 01:35:07 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 28 02:59:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.634	152	114340	20.000	ng	-0.01
21) Naphthalene-d8	7.916	136	446463	20.000	ng	-0.01
39) Acenaphthene-d10	9.669	164	232299	20.000	ng	-0.01
64) Phenanthrene-d10	11.151	188	388997	20.000	ng	0.00
76) Chrysene-d12	13.780	240	223001	20.000	ng	-0.01
86) Perylene-d12	15.168	264	221942	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.245	112	42195	6.401	ng	0.00
7) Phenol-d6	6.275	99	421991	51.160	ng	-0.02
23) Nitrobenzene-d5	7.204	82	528150	60.436	ng	-0.01
42) 2,4,6-Tribromophenol	10.457	330	259	0.116	ng	-0.01
45) 2-Fluorobiphenyl	8.998	172	1049088	65.763	ng	-0.01
79) Terphenyl-d14	12.733	244	998596	74.177	ng	-0.01
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.204	70	69520	12.490	ng	# 73
25) Isophorone	7.204	82	527000	37.415	ng	# 66
50) Dimethylphthalate	9.669	163	41593	2.592	ng	# 1
51) 2,6-Dinitrotoluene	9.669	165	29612	8.824	ng	# 16
57) 2,4-Dinitrotoluene	9.669	165	29613	6.905	ng	# 16
75) Fluoranthene	12.357	202	47890	2.269	ng	95
78) Pyrene	12.580	202	39229	2.011	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF093022\
Data File : BF130483.D
Acq On : 30 Sep 2022 14:36
Operator : CG\JU
Sample : N4898-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CRUSHED-MASONRY-PILE-11

Quant Time: Oct 01 01:35:07 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 28 02:59:31 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.634 min Scan# 71
Delta R.T. -0.011 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36




Instrument :
BNA_F
ClientSampleId :
CRUSHED-MASONRY-PILE-11


Tgt Ion:152 Resp: 114340
Ion Ratio Lower Upper
152 100
150 156.2 122.8 184.2
115 66.4 53.8 80.8



#5
2-Fluorophenol
Concen: 6.401 ng
RT: 5.245 min Scan# 537
Delta R.T. 0.000 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36

Tgt Ion:112 Resp: 42195
Ion Ratio Lower Upper
112 100
64 52.2 51.4 77.0
63 30.1 28.8 43.2









#7
Phenol-d6
Concen: 51.160 ng
RT: 6.275 min Scan# 71
Delta R.T. -0.018 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36




Instrument :
BNA_F
ClientSampleId :
CRUSHED-MASONRY-PILE-11


Tgt Ion: 99 Resp: 421991
Ion Ratio Lower Upper
99 100
42 18.2 17.0 25.6
71 37.3 32.3 48.5



#19
n-Nitroso-di-n-propylamine
Concen: 12.490 ng
RT: 7.204 min Scan# 870
Delta R.T. 0.135 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36

Tgt Ion: 70 Resp: 69520
Ion Ratio Lower Upper
70 100
42 46.2 50.8 76.2#
101 0.0 8.2 12.4#
130 2.3 16.6 25.0#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.916 min Scan# 91
Delta R.T. -0.012 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36




Instrument :
BNA_F
ClientSampleId :
CRUSHED-MASONRY-PILE-11


Tgt Ion:136 Resp: 446463
Ion Ratio Lower Upper
136 100
137 11.3 9.1 13.7
54 7.4 7.1 10.7
68 5.2 4.5 6.7



#23
Nitrobenzene-d5
Concen: 60.436 ng
RT: 7.204 min Scan# 870
Delta R.T. -0.012 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36

Tgt Ion: 82 Resp: 528150
Ion Ratio Lower Upper
82 100
128 45.7 32.6 49.0
54 48.6 43.8 65.6









#25
Isophorone
Concen: 37.415 ng
RT: 7.204 min Scan# 81
Delta R.T. -0.271 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36




Instrument :
BNA_F
ClientSampleId :
CRUSHED-MASONRY-PILE-11


Tgt Ion: 82 Resp: 527000
Ion Ratio Lower Upper
82 100
95 0.0 6.4 9.6#
138 0.0 13.8 20.6#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.669 min Scan# 1289
Delta R.T. -0.012 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36

Tgt Ion: 164 Resp: 232299
Ion Ratio Lower Upper
164 100
162 100.1 81.4 122.0
160 44.6 36.2 54.4





#42

2,4,6-Tribromophenol

Concen: 0.116 ng

RT: 10.457 min Scan# 1423

Delta R.T. -0.012 min

Lab File: BF130483.D


Acq: 30 Sep 2022 14:36

Instrument :

BNA_F

ClientSampleId :

CRUSHED-MASONRY-PILE-11






Tgt Ion:330 Resp: 259

Ion Ratio Lower Upper

330 100

332 142.9 83.4 125.2#

141 0.0 34.0 51.0#



#45

2-Fluorobiphenyl

Concen: 65.763 ng

RT: 8.998 min Scan# 1175

Delta R.T. -0.012 min

Lab File: BF130483.D

Acq: 30 Sep 2022 14:36




Tgt Ion:172 Resp: 1049088


Ion Ratio Lower Upper

172 100

171 34.9 28.3 42.5

170 23.7 18.7 28.1









#50
Dimethylphthalate
Concen: 2.592 ng
RT: 9.669 min Scan# 1289
Delta R.T. 0.253 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36




Instrument :
BNA_F
ClientSampleId :
CRUSHED-MASONRY-PILE-11


Tgt Ion:163 Resp: 41593
Ion Ratio Lower Upper
163 100
194 0.0 2.8 4.2#
164 537.0 8.2 12.2#



#51
2,6-Dinitrotoluene
Concen: 8.824 ng
RT: 9.669 min Scan# 1289
Delta R.T. 0.194 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36


Tgt Ion:165 Resp: 29612
Ion Ratio Lower Upper
165 100
63 0.7 58.8 88.2#
89 1.6 54.5 81.7#








#57
2,4-Dinitrotoluene
Concen: 6.905 ng
RT: 9.669 min Scan# 1289
Delta R.T. -0.206 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36

Instrument :
BNA_F
ClientSampleId :
CRUSHED-MASONRY-PILE-11







Tgt Ion:165 Resp: 29613
Ion Ratio Lower Upper
165 100
63 0.7 44.7 67.1#
89 1.6 69.0 103.4#
182 0.0 1.9 2.9#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.151 min Scan# 1541
Delta R.T. -0.006 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36

Tgt Ion:188 Resp: 388997
Ion Ratio Lower Upper
188 100
94 7.9 7.4 11.2
80 8.2 7.9 11.9









#75
Fluoranthene
Concen: 2.269 ng
RT: 12.357 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36




Instrument :
BNA_F
ClientSampleId :
CRUSHED-MASONRY-PILE-11


Tgt Ion:202 Resp: 47890
Ion Ratio Lower Upper
202 100
101 9.4 0.0 31.8
203 16.1 0.0 37.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.780 min Scan# 1988
Delta R.T. -0.012 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36

Tgt Ion:240 Resp: 223001
Ion Ratio Lower Upper
240 100
120 9.4 8.7 13.1
236 26.0 20.9 31.3









#78
 Pyrene
 Concen: 2.011 ng
 RT: 12.580 min Scan# 11
 Delta R.T. -0.012 min
 Lab File: BF130483.D
 Acq: 30 Sep 2022 14:36




Instrument :
 BNA_F
 ClientSampleId :
 CRUSHED-MASONRY-PILE-11


Tgt Ion:202 Resp: 39229
 Ion Ratio Lower Upper
 202 100
 200 22.1 17.2 25.8
 203 19.9 14.3 21.5



#79
 Terphenyl-d14
 Concen: 74.177 ng
 RT: 12.733 min Scan# 1810
 Delta R.T. -0.012 min
 Lab File: BF130483.D
 Acq: 30 Sep 2022 14:36


Tgt Ion:244 Resp: 998596
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.9 8.9
 122 11.8 8.5 12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.168 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF130483.D
Acq: 30 Sep 2022 14:36

Instrument :
BNA_F
ClientSampleId :
CRUSHED-MASONRY-PILE-11



Tgt Ion:264 Resp: 221942

Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.3	28.9
265	20.9	17.0	25.4

