

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF100115\
 Data File : BF081960.D
 Acq On : 2 Oct 2015 1:44
 Operator : UM/IZ
 Sample : G3857-09
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 A1-COMP

Quant Time: Oct 02 08:05:24 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 28 18:10:42 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	114180	20.00	ng	-0.03
21) Naphthalene-d8	8.18	136	462865	20.00	ng	-0.03
38) Acenaphthene-d10	9.93	164	229036	20.00	ng	-0.05
63) Phenanthrene-d10	11.42	188	464585	20.00	ng	-0.05
75) Chrysene-d12	14.06	240	437484	20.00	ng	-0.06
86) Perylene-d12	15.51	264	298141	20.00	ng	-0.07
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	766885	121.93	ng	-0.01
7) Phenol-d6	6.53	99	850853	107.50	ng	-0.03
23) Nitrobenzene-d5	7.46	82	645581	92.97	ng	-0.03
41) 2,4,6-Tribromophenol	10.73	330	312758	134.83	ng	-0.03
44) 2-Fluorobiphenyl	9.26	172	1237568	91.85	ng	-0.05
78) Terphenyl-d14	13.01	244	1350752	107.38	ng	-0.05


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF100115\
Data File : BF081960.D
Acq On : 2 Oct 2015 1:44
Operator : UM/IZ
Sample : G3857-09
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
A1-COMP

Quant Time: Oct 02 08:05:24 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 28 18:10:42 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.90 min Scan# 417
 Delta R.T. -0.03 min
 Lab File: BF081960.D
 Acq: 2 Oct 2015 1:44

Instrument :
 BNA_F
 ClientSampleId :
 A1-COMP

Tgt Ion:152 Resp: 114180
 Ion Ratio Lower Upper
 152 100
 150 151.0 124.7 187.1
 115 47.7 39.0 58.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E






#5
 2-Fluorophenol
 Concen: 121.93 ng
 RT: 5.51 min Scan# 295
 Delta R.T. -0.01 min
 Lab File: BF081960.D
 Acq: 2 Oct 2015 1:44

Tgt Ion:112 Resp: 766885
 Ion Ratio Lower Upper
 112 100
 64 52.1 39.7 59.5
 63 27.3 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 107.50 ng

RT: 6.53 min Scan# 384

Delta R.T. -0.03 min

Lab File: BF081960.D

Acq: 2 Oct 2015 1:44

Instrument :

BNA_F

ClientSampleId :

A1-COMP


Tgt Ion: 99 Resp: 850853

Ion Ratio Lower Upper

99 100

42 18.3 13.7 20.5




71 34.3 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.18 min Scan# 529

Delta R.T. -0.03 min

Lab File: BF081960.D

Acq: 2 Oct 2015 1:44

Tgt Ion: 136 Resp: 462865


Ion Ratio Lower Upper

136 100

137 10.7 9.0 13.6

54 7.0 8.2 12.2#

68 4.8 5.8 8.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0





#23

Nitrobenzene-d5

Concen: 92.97 ng

RT: 7.46 min Scan# 466

Delta R.T. -0.03 min

Lab File: BF081960.D

Acq: 2 Oct 2015 1:44

Instrument :

BNA_F

ClientSampleId :

A1-COMP


Tgt Ion: 82 Resp: 645581

Ion Ratio Lower Upper

82 100

128 43.1 51.0 76.6#




54 54.6 47.5 71.3



Abundance Ion 82.00 (81.70 to 82.70): BF0

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF0



#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.93 min Scan# 682

Delta R.T. -0.05 min

Lab File: BF081960.D

Acq: 2 Oct 2015 1:44


Tgt Ion: 164 Resp: 229036

Ion Ratio Lower Upper

164 100

162 103.6 75.2 112.8



160 45.1 31.5 47.3




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 134.83 ng
 RT: 10.73 min Scan# 752
 Delta R.T. -0.03 min
 Lab File: BF081960.D
 Acq: 2 Oct 2015 1:44

Instrument :
 BNA_F
 ClientSampleId :
 A1-COMP

Tgt Ion:330 Resp: 312758
 Ion Ratio Lower Upper
 330 100
 332 96.7 76.6 114.8
 141 31.9 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 91.85 ng
 RT: 9.26 min Scan# 623
 Delta R.T. -0.05 min
 Lab File: BF081960.D
 Acq: 2 Oct 2015 1:44

Tgt Ion:172 Resp: 1237568
 Ion Ratio Lower Upper
 172 100
 171 36.7 26.1 39.1
 170 24.9 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.42 min Scan# 812
Delta R.T. -0.05 min
Lab File: BF081960.D
Acq: 2 Oct 2015 1:44




Instrument :
BNA_F
ClientSampleId :
A1-COMP


Tgt Ion:188 Resp: 464585
Ion Ratio Lower Upper
188 100
94 9.9 11.1 16.7#
80 10.6 11.0 16.4#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.06 min Scan# 1043
Delta R.T. -0.06 min
Lab File: BF081960.D
Acq: 2 Oct 2015 1:44

Tgt Ion:240 Resp: 437484
Ion Ratio Lower Upper
240 100
120 9.1 16.2 24.2#
236 26.0 18.4 27.6









#78
 Terphenyl-d14
 Concen: 107.38 ng
 RT: 13.01 min Scan# 951
 Delta R.T. -0.05 min
 Lab File: BF081960.D
 Acq: 2 Oct 2015 1:44

Instrument :
 BNA_F
 ClientSampleId :
 A1-COMP

Tgt Ion:244 Resp: 1350752
 Ion Ratio Lower Upper
 244 100
 212 7.9 4.3 6.5#
 122 11.7 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.51 min Scan# 1170
 Delta R.T. -0.07 min
 Lab File: BF081960.D
 Acq: 2 Oct 2015 1:44

Tgt Ion:264 Resp: 298141
 Ion Ratio Lower Upper
 264 100
 260 24.0 16.7 25.1
 265 20.9 17.2 25.8

