

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF100115\
 Data File : BF081963.D
 Acq On : 2 Oct 2015 3:15
 Operator : UM/IZ
 Sample : G3857-10
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 A2-COMP

Quant Time: Oct 02 08:24:59 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 28 18:10:42 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	109327	20.00	ng	-0.03
21) Naphthalene-d8	8.18	136	448083	20.00	ng	-0.03
38) Acenaphthene-d10	9.93	164	201225	20.00	ng	-0.05
63) Phenanthrene-d10	11.42	188	449087	20.00	ng	-0.05
75) Chrysene-d12	14.06	240	383121	20.00	ng	-0.06
86) Perylene-d12	15.50	264	92324	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	752364	124.93	ng	-0.02
7) Phenol-d6	6.53	99	862842	113.86	ng	-0.03
23) Nitrobenzene-d5	7.46	82	652625	97.09	ng	-0.03
41) 2,4,6-Tribromophenol	10.73	330	316950	155.53	ng	-0.03
44) 2-Fluorobiphenyl	9.26	172	1251159	110.34	ng	-0.05
78) Terphenyl-d14	13.01	244	1300702	125.84	ng	-0.05


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF100115\
Data File : BF081963.D
Acq On : 2 Oct 2015 3:15
Operator : UM/IZ
Sample : G3857-10
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
A2-COMP

Quant Time: Oct 02 08:24:59 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 28 18:10:42 2015
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.90 min Scan# 417
 Delta R.T. -0.03 min
 Lab File: BF081963.D
 Acq: 2 Oct 2015 3:15




Instrument :
 BNA_F
 ClientSampleId :
 A2-COMP


Tgt Ion:152 Resp: 109327
 Ion Ratio Lower Upper
 152 100
 150 154.0 124.7 187.1
 115 47.7 39.0 58.4



#5
 2-Fluorophenol
 Concen: 124.93 ng
 RT: 5.50 min Scan# 294
 Delta R.T. -0.02 min
 Lab File: BF081963.D
 Acq: 2 Oct 2015 3:15

Tgt Ion:112 Resp: 752364
 Ion Ratio Lower Upper
 112 100
 64 65.7 39.7 59.5#
 63 34.3 17.4 26.0#





#7

Phenol-d6

Concen: 113.86 ng

RT: 6.53 min Scan# 384

Delta R.T. -0.03 min

Lab File: BF081963.D

Acq: 2 Oct 2015 3:15

Instrument :

BNA_F

ClientSampleId :

A2-COMP


Tgt Ion: 99 Resp: 862842

Ion Ratio Lower Upper

99 100

42 18.1 13.7 20.5




71 34.4 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.18 min Scan# 529

Delta R.T. -0.03 min

Lab File: BF081963.D

Acq: 2 Oct 2015 3:15

Tgt Ion: 136 Resp: 448083


Ion Ratio Lower Upper

136 100

137 10.8 9.0 13.6

54 6.8 8.2 12.2#

68 4.7 5.8 8.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 97.09 ng
 RT: 7.46 min Scan# 466
 Delta R.T. -0.03 min
 Lab File: BF081963.D
 Acq: 2 Oct 2015 3:15




Instrument :
 BNA_F
 ClientSampleId :
 A2-COMP


Tgt Ion: 82 Resp: 652625
 Ion Ratio Lower Upper
 82 100
 128 44.3 51.0 76.6#
 54 54.3 47.5 71.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.93 min Scan# 682
 Delta R.T. -0.05 min
 Lab File: BF081963.D
 Acq: 2 Oct 2015 3:15

Tgt Ion: 164 Resp: 201225
 Ion Ratio Lower Upper
 164 100
 162 105.4 75.2 112.8
 160 47.2 31.5 47.3









#41
 2,4,6-Tribromophenol
 Concen: 155.53 ng
 RT: 10.73 min Scan# 752
 Delta R.T. -0.03 min
 Lab File: BF081963.D
 Acq: 2 Oct 2015 3:15

Instrument :
 BNA_F
 ClientSampleId :
 A2-COMP

Tgt Ion:330 Resp: 316950
 Ion Ratio Lower Upper
 330 100
 332 98.0 76.6 114.8
 141 30.9 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 110.34 ng
 RT: 9.26 min Scan# 623
 Delta R.T. -0.05 min
 Lab File: BF081963.D
 Acq: 2 Oct 2015 3:15

Tgt Ion:172 Resp: 1251159
 Ion Ratio Lower Upper
 172 100
 171 37.2 26.1 39.1
 170 25.2 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.42 min Scan# 812
 Delta R.T. -0.05 min
 Lab File: BF081963.D
 Acq: 2 Oct 2015 3:15




Instrument :
 BNA_F
 ClientSampleId :
 A2-COMP


Tgt Ion:188 Resp: 449087
 Ion Ratio Lower Upper
 188 100
 94 9.0 11.1 16.7#
 80 10.3 11.0 16.4#



#75
 Chrysene-d12
 Concen: 20.00 ng
 RT: 14.06 min Scan# 1043
 Delta R.T. -0.06 min
 Lab File: BF081963.D
 Acq: 2 Oct 2015 3:15

Tgt Ion:240 Resp: 383121
 Ion Ratio Lower Upper
 240 100
 120 8.5 16.2 24.2#
 236 26.5 18.4 27.6









#78
 Terphenyl-d14
 Concen: 125.84 ng
 RT: 13.01 min Scan# 951
 Delta R.T. -0.05 min
 Lab File: BF081963.D
 Acq: 2 Oct 2015 3:15

Instrument :
 BNA_F
 ClientSampleId :
 A2-COMP

Tgt Ion:244 Resp: 1300702
 Ion Ratio Lower Upper
 244 100
 212 7.9 4.3 6.5#
 122 11.2 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.50 min Scan# 1169
 Delta R.T. -0.08 min
 Lab File: BF081963.D
 Acq: 2 Oct 2015 3:15

Tgt Ion:264 Resp: 92324
 Ion Ratio Lower Upper
 264 100
 260 26.8 16.7 25.1#
 265 20.5 17.2 25.8

