

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF100115\
 Data File : BF081964.D
 Acq On : 2 Oct 2015 3:45
 Operator : UM/IZ
 Sample : G3857-11
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 A3-COMP

Quant Time: Oct 02 08:28:33 2015
 Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 28 18:10:42 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	113150	20.00	ng	-0.03
21) Naphthalene-d8	8.18	136	468277	20.00	ng	-0.03
38) Acenaphthene-d10	9.93	164	233683	20.00	ng	-0.05
63) Phenanthrene-d10	11.42	188	473646	20.00	ng	-0.05
75) Chrysene-d12	14.06	240	422967	20.00	ng	-0.06
86) Perylene-d12	15.50	264	305988	20.00	ng	-0.08
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	757386	121.51	ng	-0.01
7) Phenol-d6	6.53	99	866628	110.49	ng	-0.03
23) Nitrobenzene-d5	7.46	82	633574	90.19	ng	-0.03
41) 2,4,6-Tribromophenol	10.73	330	314694	132.97	ng	-0.03
44) 2-Fluorobiphenyl	9.26	172	1242827	90.03	ng	-0.05
78) Terphenyl-d14	13.01	244	1297957	106.36	ng	-0.05


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_F\DATA\BF100115\
Data File : BF081964.D
Acq On : 2 Oct 2015 3:45
Operator : UM/IZ
Sample : G3857-11
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
A3-COMP

Quant Time: Oct 02 08:28:33 2015
Quant Method : Z:\HPCHEM1\BNA_F\METHODS\8270-BF092815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 28 18:10:42 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.00 ng
 RT: 6.90 min Scan# 417
 Delta R.T. -0.03 min
 Lab File: BF081964.D
 Acq: 2 Oct 2015 3:45

Instrument :
 BNA_F
 ClientSampleId :
 A3-COMP

Tgt Ion:152 Resp: 113150
 Ion Ratio Lower Upper
 152 100
 150 152.9 124.7 187.1
 115 48.2 39.0 58.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 121.51 ng
 RT: 5.51 min Scan# 295
 Delta R.T. -0.01 min
 Lab File: BF081964.D
 Acq: 2 Oct 2015 3:45

Tgt Ion:112 Resp: 757386
 Ion Ratio Lower Upper
 112 100
 64 50.6 39.7 59.5
 63 26.4 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF0
 Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 110.49 ng

RT: 6.53 min Scan# 384

Delta R.T. -0.03 min

Lab File: BF081964.D

Acq: 2 Oct 2015 3:45

Instrument :

BNA_F

ClientSampled :

A3-COMP


Tgt Ion: 99 Resp: 866628

Ion Ratio Lower Upper

99 100

42 18.2 13.7 20.5




71 34.9 14.2 21.2#



Abundance Ion 99.00 (98.70 to 99.70): BF0

Ion 42.00 (41.70 to 42.70): BF0

Ion 71.00 (70.70 to 71.70): BF0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.18 min Scan# 529

Delta R.T. -0.03 min

Lab File: BF081964.D

Acq: 2 Oct 2015 3:45

Tgt Ion: 136 Resp: 468277


Ion Ratio Lower Upper

136 100

137 10.9 9.0 13.6

54 7.0 8.2 12.2#

68 4.7 5.8 8.6#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF0

Ion 68.00 (67.70 to 68.70): BF0









#23
 Nitrobenzene-d5
 Concen: 90.19 ng
 RT: 7.46 min Scan# 466
 Delta R.T. -0.03 min
 Lab File: BF081964.D
 Acq: 2 Oct 2015 3:45




Instrument :
 BNA_F
 ClientSampleId :
 A3-COMP

Tgt Ion: 82 Resp: 633574
 Ion Ratio Lower Upper
 82 100
 128 43.9 51.0 76.6#
 54 55.1 47.5 71.3



#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.93 min Scan# 682
 Delta R.T. -0.05 min
 Lab File: BF081964.D
 Acq: 2 Oct 2015 3:45

Tgt Ion: 164 Resp: 233683
 Ion Ratio Lower Upper
 164 100
 162 103.2 75.2 112.8
 160 45.2 31.5 47.3









#41
 2,4,6-Tribromophenol
 Concen: 132.97 ng
 RT: 10.73 min Scan# 752
 Delta R.T. -0.03 min
 Lab File: BF081964.D
 Acq: 2 Oct 2015 3:45

Instrument :
 BNA_F
 ClientSampled :
 A3-COMP

Tgt Ion:330 Resp: 314694
 Ion Ratio Lower Upper
 330 100
 332 95.9 76.6 114.8
 141 31.7 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 90.03 ng
 RT: 9.26 min Scan# 623
 Delta R.T. -0.05 min
 Lab File: BF081964.D
 Acq: 2 Oct 2015 3:45

Tgt Ion:172 Resp: 1242827
 Ion Ratio Lower Upper
 172 100
 171 36.9 26.1 39.1
 170 24.9 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.42 min Scan# 812
Delta R.T. -0.05 min
Lab File: BF081964.D
Acq: 2 Oct 2015 3:45




Instrument :
BNA_F
ClientSampleId :
A3-COMP


Tgt Ion:188 Resp: 473646
Ion Ratio Lower Upper
188 100
94 9.2 11.1 16.7#
80 9.8 11.0 16.4#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.06 min Scan# 1043
Delta R.T. -0.06 min
Lab File: BF081964.D
Acq: 2 Oct 2015 3:45

Tgt Ion:240 Resp: 422967
Ion Ratio Lower Upper
240 100
120 8.3 16.2 24.2#
236 26.5 18.4 27.6









#78
 Terphenyl-d14
 Concen: 106.36 ng
 RT: 13.01 min Scan# 951
 Delta R.T. -0.05 min
 Lab File: BF081964.D
 Acq: 2 Oct 2015 3:45

Instrument :
 BNA_F
 ClientSampleId :
 A3-COMP

Tgt Ion:244 Resp: 1297957
 Ion Ratio Lower Upper
 244 100
 212 8.0 4.3 6.5#
 122 11.7 17.4 26.2#



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.50 min Scan# 1169
 Delta R.T. -0.08 min
 Lab File: BF081964.D
 Acq: 2 Oct 2015 3:45

Tgt Ion:264 Resp: 305988
 Ion Ratio Lower Upper
 264 100
 260 23.5 16.7 25.1
 265 21.6 17.2 25.8

