

Data Path : Z:\HPCHEM1\BNA F\DATA\BF100215\
 Data File : BF081986.D
 Acq On : 2 Oct 2015 18:34
 Operator : UM/IZ
 Sample : G3857-10RE
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 A2-COMPRE

Quant Time: Oct 03 06:58:39 2015
 Quant Method : H:\HPCHEM1\BNA F\Method\8270-BF092815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 28 18:10:42 2015
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	99097	20.00	ng	-0.05
21) Naphthalene-d8	8.17	136	413052	20.00	ng	-0.05
38) Acenaphthene-d10	9.93	164	196609	20.00	ng	-0.05
63) Phenanthrene-d10	11.43	188	410846	20.00	ng	-0.03
75) Chrysene-d12	14.07	240	395279	20.00	ng	-0.05
86) Perylene-d12	15.53	264	115757	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	661011	121.09	ng	-0.03
7) Phenol-d6	6.51	99	762627	111.02	ng	-0.05
23) Nitrobenzene-d5	7.45	82	568824	91.80	ng	-0.05
41) 2,4,6-Tribromophenol	10.73	330	310186	155.78	ng	-0.03
44) 2-Fluorobiphenyl	9.26	172	1253860	114.22	ng	-0.05
78) Terphenyl-d14	13.02	244	1295831	118.39	ng	-0.03


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF100215\
Data File : BF081986.D
Acq On : 2 Oct 2015 18:34
Operator : UM/IZ
Sample : G3857-10RE
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
A2-COMPRE

Quant Time: Oct 03 06:58:39 2015
Quant Method : H:\HPCHEM1\BNA F\Method\8270-BF092815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 28 18:10:42 2015
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.89 min Scan# 416
Delta R.T. -0.05 min
Lab File: BF081986.D
Acq: 2 Oct 2015 18:34

Instrument :
BNA_F
ClientSampleId :
A2-COMPRE

Tot Ion:152 Resp: 99097
Ion Ratio Lower Upper
152 100
150 156.0 124.7 187.1
115 50.2 39.0 58.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 121.09 ng
RT: 5.49 min Scan# 293
Delta R.T. -0.03 min
Lab File: BF081986.D
Acq: 2 Oct 2015 18:34

Tgt Ion:112 Resp: 661011
Ion Ratio Lower Upper
112 100
64 63.0 39.7 59.5#
63 33.5 17.4 26.0#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF0
Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 111.02 ng

RT: 6.51 min Scan# 383

Delta R.T. -0.05 min

Lab File: BF081986.D

Acq: 2 Oct 2015 18:34

Instrument :

BNA_F

ClientSampleId :

A2-COMPRE





Tot Ion: 99 Resp: 762627

Ion Ratio Lower Upper

99 100

42 18.6 13.7 20.5

71 34.3 14.2 21.2#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.17 min Scan# 528

Delta R.T. -0.05 min

Lab File: BF081986.D

Acq: 2 Oct 2015 18:34

Tgt Ion: 136 Resp: 413052




Ion Ratio Lower Upper


136 100

137 11.1 9.0 13.6

54 7.9 8.2 12.2#

68 5.4 5.8 8.6#









#23
 Nitrobenzene-d5
 Concen: 91.80 ng
 RT: 7.45 min Scan# 465
 Delta R.T. -0.05 min
 Lab File: BF081986.D
 Acq: 2 Oct 2015 18:34

Instrument :
 BNA_F
 ClientSampleId :
 A2-COMPRE

Tot Ion: 82 Resp: 568824
 Ion Ratio Lower Upper
 82 100
 128 40.9 51.0 76.6#
 54 55.4 47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): B
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.93 min Scan# 682
 Delta R.T. -0.05 min
 Lab File: BF081986.D
 Acq: 2 Oct 2015 18:34

Tgt Ion:164 Resp: 196609
 Ion Ratio Lower Upper
 164 100
 162 105.0 75.2 112.8
 160 46.2 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 155.78 ng
 RT: 10.73 min Scan# 752
 Delta R.T. -0.03 min
 Lab File: BF081986.D
 Acq: 2 Oct 2015 18:34

Instrument :
 BNA_F
 ClientSampleId :
 A2-COMPRE

Tot Ion:330 Resp: 310186
 Ion Ratio Lower Upper
 330 100
 332 97.0 76.6 114.8
 141 29.5 29.7 44.5#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 114.22 ng
 RT: 9.26 min Scan# 623
 Delta R.T. -0.05 min
 Lab File: BF081986.D
 Acq: 2 Oct 2015 18:34

Tgt Ion:172 Resp: 1253860
 Ion Ratio Lower Upper
 172 100
 171 36.5 26.1 39.1
 170 24.6 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.43 min Scan# 813
Delta R.T. -0.03 min
Lab File: BF081986.D
Acq: 2 Oct 2015 18:34




Instrument :
BNA_F
ClientSampleId :
A2-COMP


Tot Ion:188 Resp: 410846
Ion Ratio Lower Upper
188 100
94 6.2 11.1 16.7#
80 6.6 11.0 16.4#



#75
Chrysene-d12
Concen: 20.00 ng
RT: 14.07 min Scan# 1044
Delta R.T. -0.05 min
Lab File: BF081986.D
Acq: 2 Oct 2015 18:34

Tgt Ion:240 Resp: 395279
Ion Ratio Lower Upper
240 100
120 10.4 16.2 24.2#
236 26.0 18.4 27.6









#78
 Terphenyl-d14
 Concen: 118.39 ng
 RT: 13.02 min Scan# 952
 Delta R.T. -0.03 min
 Lab File: BF081986.D
 Acq: 2 Oct 2015 18:34

Instrument :
 BNA_F
 ClientSampleId :
 A2-COMPRE

Tot Ion:244 Resp: 1295831
 Ion Ratio Lower Upper
 244 100
 212 7.9 4.3 6.5#
 122 11.8 17.4 26.2#




Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.53 min Scan# 1172
 Delta R.T. -0.05 min
 Lab File: BF081986.D
 Acq: 2 Oct 2015 18:34

Tgt Ion:264 Resp: 115757
 Ion Ratio Lower Upper
 264 100
 260 30.3 16.7 25.1#
 265 20.1 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

