

Data Path : Z:\HPCHEM1\BNA F\DATA\BF100215\
 Data File : BF082010.D
 Acq On : 3 Oct 2015 8:02
 Operator : UM/IZ
 Sample : G3905-04
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P001-BF001-02

Quant Time: Oct 05 00:40:44 2015
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092815.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 28 18:10:42 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	96091	20.00	ng	-0.05
21) Naphthalene-d8	8.17	136	394170	20.00	ng	-0.05
38) Acenaphthene-d10	9.93	164	199950	20.00	ng	-0.05
63) Phenanthrene-d10	11.42	188	384289	20.00	ng	-0.05
75) Chrysene-d12	14.07	240	384003	20.00	ng	-0.05
86) Perylene-d12	15.53	264	289629	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	827485	156.33	ng	-0.03
7) Phenol-d6	6.51	99	978329	146.88	ng	-0.05
23) Nitrobenzene-d5	7.45	82	614012	103.84	ng	-0.05
41) 2,4,6-Tribromophenol	10.73	330	314754	155.43	ng	-0.03
44) 2-Fluorobiphenyl	9.26	172	1308146	118.32	ng	-0.05
78) Terphenyl-d14	13.02	244	1317309	128.24	ng	-0.03
Target Compounds						
49) Dimethylphthalate	9.65	163	265422	19.23	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF100215\
Data File : BF082010.D
Acq On : 3 Oct 2015 8:02
Operator : UM/IZ
Sample : G3905-04
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P001-BF001-02

Quant Time: Oct 05 00:40:44 2015
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF092815.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 28 18:10:42 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 6.89 min Scan# 416

Delta R.T. -0.05 min

Lab File: BF082010.D

Acq: 3 Oct 2015 8:02

Instrument :

BNA_F

ClientSampleId :

P001-BF001-02


Tot Ion:152 Resp: 96091

Ion Ratio Lower Upper

152 100

150 150.8 124.7 187.1




115 49.4 39.0 58.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 156.33 ng

RT: 5.49 min Scan# 293

Delta R.T. -0.03 min

Lab File: BF082010.D

Acq: 3 Oct 2015 8:02


Tgt Ion:112 Resp: 827485

Ion Ratio Lower Upper

112 100

64 60.6 39.7 59.5#



63 31.9 17.4 26.0#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF0

Ion 63.00 (62.70 to 63.70): BF0





#7

Phenol-d6

Concen: 146.88 ng

RT: 6.51 min Scan# 383

Delta R.T. -0.05 min

Lab File: BF082010.D

Acq: 3 Oct 2015 8:02

Instrument :

BNA_F

ClientSampleId :

P001-BF001-02





Tot Ion: 99 Resp: 978329

Ion Ratio Lower Upper

99 100

42 18.4 13.7 20.5

71 35.0 14.2 21.2#



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 8.17 min Scan# 528

Delta R.T. -0.05 min

Lab File: BF082010.D

Acq: 3 Oct 2015 8:02

Tgt Ion: 136 Resp: 394170




Ion Ratio Lower Upper


136 100

137 11.1 9.0 13.6

54 7.7 8.2 12.2#

68 5.3 5.8 8.6#









#23
 Nitrobenzene-d5
 Concen: 103.84 ng
 RT: 7.45 min Scan# 465
 Delta R.T. -0.05 min
 Lab File: BF082010.D
 Acq: 3 Oct 2015 8:02

Instrument :
 BNA_F
 ClientSampleId :
 P001-BF001-02

Tot Ion: 82 Resp: 614012
 Ion Ratio Lower Upper
 82 100
 128 42.8 51.0 76.6#
 54 55.3 47.5 71.3




Abundance Ion 82.00 (81.70 to 82.70): BF0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF0






#38
 Acenaphthene-d10
 Concen: 20.00 ng
 RT: 9.93 min Scan# 682
 Delta R.T. -0.05 min
 Lab File: BF082010.D
 Acq: 3 Oct 2015 8:02

Tgt Ion:164 Resp: 199950
 Ion Ratio Lower Upper
 164 100
 162 105.0 75.2 112.8
 160 46.0 31.5 47.3



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 155.43 ng
 RT: 10.73 min Scan# 752
 Delta R.T. -0.03 min
 Lab File: BF082010.D
 Acq: 3 Oct 2015 8:02

Instrument :
 BNA_F
 ClientSampleId :
 P001-BF001-02

Tot Ion:330 Resp: 314754
 Ion Ratio Lower Upper
 330 100
 332 98.1 76.6 114.8
 141 30.4 29.7 44.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 118.32 ng
 RT: 9.26 min Scan# 623
 Delta R.T. -0.05 min
 Lab File: BF082010.D
 Acq: 3 Oct 2015 8:02

Tgt Ion:172 Resp: 1308146
 Ion Ratio Lower Upper
 172 100
 171 36.5 26.1 39.1
 170 25.0 17.4 26.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 19.23 ng

RT: 9.65 min Scan# 657

Delta R.T. -0.06 min

Lab File: BF082010.D

Acq: 3 Oct 2015 8:02

Instrument :

BNA_F

ClientSampleId :

P001-BF001-02


Tot Ion:163 Resp: 265422

Ion Ratio Lower Upper

163 100

194 3.1 4.4 6.6#




164 10.5 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.42 min Scan# 812

Delta R.T. -0.05 min

Lab File: BF082010.D

Acq: 3 Oct 2015 8:02


Tgt Ion:188 Resp: 384289

Ion Ratio Lower Upper

188 100

94 11.2 11.1 16.7



80 12.5 11.0 16.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF0

Ion 80.00 (79.70 to 80.70): BF0





#75

Chrysene-d12

Concen: 20.00 ng

RT: 14.07 min Scan# 1044

Delta R.T. -0.05 min

Lab File: BF082010.D

Acq: 3 Oct 2015 8:02

Instrument :

BNA_F

ClientSampleId :

P001-BF001-02


Tot Ion:240 Resp: 384003

Ion Ratio Lower Upper

240 100

120 9.7 16.2 24.2#




236 25.8 18.4 27.6



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 128.24 ng

RT: 13.02 min Scan# 952

Delta R.T. -0.03 min

Lab File: BF082010.D

Acq: 3 Oct 2015 8:02


Tgt Ion:244 Resp: 1317309

Ion Ratio Lower Upper

244 100

212 7.8 4.3 6.5#



122 11.4 17.4 26.2#






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.00 ng
RT: 15.53 min Scan# 1172
Delta R.T. -0.05 min
Lab File: BF082010.D
Acq: 3 Oct 2015 8:02

Instrument :
BNA_F
ClientSampleId :
P001-BF001-02

Tot Ion:	264	Resp:	289629
Ion Ratio	Lower	Upper	
264	100		
260	23.4	16.7	25.1
265	21.5	17.2	25.8

