

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100218\
 Data File : BF109508.D
 Acq On : 2 Oct 2018 18:14
 Operator : JU/SJ
 Sample : J5186-06
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 092718-SIDI-F-U-S

Quant Time: Oct 03 04:22:18 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 22 13:32:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	101900	20.00	ng	0.00
21) Naphthalene-d8	7.99	136	391781	20.00	ng	0.00
38) Acenaphthene-d10	9.73	164	186785	20.00	ng	0.00
63) Phenanthrene-d10	11.21	188	348924	20.00	ng	0.00
75) Chrysene-d12	13.84	240	266115	20.00	ng	0.00
86) Perylene-d12	15.24	264	261097	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	248565	40.18	ng	0.00
7) Phenol-d6	6.35	99	196661	24.91	ng	-0.01
23) Nitrobenzene-d5	7.27	82	673179	101.43	ng	-0.01
41) 2,4,6-Tribromophenol	10.52	330	180590	98.08	ng	-0.01
44) 2-Fluorobiphenyl	9.06	172	1183278	95.54	ng	-0.01
78) Terphenyl-d14	12.80	244	1117103	103.02	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.45	163	68730	5.059	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100218\
Data File : BF109508.D
Acq On : 2 Oct 2018 18:14
Operator : JU/SJ
Sample : J5186-06
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
092718-SIDI-F-U-S

Quant Time: Oct 03 04:22:18 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 22 13:32:18 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF109508.D
Acq: 2 Oct 2018 18:14

Instrument :
BNA_F
ClientSampleId :
092718-SIDI-F-U-S

Tot Ion:152 Resp: 101900
Ion Ratio Lower Upper
152 100
150 156.3 124.6 186.8
115 61.2 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 40.177 ng
RT: 5.32 min Scan# 549
Delta R.T. 0.00 min
Lab File: BF109508.D
Acq: 2 Oct 2018 18:14

Tgt Ion:112 Resp: 248565
Ion Ratio Lower Upper
112 100
64 57.7 47.9 71.9
63 30.2 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 24.911 ng

RT: 6.35 min Scan# 724

Delta R.T. -0.01 min

Lab File: BF109508.D

Acq: 2 Oct 2018 18:14

Instrument :

BNA_F

ClientSampleId :

092718-SIDI-F-U-S


Tot Ion: 99 Resp: 196661

Ion Ratio Lower Upper




99 100

42 18.0 14.5 21.7

71 33.0 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.99 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF109508.D

Acq: 2 Oct 2018 18:14

Tgt Ion: 136 Resp: 391781


Ion Ratio Lower Upper

136 100



137 10.8 8.9 13.3


54 6.2 6.6 9.8#

68 5.1 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 101.431 ng
RT: 7.27 min Scan# 881
Delta R.T. -0.01 min
Lab File: BF109508.D
Acq: 2 Oct 2018 18:14

Instrument :
BNA_F
ClientSampleId :
092718-SIDI-F-U-S

Tot Ion: 82 Resp: 673179
Ion Ratio Lower Upper
82 100
128 43.5 36.1 54.1
54 47.8 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.73 min Scan# 1300
Delta R.T. -0.01 min
Lab File: BF109508.D
Acq: 2 Oct 2018 18:14

Tgt Ion:164 Resp: 186785
Ion Ratio Lower Upper
164 100
162 102.0 86.1 129.1
160 46.4 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 98.077 ng
 RT: 10.52 min Scan# 1434
 Delta R.T. -0.01 min
 Lab File: BF109508.D
 Acq: 2 Oct 2018 18:14




Instrument :
 BNA_F
 ClientSampleId :
 092718-SIDI-F-U-S


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.0	115.6
141	33.9	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 95.544 ng
 RT: 9.06 min Scan# 1186
 Delta R.T. -0.01 min
 Lab File: BF109508.D
 Acq: 2 Oct 2018 18:14

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.8	29.7	44.5
170	23.7	19.6	29.4








#49
Dimethylphthalate
Concen: 5.059 ng
RT: 9.45 min Scan# 1252
Delta R.T. -0.03 min
Lab File: BF109508.D
Acq: 2 Oct 2018 18:14

Instrument :
BNA_F
ClientSampleId :
092718-SIDI-F-U-S

Tot Ion:163 Resp: 68730
Ion Ratio Lower Upper
163 100
194 3.9 2.7 4.1
164 9.4 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.21 min Scan# 1551
Delta R.T. -0.01 min
Lab File: BF109508.D
Acq: 2 Oct 2018 18:14

Tgt Ion:188 Resp: 348924
Ion Ratio Lower Upper
188 100
94 8.8 8.5 12.7
80 9.7 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.84 min Scan# 1998

Delta R.T. -0.01 min

Lab File: BF109508.D

Acq: 2 Oct 2018 18:14

Instrument :

BNA_F

ClientSampleId :

092718-SIDI-F-U-S


Tot Ion:240 Resp: 266115

Ion Ratio Lower Upper

240 100

120 9.7 9.5 14.3




236 25.2 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 103.021 ng

RT: 12.80 min Scan# 1821

Delta R.T. -0.01 min

Lab File: BF109508.D

Acq: 2 Oct 2018 18:14


Tgt Ion:244 Resp: 1117103

Ion Ratio Lower Upper

244 100

212 6.9 5.4 8.0



122 10.2 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.24 min Scan# 2236
Delta R.T. 0.00 min
Lab File: BF109508.D
Acq: 2 Oct 2018 18:14

Instrument :
BNA_F
ClientSampleId :
092718-SIDI-F-U-S

Tot Ion:	264	Resp:	261097
Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.2	28.8
265	21.6	17.5	26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

