

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100218\
 Data File : BF109533.D
 Acq On : 3 Oct 2018 6:15
 Operator : JU/SJ
 Sample : J5187-12
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 092818-SIDI-F-U-S

Quant Time: Oct 03 09:23:52 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 22 13:32:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	105957	20.00	ng	0.00
21) Naphthalene-d8	7.98	136	402533	20.00	ng	-0.01
38) Acenaphthene-d10	9.73	164	182730	20.00	ng	-0.01
63) Phenanthrene-d10	11.21	188	312585	20.00	ng	0.00
75) Chrysene-d12	13.83	240	240604	20.00	ng	-0.01
86) Perylene-d12	15.23	264	257103	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	267858	41.64	ng	0.00
7) Phenol-d6	6.34	99	209561	25.53	ng	-0.02
23) Nitrobenzene-d5	7.27	82	746018	109.40	ng	-0.01
41) 2,4,6-Tribromophenol	10.52	330	178222	98.94	ng	-0.02
44) 2-Fluorobiphenyl	9.06	172	1286022	106.14	ng	-0.02
78) Terphenyl-d14	12.79	244	1079732	110.13	ng	-0.01
Target Compounds						
49) Dimethylphthalate	9.45	163	40432	3.042	ng	Qvalue # 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100218\
Data File : BF109533.D
Acq On : 3 Oct 2018 6:15
Operator : JU/SJ
Sample : J5187-12
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
092818-SIDI-F-U-S

Quant Time: Oct 03 09:23:52 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 22 13:32:18 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF109533.D
Acq: 3 Oct 2018 6:15

Instrument :
BNA_F
ClientSampleId :
092818-SIDI-F-U-S

Tot Ion:152 Resp: 105957
Ion Ratio Lower Upper
152 100
150 158.5 124.6 186.8
115 59.2 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 41.638 ng
RT: 5.32 min Scan# 549
Delta R.T. -0.00 min
Lab File: BF109533.D
Acq: 3 Oct 2018 6:15

Tgt Ion:112 Resp: 267858
Ion Ratio Lower Upper
112 100
64 57.1 47.9 71.9
63 29.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 25.529 ng

RT: 6.34 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF109533.D

Acq: 3 Oct 2018 6:15

Instrument :

BNA_F

ClientSampleId :

092818-SIDI-F-U-S


Tot Ion: 99 Resp: 209561

Ion Ratio Lower Upper




99 100

42 18.0 14.5 21.7

71 33.5 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.98 min Scan# 1002

Delta R.T. -0.01 min

Lab File: BF109533.D

Acq: 3 Oct 2018 6:15

Tgt Ion: 136 Resp: 402533


Ion Ratio Lower Upper

136 100



137 11.1 8.9 13.3

54 7.3 6.6 9.8

68 5.8 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 109.404 ng
 RT: 7.27 min Scan# 881
 Delta R.T. -0.01 min
 Lab File: BF109533.D
 Acq: 3 Oct 2018 6:15

Instrument :
 BNA_F
 ClientSampleId :
 092818-SIDI-F-U-S

Tot Ion: 82 Resp: 746018
 Ion Ratio Lower Upper
 82 100
 128 44.4 36.1 54.1
 54 47.5 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.73 min Scan# 1299
 Delta R.T. -0.01 min
 Lab File: BF109533.D
 Acq: 3 Oct 2018 6:15

Tgt Ion:164 Resp: 182730
 Ion Ratio Lower Upper
 164 100
 162 103.4 86.1 129.1
 160 46.1 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 98.939 ng
 RT: 10.52 min Scan# 1433
 Delta R.T. -0.02 min
 Lab File: BF109533.D
 Acq: 3 Oct 2018 6:15

Instrument :
 BNA_F
 ClientSampleId :
 092818-SIDI-F-U-S

Tot Ion:330 Resp: 178222
 Ion Ratio Lower Upper
 330 100
 332 97.9 77.0 115.6
 141 34.0 29.9 44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 106.144 ng
 RT: 9.06 min Scan# 1185
 Delta R.T. -0.02 min
 Lab File: BF109533.D
 Acq: 3 Oct 2018 6:15

Tgt Ion:172 Resp: 1286022
 Ion Ratio Lower Upper
 172 100
 171 36.2 29.7 44.5
 170 24.3 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 3.042 ng
RT: 9.45 min Scan# 1252
Delta R.T. -0.03 min
Lab File: BF109533.D
Acq: 3 Oct 2018 6:15




Instrument :
BNA_F
ClientSampleId :
092818-SIDI-F-U-S

Tot Ion:163 Resp: 40432
Ion Ratio Lower Upper
163 100
194 4.6 2.7 4.1#
164 10.7 8.2 12.2



#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.21 min Scan# 1551
Delta R.T. -0.01 min
Lab File: BF109533.D
Acq: 3 Oct 2018 6:15

Tgt Ion:188 Resp: 312585
Ion Ratio Lower Upper
188 100
94 8.4 8.5 12.7#
80 8.8 9.2 13.8#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.83 min Scan# 1997

Delta R.T. -0.01 min

Lab File: BF109533.D

Acq: 3 Oct 2018 6:15

Instrument :

BNA_F

ClientSampleId :

092818-SIDI-F-U-S


Tot Ion:240 Resp: 240604

Ion Ratio Lower Upper

240 100

120 10.2 9.5 14.3




236 26.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 110.133 ng

RT: 12.79 min Scan# 1820

Delta R.T. -0.01 min

Lab File: BF109533.D

Acq: 3 Oct 2018 6:15


Tgt Ion:244 Resp: 1079732

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0



122 11.0 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.23 min Scan# 2235
 Delta R.T. -0.01 min
 Lab File: BF109533.D
 Acq: 3 Oct 2018 6:15

Instrument :
 BNA_F
 ClientSampleId :
 092818-SIDI-F-U-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.2	28.8
265	21.3	17.5	26.3

