

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100324\
 Data File : BF139621.D
 Acq On : 03 Oct 2024 10:24
 Operator : RC/JU
 Sample : PB163732BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB163732BL

Quant Time: Oct 03 11:22:08 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 02 04:58:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	99503	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	385904	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	224944	20.000	ng	0.00
64) Phenanthrene-d10	11.386	188	459226	20.000	ng	0.00
76) Chrysene-d12	14.027	240	341308	20.000	ng	0.00
86) Perylene-d12	15.498	264	274094	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	766751	133.561	ng	0.01
7) Phenol-d6	6.498	99	1002920	129.908	ng	0.00
23) Nitrobenzene-d5	7.428	82	665987	87.377	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	291771	134.366	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	1238725	84.540	ng	0.00
79) Terphenyl-d14	12.980	244	1673112	80.434	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100324\
Data File : BF139621.D
Acq On : 03 Oct 2024 10:24
Operator : RC/JU
Sample : PB163732BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB163732BL

Quant Time: Oct 03 11:22:08 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 02 04:58:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 812
Delta R.T. -0.000 min
Lab File: BF139621.D
Acq: 03 Oct 2024 10:24




Instrument :
BNA_F
ClientSampleId :
PB163732BL


Tgt Ion:152 Resp: 99503
Ion Ratio Lower Upper
152 100
150 158.0 127.2 190.8
115 58.9 49.0 73.4



#5
2-Fluorophenol
Concen: 133.561 ng
RT: 5.498 min Scan# 579
Delta R.T. 0.011 min
Lab File: BF139621.D
Acq: 03 Oct 2024 10:24

Tgt Ion:112 Resp: 766751
Ion Ratio Lower Upper
112 100
64 69.7 54.2 81.4
63 37.9 29.4 44.2








#7
Phenol-d6
Concen: 129.908 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF139621.D
Acq: 03 Oct 2024 10:24




Instrument :
BNA_F
ClientSampleId :
PB163732BL


Tgt Ion: 99 Resp: 1002920
Ion Ratio Lower Upper
99 100
42 23.3 19.1 28.7
71 37.0 29.7 44.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 1029
Delta R.T. -0.006 min
Lab File: BF139621.D
Acq: 03 Oct 2024 10:24

Tgt Ion: 136 Resp: 385904
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 10.2 8.3 12.5
68 6.1 4.6 7.0









#23
Nitrobenzene-d5
Concen: 87.377 ng
RT: 7.428 min Scan# 908
Delta R.T. -0.006 min
Lab File: BF139621.D
Acq: 03 Oct 2024 10:24




Instrument :
BNA_F
ClientSampleId :
PB163732BL

Tgt Ion: 82 Resp: 665987
Ion Ratio Lower Upper
82 100
128 41.0 32.4 48.6
54 60.7 49.1 73.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1328
Delta R.T. -0.006 min
Lab File: BF139621.D
Acq: 03 Oct 2024 10:24

Tgt Ion:164 Resp: 224944
Ion Ratio Lower Upper
164 100
162 98.2 79.4 119.0
160 42.8 35.1 52.7





#42

2,4,6-Tribromophenol

Concen: 134.366 ng

RT: 10.692 min Scan# 1462

Delta R.T. -0.006 min

Lab File: BF139621.D


Acq: 03 Oct 2024 10:24

Instrument :

BNA_F

ClientSampleId :

PB163732BL






Tgt Ion:330 Resp: 291771

Ion Ratio Lower Upper

330 100

332 96.5 76.5 114.7

141 35.0 29.3 43.9



#45

2-Fluorobiphenyl

Concen: 84.540 ng

RT: 9.222 min Scan# 1212

Delta R.T. -0.006 min

Lab File: BF139621.D

Acq: 03 Oct 2024 10:24




Tgt Ion:172 Resp: 1238725


Ion Ratio Lower Upper

172 100

171 35.1 28.2 42.4

170 23.6 18.8 28.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.386 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139621.D

Acq: 03 Oct 2024 10:24

Instrument :

BNA_F

ClientSampleId :

PB163732BL





Tgt Ion:188 Resp: 459226

Ion Ratio Lower Upper

188 100

94 9.4 7.4 11.2

80 10.2 8.2 12.2



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.027 min Scan# 2029

Delta R.T. -0.006 min

Lab File: BF139621.D

Acq: 03 Oct 2024 10:24




Tgt Ion:240 Resp: 341308


Ion Ratio Lower Upper

240 100

120 10.3 8.4 12.6

236 25.6 20.3 30.5









#79
 Terphenyl-d14
 Concen: 80.434 ng
 RT: 12.980 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF139621.D
 Acq: 03 Oct 2024 10:24

Instrument :
 BNA_F
 ClientSampleId :
 PB163732BL

Tgt Ion:244 Resp: 1673112
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.6
 122 10.7 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.498 min Scan# 2279
 Delta R.T. -0.006 min
 Lab File: BF139621.D
 Acq: 03 Oct 2024 10:24

Tgt Ion:264 Resp: 274094
 Ion Ratio Lower Upper
 264 100
 260 24.1 18.7 28.1
 265 21.7 16.9 25.3

