

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100418\
 Data File : BF109596.D
 Acq On : 4 Oct 2018 19:25
 Operator : JU/SJ
 Sample : J5241-05
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 100218-SIDI-E-U-M

Quant Time: Oct 05 02:05:02 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 22 13:32:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	89931	20.00	ng	0.00
21) Naphthalene-d8	7.98	136	341534	20.00	ng	-0.01
38) Acenaphthene-d10	9.73	164	151332	20.00	ng	0.00
63) Phenanthrene-d10	11.21	188	242363	20.00	ng	0.00
75) Chrysene-d12	13.84	240	204357	20.00	ng	0.00
86) Perylene-d12	15.24	264	215170	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	215740	39.51	ng	0.00
7) Phenol-d6	6.35	99	173849	24.95	ng	-0.01
23) Nitrobenzene-d5	7.27	82	644699	111.43	ng	-0.01
41) 2,4,6-Tribromophenol	10.52	330	138254	92.67	ng	-0.01
44) 2-Fluorobiphenyl	9.06	172	1088523	108.48	ng	-0.01
78) Terphenyl-d14	12.79	244	818985	98.35	ng	-0.01
Target Compounds						Qvalue
49) Dimethylphthalate	9.45	163	96337	8.752	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100418\
Data File : BF109596.D
Acq On : 4 Oct 2018 19:25
Operator : JU/SJ
Sample : J5241-05
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
100218-SIDI-E-U-M

Quant Time: Oct 05 02:05:02 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 22 13:32:18 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.70 min Scan# 785
 Delta R.T. -0.01 min
 Lab File: BF109596.D
 Acq: 4 Oct 2018 19:25

Instrument :
 BNA_F
 ClientSampleId :
 100218-SIDI-E-U-M

Tot Ion:152 Resp: 89931
 Ion Ratio Lower Upper
 152 100
 150 153.8 124.6 186.8
 115 59.5 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 39.513 ng
 RT: 5.32 min Scan# 549
 Delta R.T. -0.00 min
 Lab File: BF109596.D
 Acq: 4 Oct 2018 19:25

Tgt Ion:112 Resp: 215740
 Ion Ratio Lower Upper
 112 100
 64 58.8 47.9 71.9
 63 30.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 24.952 ng

RT: 6.35 min Scan# 724

Delta R.T. -0.01 min

Lab File: BF109596.D

Acq: 4 Oct 2018 19:25

Instrument :

BNA_F

ClientSampleId :

100218-SIDI-E-U-M


Tot Ion: 99 Resp: 173849

Ion Ratio Lower Upper




99 100

42 16.8 14.5 21.7

71 32.5 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.98 min Scan# 1002

Delta R.T. -0.01 min

Lab File: BF109596.D

Acq: 4 Oct 2018 19:25

Tgt Ion: 136 Resp: 341534


Ion Ratio Lower Upper

136 100



137 11.2 8.9 13.3


54 7.3 6.6 9.8

68 5.5 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 111.431 ng
RT: 7.27 min Scan# 881
Delta R.T. -0.01 min
Lab File: BF109596.D
Acq: 4 Oct 2018 19:25

Instrument :
BNA_F
ClientSampleId :
100218-SIDI-E-U-M

Tot Ion: 82 Resp: 644699
Ion Ratio Lower Upper
82 100
128 43.4 36.1 54.1
54 48.2 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.73 min Scan# 1300
Delta R.T. -0.01 min
Lab File: BF109596.D
Acq: 4 Oct 2018 19:25

Tgt Ion:164 Resp: 151332
Ion Ratio Lower Upper
164 100
162 103.2 86.1 129.1
160 46.7 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 92.675 ng
 RT: 10.52 min Scan# 1434
 Delta R.T. -0.01 min
 Lab File: BF109596.D
 Acq: 4 Oct 2018 19:25

Instrument :
 BNA_F
 ClientSampleId :
 100218-SIDI-E-U-M

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.9	77.0	115.6
141	33.9	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 108.483 ng
 RT: 9.06 min Scan# 1186
 Delta R.T. -0.01 min
 Lab File: BF109596.D
 Acq: 4 Oct 2018 19:25

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.4	29.7	44.5
170	24.1	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 8.752 ng
RT: 9.45 min Scan# 1252
Delta R.T. -0.03 min
Lab File: BF109596.D
Acq: 4 Oct 2018 19:25

Instrument :
BNA_F
ClientSampleId :
100218-SIDI-E-U-M

Tot Ion	Ratio	Lower	Upper
163	100		
194	3.9	2.7	4.1
164	10.9	8.2	12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.21 min Scan# 1551
Delta R.T. -0.01 min
Lab File: BF109596.D
Acq: 4 Oct 2018 19:25

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.8	8.5	12.7
80	9.8	9.2	13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.84 min Scan# 1998

Delta R.T. -0.01 min

Lab File: BF109596.D

Acq: 4 Oct 2018 19:25

Instrument :

BNA_F

ClientSampleId :

100218-SIDI-E-U-M


Tot Ion:240 Resp: 204357

Ion Ratio Lower Upper

240 100

120 10.4 9.5 14.3




236 25.2 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 98.354 ng

RT: 12.79 min Scan# 1820

Delta R.T. -0.01 min

Lab File: BF109596.D

Acq: 4 Oct 2018 19:25


Tgt Ion:244 Resp: 818985

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0



122 11.9 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.24 min Scan# 2236
 Delta R.T. -0.00 min
 Lab File: BF109596.D
 Acq: 4 Oct 2018 19:25

Instrument :
 BNA_F
 ClientSampleId :
 100218-SIDI-E-U-M

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.2	28.8
265	20.6	17.5	26.3

