

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100424\
 Data File : BF139644.D
 Acq On : 04 Oct 2024 09:01
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Oct 04 20:37:15 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 02 04:58:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	94914	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	347321	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	190413	20.000	ng	0.00
64) Phenanthrene-d10	11.386	188	346153	20.000	ng	0.00
76) Chrysene-d12	14.027	240	196860	20.000	ng	0.00
86) Perylene-d12	15.498	264	223781	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	437393	79.873	ng	0.00
7) Phenol-d6	6.498	99	571571	77.615	ng	0.00
23) Nitrobenzene-d5	7.434	82	528283	77.010	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	134079	72.943	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	957407	77.190	ng	0.00
79) Terphenyl-d14	12.974	244	905484	75.472	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.610	88	97170	41.043	ng	100
3) Pyridine	3.363	79	242558	42.125	ng	97
4) n-Nitrosodimethylamine	3.322	42	146224	38.797	ng	97
6) Aniline	6.528	93	252095	38.578	ng	99
8) 2-Chlorophenol	6.651	128	230090	39.218	ng	98
9) Benzaldehyde	6.416	77	150380	38.549	ng	98
10) Phenol	6.516	94	304082	39.270	ng	97
11) bis(2-Chloroethyl)ether	6.604	93	227102	36.021	ng	99
12) 1,3-Dichlorobenzene	6.810	146	259385	39.300	ng	99
13) 1,4-Dichlorobenzene	6.887	146	261087	39.058	ng	100
14) 1,2-Dichlorobenzene	7.040	146	244153	38.971	ng	99
15) Benzyl Alcohol	7.010	79	212583	37.781	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.140	45	408335	37.411	ng	99
17) 2-Methylphenol	7.122	107	189825	38.756	ng	98
18) Hexachloroethane	7.375	117	96634	38.757	ng	97
19) n-Nitroso-di-n-propyla...	7.281	70	171220	36.164	ng	99
20) 3+4-Methylphenols	7.275	107	231832	37.684	ng	99
22) Acetophenone	7.275	105	315045	38.214	ng	99
24) Nitrobenzene	7.451	77	278494	39.205	ng	99
25) Isophorone	7.687	82	457227	37.527	ng	99
26) 2-Nitrophenol	7.763	139	121199	39.688	ng	98
27) 2,4-Dimethylphenol	7.798	122	143294	38.330	ng	99
28) bis(2-Chloroethoxy)met...	7.898	93	275600	37.880	ng	99
29) 2,4-Dichlorophenol	8.010	162	187111	38.372	ng	97
30) 1,2,4-Trichlorobenzene	8.087	180	214636	38.922	ng	99
31) Naphthalene	8.169	128	689495	38.827	ng	100
32) Benzoic acid	7.916	122	144668	38.917	ng	99
33) 4-Chloroaniline	8.222	127	230738	38.386	ng	98
34) Hexachlorobutadiene	8.287	225	139178	39.000	ng	100
35) Caprolactam	8.592	113	60596	37.888	ng	93
36) 4-Chloro-3-methylphenol	8.698	107	207444	37.581	ng	99
37) 2-Methylnaphthalene	8.863	142	432084	37.359	ng	99
38) 1-Methylnaphthalene	8.957	142	424370	37.538	ng	99
40) 1,2,4,5-Tetrachloroben...	9.028	216	205631	38.890	ng	99
41) Hexachlorocyclopentadiene	9.010	237	57618	35.538	ng	99
43) 2,4,6-Trichlorophenol	9.139	196	133895	37.564	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100424\
 Data File : BF139644.D
 Acq On : 04 Oct 2024 09:01
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Quant Time: Oct 04 20:37:15 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 02 04:58:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.181	196	148458	38.621	ng	99
46) 1,1'-Biphenyl	9.322	154	548938	38.761	ng	100
47) 2-Chloronaphthalene	9.351	162	418189	39.388	ng	98
48) 2-Nitroaniline	9.445	65	148801	39.043	ng	99
49) Acenaphthylene	9.763	152	632167	39.153	ng	100
50) Dimethylphthalate	9.628	163	471523	37.829	ng	100
51) 2,6-Dinitrotoluene	9.686	165	109907	39.034	ng	97
52) Acenaphthene	9.939	154	417402	37.657	ng	99
53) 3-Nitroaniline	9.857	138	112544	39.113	ng	98
54) 2,4-Dinitrophenol	9.963	184	52728	34.816	ng	98
55) Dibenzofuran	10.110	168	598107	38.539	ng	98
56) 4-Nitrophenol	10.016	139	81766	37.263	ng	97
57) 2,4-Dinitrotoluene	10.092	165	144651	39.302	ng	97
58) Fluorene	10.451	166	468340	37.888	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.228	232	117484	37.841	ng	99
60) Diethylphthalate	10.322	149	481421	37.393	ng	99
61) 4-Chlorophenyl-phenyle...	10.439	204	232679	37.625	ng	98
62) 4-Nitroaniline	10.469	138	115773	39.335	ng	98
63) Azobenzene	10.604	77	489681	37.821	ng	99
65) 4,6-Dinitro-2-methylph...	10.498	198	75077	38.402	ng	100
66) n-Nitrosodiphenylamine	10.563	169	402883	39.485	ng	99
67) 4-Bromophenyl-phenylether	10.933	248	135899	38.291	ng	99
68) Hexachlorobenzene	10.998	284	150507	38.216	ng	97
69) Atrazine	11.086	200	81470	29.760	ng	99
70) Pentachlorophenol	11.192	266	87482	37.305	ng	99
71) Phenanthrene	11.416	178	630451	38.627	ng	100
72) Anthracene	11.463	178	618856	38.327	ng	100
73) Carbazole	11.622	167	594478	38.333	ng	100
74) Di-n-butylphthalate	11.945	149	726282	38.512	ng	99
75) Fluoranthene	12.598	202	666914	37.380	ng	99
77) Benzidine	12.722	184	168511	48.529	ng	99
78) Pyrene	12.833	202	668649	37.976	ng	100
80) Butylbenzylphthalate	13.445	149	255654	40.594	ng	98
81) Benzo(a)anthracene	14.016	228	517050	39.949	ng	100
82) 3,3'-Dichlorobenzidine	13.980	252	172431	43.531	ng	100
83) Chrysene	14.057	228	448924	37.938	ng	99
84) Bis(2-ethylhexyl)phtha...	14.004	149	344389	43.792	ng	99
85) Di-n-octyl phthalate	14.616	149	539911	46.732	ng	100
87) Indeno(1,2,3-cd)pyrene	16.974	276	556196	42.228	ng	99
88) Benzo(b)fluoranthene	15.068	252	490410	33.893	ng	100
89) Benzo(k)fluoranthene	15.098	252	477719	38.922	ng	100
90) Benzo(a)pyrene	15.433	252	437185	38.319	ng	99
91) Dibenzo(a,h)anthracene	16.992	278	461108	42.209	ng	98
92) Benzo(g,h,i)perylene	17.415	276	460611	42.041	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Oct 04 20:37:15 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 02 04:58:47 2024
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.869 min Scan# 81
 Delta R.T. -0.000 min
 Lab File: BF139644.D
 Acq: 04 Oct 2024 09:01




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:152 Resp: 94914
 Ion Ratio Lower Upper
 152 100
 150 160.5 127.2 190.8
 115 59.4 49.0 73.4



#2
 1,4-Dioxane
 Concen: 41.043 ng
 RT: 2.610 min Scan# 88
 Delta R.T. -0.029 min
 Lab File: BF139644.D
 Acq: 04 Oct 2024 09:01

Tgt Ion: 88 Resp: 97170
 Ion Ratio Lower Upper
 88 100
 58 89.9 72.0 108.0
 43 38.0 30.8 46.2









#3
Pyridine
Concen: 42.125 ng
RT: 3.363 min Scan# 218
Delta R.T. -0.029 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 242558
Ion Ratio Lower Upper
79 100
52 88.5 72.6 109.0
51 44.5 37.5 56.3



#4
n-Nitrosodimethylamine
Concen: 38.797 ng
RT: 3.322 min Scan# 209
Delta R.T. -0.029 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion: 42 Resp: 146224
Ion Ratio Lower Upper
42 100
74 102.1 79.0 118.6
44 6.4 5.2 7.8









#5
2-Fluorophenol
Concen: 79.873 ng
RT: 5.481 min Scan# 51
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:112 Resp: 437393
Ion Ratio Lower Upper
112 100
64 67.5 54.2 81.4
63 37.1 29.4 44.2



#6
Aniline
Concen: 38.578 ng
RT: 6.528 min Scan# 754
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion: 93 Resp: 252095
Ion Ratio Lower Upper
93 100
66 51.5 40.9 61.3
65 28.9 23.3 34.9









#7
Phenol-d6
Concen: 77.615 ng
RT: 6.498 min Scan# 749
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 99 Resp: 571571
Ion Ratio Lower Upper
99 100
42 22.8 19.1 28.7
71 36.2 29.7 44.5



#8
2-Chlorophenol
Concen: 39.218 ng
RT: 6.651 min Scan# 775
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:128 Resp: 230090
Ion Ratio Lower Upper
128 100
130 32.2 13.2 53.2
64 56.4 35.1 75.1





#9

Benzaldehyde

Concen: 38.549 ng

RT: 6.416 min Scan# 71

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion: 77 Resp: 150380

Ion Ratio Lower Upper

77 100

105 91.4 72.7 112.7

106 87.8 70.1 110.1



#10

Phenol

Concen: 39.270 ng

RT: 6.516 min Scan# 752

Delta R.T. -0.000 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion: 94 Resp: 304082


Ion Ratio Lower Upper

94 100

65 36.6 15.3 55.3

66 52.7 30.5 70.5









#11
bis(2-Chloroethyl)ether
Concen: 36.021 ng
RT: 6.604 min Scan# 767
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 93 Resp: 227102
Ion Ratio Lower Upper
93 100
63 85.2 64.1 104.1
95 32.8 12.3 52.3



#12
1,3-Dichlorobenzene
Concen: 39.300 ng
RT: 6.810 min Scan# 802
Delta R.T. -0.000 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:146 Resp: 259385
Ion Ratio Lower Upper
146 100
148 63.5 50.2 75.4
75 34.2 28.5 42.7





#13

1,4-Dichlorobenzene

Concen: 39.058 ng

RT: 6.887 min Scan# 815

Delta R.T. -0.000 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:146 Resp: 261087

Ion Ratio Lower Upper

146 100

148 63.8 51.0 76.6

111 43.2 34.9 52.3



#14

1,2-Dichlorobenzene

Concen: 38.971 ng

RT: 7.040 min Scan# 841

Delta R.T. -0.000 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:146 Resp: 244153


Ion Ratio Lower Upper

146 100

148 63.1 51.2 76.8

111 45.3 37.0 55.6









#15
Benzyl Alcohol
Concen: 37.781 ng
RT: 7.010 min Scan# 811
Delta R.T. -0.000 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 212583
Ion Ratio Lower Upper
79 100
108 70.2 55.1 82.7
77 62.6 50.8 76.2



#16
2,2'-oxybis(1-chloropropane)
Concen: 37.411 ng
RT: 7.140 min Scan# 858
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion: 45 Resp: 408335
Ion Ratio Lower Upper
45 100
77 12.9 0.0 32.5
79 10.0 0.0 29.7









#17
2-Methylphenol
Concen: 38.756 ng
RT: 7.122 min Scan# 855
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:107 Resp: 189825
Ion Ratio Lower Upper
107 100
108 111.5 89.8 134.6
77 53.1 44.6 67.0
79 51.3 43.8 65.6



#18
Hexachloroethane
Concen: 38.757 ng
RT: 7.375 min Scan# 898
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:117 Resp: 96634
Ion Ratio Lower Upper
117 100
119 95.7 77.0 115.6
201 93.2 79.2 118.8









#19
n-Nitroso-di-n-propylamine
Concen: 36.164 ng
RT: 7.281 min Scan# 882
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 70 Resp: 171220
Ion Ratio Lower Upper
70 100
42 70.9 58.0 87.0
101 9.5 7.8 11.8
130 19.9 15.9 23.9



#20
3+4-Methylphenols
Concen: 37.684 ng
RT: 7.275 min Scan# 881
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion: 107 Resp: 231832
Ion Ratio Lower Upper
107 100
108 91.3 70.2 110.2
77 145.2 125.3 165.3
79 33.6 14.3 54.3









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.000 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	136	Resp:	347321
Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.6	13.0
54	9.8	8.3	12.5
68	5.9	4.6	7.0



#22
Acetophenone
Concen: 38.214 ng
RT: 7.275 min Scan# 881
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:	105	Resp:	315045
Ion	Ratio	Lower	Upper
105	100		
71	8.2	6.6	10.0
51	48.1	39.4	59.0
120	22.4	17.4	26.2









#23
Nitrobenzene-d5
Concen: 77.010 ng
RT: 7.434 min Scan# 908
Delta R.T. -0.000 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 528283
Ion Ratio Lower Upper
82 100
128 42.5 32.4 48.6
54 60.2 49.1 73.7



#24
Nitrobenzene
Concen: 39.205 ng
RT: 7.451 min Scan# 911
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion: 77 Resp: 278494
Ion Ratio Lower Upper
77 100
123 43.2 34.2 51.4
65 15.0 12.1 18.1









#25
Isophorone
Concen: 37.527 ng
RT: 7.687 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 457227
Ion Ratio Lower Upper
82 100
95 7.3 6.1 9.1
138 16.3 13.4 20.2



#26
2-Nitrophenol
Concen: 39.688 ng
RT: 7.763 min Scan# 964
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:139 Resp: 121199
Ion Ratio Lower Upper
139 100
109 32.3 24.9 37.3
65 61.9 48.6 72.8









#27
2,4-Dimethylphenol
Concen: 38.330 ng
RT: 7.798 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:122 Resp: 143294
Ion Ratio Lower Upper
122 100
107 120.1 95.4 143.0
121 59.8 47.4 71.2



#28
bis(2-Chloroethoxy)methane
Concen: 37.880 ng
RT: 7.898 min Scan# 987
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion: 93 Resp: 275600
Ion Ratio Lower Upper
93 100
95 32.3 26.5 39.7
123 11.9 9.4 14.0









#29
2,4-Dichlorophenol
Concen: 38.372 ng
RT: 8.010 min Scan# 1006
Delta R.T. -0.000 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 187111
Ion Ratio Lower Upper
162 100
164 65.4 43.1 83.1
98 39.4 20.8 60.8



#30
1,2,4-Trichlorobenzene
Concen: 38.922 ng
RT: 8.087 min Scan# 1019
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:180 Resp: 214636
Ion Ratio Lower Upper
180 100
182 95.9 76.0 114.0
145 31.0 25.0 37.6









#31
Naphthalene
Concen: 38.827 ng
RT: 8.169 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 689495
Ion Ratio Lower Upper
128 100
129 11.1 8.8 13.2
127 13.2 10.5 15.7



#32
Benzoic acid
Concen: 38.917 ng
RT: 7.916 min Scan# 990
Delta R.T. -0.018 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:122 Resp: 144668
Ion Ratio Lower Upper
122 100
105 125.5 104.9 144.9
77 101.7 82.7 122.7









#33
4-Chloroaniline
Concen: 38.386 ng
RT: 8.222 min Scan# 1042
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	127	Resp:	230738
Ion	Ratio	Lower	Upper
127	100		
129	31.8	26.2	39.4
65	34.7	29.3	43.9
92	20.7	16.9	25.3



#34
Hexachlorobutadiene
Concen: 39.000 ng
RT: 8.287 min Scan# 1053
Delta R.T. -0.000 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:	225	Resp:	139178
Ion	Ratio	Lower	Upper
225	100		
223	63.3	50.9	76.3
227	63.9	50.7	76.1









#35
 Caprolactam
 Concen: 37.888 ng
 RT: 8.592 min Scan# 1105
 Delta R.T. -0.006 min
 Lab File: BF139644.D
 Acq: 04 Oct 2024 09:01




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:113 Resp: 60596
 Ion Ratio Lower Upper
 113 100
 55 201.1 193.4 233.4
 56 156.4 143.8 183.8



#36
 4-Chloro-3-methylphenol
 Concen: 37.581 ng
 RT: 8.698 min Scan# 1123
 Delta R.T. -0.006 min
 Lab File: BF139644.D
 Acq: 04 Oct 2024 09:01

Tgt Ion:107 Resp: 207444
 Ion Ratio Lower Upper
 107 100
 144 23.4 19.0 28.6
 142 73.1 59.2 88.8





#37

2-Methylnaphthalene

Concen: 37.359 ng

RT: 8.863 min Scan# 1151

Delta R.T. -0.000 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :





SSTDCCC040

Tgt Ion:142 Resp: 432084

Ion Ratio Lower Upper

142 100

141 88.7 70.4 105.6



#38

1-Methylnaphthalene

Concen: 37.538 ng

RT: 8.957 min Scan# 1167

Delta R.T. -0.006 min

Lab File: BF139644.D




Acq: 04 Oct 2024 09:01


Tgt Ion:142 Resp: 424370

Ion Ratio Lower Upper

142 100

141 91.7 73.0 109.4









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1179
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:164 Resp: 190413
Ion Ratio Lower Upper
164 100
162 100.3 79.4 119.0
160 43.2 35.1 52.7



#40
1,2,4,5-Tetrachlorobenzene
Concen: 38.890 ng
RT: 9.028 min Scan# 1179
Delta R.T. -0.000 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:216 Resp: 205631
Ion Ratio Lower Upper
216 100
214 80.9 63.7 95.5
179 21.3 16.9 25.3
108 18.8 15.4 23.2









#41
Hexachlorocyclopentadiene
Concen: 35.538 ng
RT: 9.010 min Scan# 1176
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 57618
Ion Ratio Lower Upper
237 100
235 61.8 42.5 82.5
272 12.2 0.0 32.1



#42
2,4,6-Tribromophenol
Concen: 72.943 ng
RT: 10.692 min Scan# 1462
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:330 Resp: 134079
Ion Ratio Lower Upper
330 100
332 97.6 76.5 114.7
141 36.7 29.3 43.9





#43

2,4,6-Trichlorophenol

Concen: 37.564 ng

RT: 9.139 min Scan# 1198

Delta R.T. -0.000 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:196 Resp: 133895

Ion Ratio Lower Upper

196 100

198 96.9 75.2 112.8

200 31.1 24.6 37.0



#44

2,4,5-Trichlorophenol

Concen: 38.621 ng

RT: 9.181 min Scan# 1205

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Tgt Ion:196 Resp: 148458




Ion Ratio Lower Upper


196 100

198 96.9 77.5 116.3

97 55.9 43.1 64.7

132 28.8 22.2 33.4









#45
2-Fluorobiphenyl
Concen: 77.190 ng
RT: 9.222 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:172 Resp: 957407
Ion Ratio Lower Upper
172 100
171 35.4 28.2 42.4
170 23.5 18.8 28.2



#46
1,1'-Biphenyl
Concen: 38.761 ng
RT: 9.322 min Scan# 1229
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:154 Resp: 548938
Ion Ratio Lower Upper
154 100
153 40.2 20.1 60.1
76 12.8 0.0 32.6





#47

2-Chloronaphthalene

Concen: 39.388 ng

RT: 9.351 min Scan# 1234

Delta R.T. -0.000 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 418189

Ion Ratio Lower Upper

162 100

127 41.9 35.0 52.4

164 32.5 26.1 39.1



#48

2-Nitroaniline

Concen: 39.043 ng

RT: 9.445 min Scan# 1250

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion: 65 Resp: 148801


Ion Ratio Lower Upper

65 100

92 63.3 50.0 75.0

138 91.8 73.8 110.8





#49

Acenaphthylene

Concen: 39.153 ng

RT: 9.763 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:152 Resp: 632167

Ion Ratio Lower Upper

152 100

151 19.7 16.0 24.0

153 13.1 10.5 15.7



#50

Dimethylphthalate

Concen: 37.829 ng

RT: 9.628 min Scan# 1281

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:163 Resp: 471523


Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.0

164 10.0 8.1 12.1





#51

2,6-Dinitrotoluene

Concen: 39.034 ng

RT: 9.686 min Scan# 1291

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:165 Resp: 109907

Ion Ratio Lower Upper

165 100

63 68.8 56.7 85.1

89 61.3 51.6 77.4



#52

Acenaphthene

Concen: 37.657 ng

RT: 9.939 min Scan# 1334

Delta R.T. -0.000 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:154 Resp: 417402


Ion Ratio Lower Upper

154 100

153 112.0 88.8 133.2

152 53.5 42.5 63.7









#53
3-Nitroaniline
Concen: 39.113 ng
RT: 9.857 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 112544
Ion Ratio Lower Upper
138 100
108 10.5 8.8 13.2
92 122.9 100.0 150.0



#54
2,4-Dinitrophenol
Concen: 34.816 ng
RT: 9.963 min Scan# 1338
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:184 Resp: 52728
Ion Ratio Lower Upper
184 100
63 78.4 61.7 92.5
154 64.4 53.0 79.4





#55

Dibenzofuran

Concen: 38.539 ng

RT: 10.110 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:168 Resp: 598107

Ion Ratio Lower Upper

168 100

139 36.9 30.4 45.6

169 13.1 10.7 16.1



#56

4-Nitrophenol

Concen: 37.263 ng

RT: 10.016 min Scan# 1347

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:139 Resp: 81766


Ion Ratio Lower Upper

139 100

109 77.9 60.3 100.3

65 118.0 100.8 140.8









#57
2,4-Dinitrotoluene
Concen: 39.302 ng
RT: 10.092 min Scan# 1360
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	165	Resp:	144651
Ion	Ratio	Lower	Upper
165	100		
63	55.8	46.9	70.3
89	78.8	64.4	96.6
182	2.5	2.2	3.2



#58
Fluorene
Concen: 37.888 ng
RT: 10.451 min Scan# 1421
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:	166	Resp:	468340
Ion	Ratio	Lower	Upper
166	100		
165	93.6	74.4	111.6
167	13.6	10.9	16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 37.841 ng
RT: 10.228 min Scan# 1383
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:232 Resp: 117484
Ion Ratio Lower Upper
232 100
131 46.3 37.8 56.6
130 2.3 1.9 2.9
166 29.9 24.4 36.6



#60
Diethylphthalate
Concen: 37.393 ng
RT: 10.322 min Scan# 1399
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:149 Resp: 481421
Ion Ratio Lower Upper
149 100
177 22.0 17.4 26.0
150 12.3 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 37.625 ng
RT: 10.439 min Scan# 1419
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 232679
Ion Ratio Lower Upper
204 100
206 32.7 25.9 38.9
141 61.5 50.5 75.7



#62
4-Nitroaniline
Concen: 39.335 ng
RT: 10.469 min Scan# 1424
Delta R.T. -0.012 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:138 Resp: 115773
Ion Ratio Lower Upper
138 100
92 53.9 33.3 73.3
108 79.9 62.1 102.1





#63

Azobenzene

Concen: 37.821 ng

RT: 10.604 min Scan# 1447

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040

Tgt Ion: 77 Resp: 489681





Ion Ratio Lower Upper

77 100

182 24.3 4.2 44.2

105 20.2 0.0 39.6

51 35.1 15.8 55.8



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.386 min Scan# 1580

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion: 188 Resp: 346153


Ion Ratio Lower Upper

188 100

94 9.4 7.4 11.2

80 9.8 8.2 12.2









#65
4,6-Dinitro-2-methylphenol
Concen: 38.402 ng
RT: 10.498 min Scan# 1429
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 75077
Ion Ratio Lower Upper
198 100
51 62.8 43.0 83.0
105 46.3 26.6 66.6



#66
n-Nitrosodiphenylamine
Concen: 39.485 ng
RT: 10.563 min Scan# 1440
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:169 Resp: 402883
Ion Ratio Lower Upper
169 100
168 65.4 53.2 79.8
167 36.0 28.6 43.0









#67
4-Bromophenyl-phenylether
Concen: 38.291 ng
RT: 10.933 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:248 Resp: 135899
Ion Ratio Lower Upper
248 100
250 97.3 77.1 115.7
141 77.1 60.4 90.6



#68
Hexachlorobenzene
Concen: 38.216 ng
RT: 10.998 min Scan# 1514
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:284 Resp: 150507
Ion Ratio Lower Upper
284 100
142 31.6 26.9 40.3
249 30.8 25.4 38.0





#69

Atrazine

Concen: 29.760 ng

RT: 11.086 min Scan# 1529

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:200 Resp: 81470

Ion Ratio Lower Upper

200 100

173 27.0 6.7 46.7

215 48.7 27.5 67.5



#70

Pentachlorophenol

Concen: 37.305 ng

RT: 11.192 min Scan# 1547

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:266 Resp: 87482


Ion Ratio Lower Upper

266 100

268 63.0 50.0 75.0

264 62.7 49.3 73.9









#71
Phenanthrene
Concen: 38.627 ng
RT: 11.416 min Scan# 1585
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:178 Resp: 630451
Ion Ratio Lower Upper
178 100
176 19.2 15.5 23.3
179 15.2 12.3 18.5



#72
Anthracene
Concen: 38.327 ng
RT: 11.463 min Scan# 1593
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:178 Resp: 618856
Ion Ratio Lower Upper
178 100
176 18.8 15.1 22.7
179 15.3 12.5 18.7









#73
 Carbazole
 Concen: 38.333 ng
 RT: 11.622 min Scan# 1620
 Delta R.T. -0.006 min
 Lab File: BF139644.D
 Acq: 04 Oct 2024 09:01




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:167 Resp: 594478
 Ion Ratio Lower Upper
 167 100
 166 21.2 17.2 25.8
 139 12.8 10.3 15.5



#74
 Di-n-butylphthalate
 Concen: 38.512 ng
 RT: 11.945 min Scan# 1675
 Delta R.T. -0.006 min
 Lab File: BF139644.D
 Acq: 04 Oct 2024 09:01

Tgt Ion:149 Resp: 726282
 Ion Ratio Lower Upper
 149 100
 150 9.1 7.5 11.3
 104 5.0 4.1 6.1





#75

Fluoranthene

Concen: 37.380 ng

RT: 12.598 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:202 Resp: 666914

Ion Ratio Lower Upper

202 100

101 10.3 0.0 30.2

203 17.4 0.0 37.7



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.027 min Scan# 2029

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:240 Resp: 196860


Ion Ratio Lower Upper

240 100

120 10.6 8.4 12.6

236 26.9 20.3 30.5





#77

Benzidine

Concen: 48.529 ng

RT: 12.722 min Scan# 1807

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:184 Resp: 168511

Ion Ratio Lower Upper

184 100

185 14.6 11.4 17.0

183 11.1 8.8 13.2



#78

Pyrene

Concen: 37.976 ng

RT: 12.833 min Scan# 1826

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:202 Resp: 668649


Ion Ratio Lower Upper

202 100

200 19.8 15.8 23.6

203 17.1 13.8 20.8





#79

Terphenyl-d14

Concen: 75.472 ng

RT: 12.974 min Scan# 1850

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:244 Resp: 905484

Ion Ratio Lower Upper

244 100

212 7.2 5.8 8.6

122 10.4 8.6 12.8



#80

Butylbenzylphthalate

Concen: 40.594 ng

RT: 13.445 min Scan# 1930

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:149 Resp: 255654


Ion Ratio Lower Upper

149 100

91 74.5 61.0 91.4

206 20.8 16.6 24.8





#81

Benzo(a)anthracene

Concen: 39.949 ng

RT: 14.016 min Scan# 2028

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:228 Resp: 517050

Ion Ratio Lower Upper

228 100

226 27.1 21.8 32.8

229 19.9 15.8 23.8



#82

3,3'-Dichlorobenzidine

Concen: 43.531 ng

RT: 13.980 min Scan# 2021

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:252 Resp: 172431


Ion Ratio Lower Upper

252 100

254 63.2 50.5 75.7

126 10.7 8.8 13.2





#83

Chrysene

Concen: 37.938 ng

RT: 14.057 min Scan# 2034

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:228 Resp: 448924

Ion Ratio Lower Upper

228 100

226 29.5 24.3 36.5

229 19.3 15.7 23.5



#84

Bis(2-ethylhexyl)phthalate

Concen: 43.792 ng

RT: 14.004 min Scan# 2025

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:149 Resp: 344389


Ion Ratio Lower Upper

149 100

167 27.6 21.7 32.5

279 4.1 3.2 4.8









#85
Di-n-octyl phthalate
Concen: 46.732 ng
RT: 14.616 min Scan# 2129
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:149 Resp: 539911
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 12.7 10.2 15.2



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.498 min Scan# 2279
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:264 Resp: 223781
Ion Ratio Lower Upper
264 100
260 23.0 18.7 28.1
265 21.0 16.9 25.3





#87

Indeno(1,2,3-cd)pyrene

Concen: 42.228 ng

RT: 16.974 min Scan# 2530

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:276 Resp: 556196

Ion Ratio Lower Upper

276 100

138 24.8 19.4 29.0

277 25.2 20.2 30.2



#88

Benzo(b)fluoranthene

Concen: 33.893 ng

RT: 15.068 min Scan# 2206

Delta R.T. -0.006 min

Lab File: BF139644.D

Acq: 04 Oct 2024 09:01




Tgt Ion:252 Resp: 490410


Ion Ratio Lower Upper

252 100

253 22.0 17.4 26.0

125 9.2 7.4 11.0









#89
Benzo(k)fluoranthene
Concen: 38.922 ng
RT: 15.098 min Scan# 211
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:252 Resp: 477719
Ion Ratio Lower Upper
252 100
253 21.9 17.5 26.3
125 9.4 7.6 11.4



#90
Benzo(a)pyrene
Concen: 38.319 ng
RT: 15.433 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:252 Resp: 437185
Ion Ratio Lower Upper
252 100
253 21.9 17.3 25.9
125 10.7 8.3 12.5









#91
Dibenzo(a,h)anthracene
Concen: 42.209 ng
RT: 16.992 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 461108

Ion	Ratio	Lower	Upper
278	100		
139	14.7	12.2	18.4
279	23.2	19.2	28.8



#92
Benzo(g,h,i)perylene
Concen: 42.041 ng
RT: 17.415 min Scan# 2605
Delta R.T. -0.012 min
Lab File: BF139644.D
Acq: 04 Oct 2024 09:01

Tgt Ion:276 Resp: 460611

Ion	Ratio	Lower	Upper
276	100		
277	24.1	19.0	28.6
138	21.5	17.0	25.6

