

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100424\
 Data File : BF139646.D
 Acq On : 04 Oct 2024 09:56
 Operator : RC/JU
 Sample : PB163851TB
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB163851TB

Quant Time: Oct 04 11:11:12 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 02 04:58:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	87365	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	332749	20.000	ng	0.00
39) Acenaphthene-d10	9.898	164	181182	20.000	ng	-0.01
64) Phenanthrene-d10	11.386	188	349179	20.000	ng	0.00
76) Chrysene-d12	14.021	240	203841	20.000	ng	-0.01
86) Perylene-d12	15.492	264	202861	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.492	112	709819	140.822	ng	0.00
7) Phenol-d6	6.498	99	928942	137.043	ng	0.00
23) Nitrobenzene-d5	7.428	82	605545	92.138	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	234072	133.831	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	1119166	94.829	ng	0.00
79) Terphenyl-d14	12.974	244	1221569	98.331	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100424\
Data File : BF139646.D
Acq On : 04 Oct 2024 09:56
Operator : RC/JU
Sample : PB163851TB
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB163851TB

Quant Time: Oct 04 11:11:12 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF100124.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 02 04:58:47 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 812
Delta R.T. -0.006 min
Lab File: BF139646.D
Acq: 04 Oct 2024 09:56




Instrument :
BNA_F
ClientSampleId :
PB163851TB


Tgt Ion:152 Resp: 87365
Ion Ratio Lower Upper
152 100
150 157.8 127.2 190.8
115 59.8 49.0 73.4



#5
2-Fluorophenol
Concen: 140.822 ng
RT: 5.492 min Scan# 578
Delta R.T. 0.005 min
Lab File: BF139646.D
Acq: 04 Oct 2024 09:56

Tgt Ion:112 Resp: 709819
Ion Ratio Lower Upper
112 100
64 69.1 54.2 81.4
63 37.5 29.4 44.2








#7
Phenol-d6
Concen: 137.043 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF139646.D
Acq: 04 Oct 2024 09:56




Instrument :
BNA_F
ClientSampleId :
PB163851TB

Tgt Ion: 99 Resp: 928942
Ion Ratio Lower Upper
99 100
42 22.6 19.1 28.7
71 36.7 29.7 44.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 1029
Delta R.T. -0.006 min
Lab File: BF139646.D
Acq: 04 Oct 2024 09:56

Tgt Ion: 136 Resp: 332749
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 10.0 8.3 12.5
68 6.0 4.6 7.0









#23
Nitrobenzene-d5
Concen: 92.138 ng
RT: 7.428 min Scan# 908
Delta R.T. -0.006 min
Lab File: BF139646.D
Acq: 04 Oct 2024 09:56




Instrument :
BNA_F
ClientSampleId :
PB163851TB

Tgt Ion: 82 Resp: 605545
Ion Ratio Lower Upper
82 100
128 42.0 32.4 48.6
54 59.5 49.1 73.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.898 min Scan# 1327
Delta R.T. -0.012 min
Lab File: BF139646.D
Acq: 04 Oct 2024 09:56


Tgt Ion:164 Resp: 181182
Ion Ratio Lower Upper
164 100
162 100.5 79.4 119.0
160 44.2 35.1 52.7








#42
2,4,6-Tribromophenol
Concen: 133.831 ng
RT: 10.692 min Scan# 1462
Delta R.T. -0.006 min
Lab File: BF139646.D
Acq: 04 Oct 2024 09:56


Instrument :
BNA_F
ClientSampleId :
PB163851TB





Tgt Ion: 330 Resp: 234072
Ion Ratio Lower Upper
330 100
332 97.6 76.5 114.7
141 35.9 29.3 43.9



#45
2-Fluorobiphenyl
Concen: 94.829 ng
RT: 9.222 min Scan# 1212
Delta R.T. -0.006 min
Lab File: BF139646.D
Acq: 04 Oct 2024 09:56



Tgt Ion: 172 Resp: 1119166
Ion Ratio Lower Upper
172 100
171 35.2 28.2 42.4
170 23.4 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.386 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF139646.D
Acq: 04 Oct 2024 09:56




Instrument :
BNA_F
ClientSampleId :
PB163851TB


Tgt Ion:188 Resp: 349179
Ion Ratio Lower Upper
188 100
94 8.8 7.4 11.2
80 9.8 8.2 12.2



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.021 min Scan# 2028
Delta R.T. -0.012 min
Lab File: BF139646.D
Acq: 04 Oct 2024 09:56

Tgt Ion:240 Resp: 203841
Ion Ratio Lower Upper
240 100
120 10.4 8.4 12.6
236 25.3 20.3 30.5









#79
 Terphenyl-d14
 Concen: 98.331 ng
 RT: 12.974 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF139646.D
 Acq: 04 Oct 2024 09:56

Instrument :
 BNA_F
 ClientSampleId :
 PB163851TB

Tgt Ion:244 Resp: 1221569
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.8 8.6
 122 10.8 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.492 min Scan# 2278
 Delta R.T. -0.012 min
 Lab File: BF139646.D
 Acq: 04 Oct 2024 09:56

Tgt Ion:264 Resp: 202861
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.7 28.1
 265 21.3 16.9 25.3

